

ANDROSCOGGIN COUNTY KEY FINDINGS

- 2008 Population Estimate = 107,061
- 2008 Median Household Income 2008 = \$44,545
- 15% of residents are age 65+
- 27% of residents enrolled in Medicaid

Health Risks and Challenges

Health Assets and Opportunities

Risk Factors

- **Overweight/Obesity:** Low percentage of adults with regular physical activity [AND=22%, ME=26%]
- **Oral Health:** High percentage with no dental visit in past two years [AND= 27%, ME=24%]
- **Alcohol and Substance Use:** Highest percentage reporting street drug use in past 30 days of any county [AND=7.9%, ME=5.2%]
- **Reproductive Health:** Highest teen birth rate of any county

- **Access to Medical Care:**
 - Lowest percentage of any county reporting unmet medical needs in past year due to cost [AND=4.9%, ME=6.5%]
 - Low percentage uninsured adults [AND=10%, ME=13%]
- **Prevention:** Highest percentage of any county reporting daily aspirin use among 35+ [AND=41%, ME=35%]
- **Smoking:** Low percentage of male smokers [AND=20%, ME=23%]
- **Alcohol and Substance Use:** Low rate of chronic heavy drinking [AND=5.5%, ME=6.4%]

Disease Incidence & Prevalence

- **Heart Disease:** High prevalence of heart disease [AND=7.3%, ME=6.3%]
- **High Cholesterol:** 2nd highest prevalence of hypercholesteremia [AND=34%, ME=29%]
- **Asthma:**
 - High prevalence of adults and youth with asthma [AND=12%, ME=10%]
 - High parental report of youth (0-17) with asthma [AND=10%, ME=6.1%]
- **Diabetes:**
 - High diabetes prevalence among 45-64 year olds [AND=16%, ME=13%]
 - 2nd lowest receipt of hemoglobin A1c measurement in past year among diabetics [AND=77%, ME=89%]
- **Infectious Disease:** Highest incidence of chlamydia of any county

- **Cancer:** Low incidence of female breast cancer

Health Risks and Challenges

Health Assets and Opportunities

Hospital Utilization & Mortality Rates

- | | |
|---|---|
| <ul style="list-style-type: none"> • Hospital Admissions: <ul style="list-style-type: none"> ○ High rates of overall hospitalizations and ambulatory care sensitive condition (ACSC) hospitalizations for ages 0-64 ○ High rates of hospital admissions for Congestive Heart Failure and CABG ○ Highest hospital admissions for most mental health conditions and substance abuse conditions • Emergency Department (ED) Visits: <ul style="list-style-type: none"> ○ High rates of overall ED visits and ACSC ED visits for ages 0-64 ○ High rates of ED visits for respiratory disease including COPD, Bronchitis/Asthma and Pneumonia ○ Highest rates of ED use for bipolar disorder, anxiety and acute drug related mental disorders • Mortality: <ul style="list-style-type: none"> ○ High COPD mortality rate ○ High mortality rates for bladder cancer and females with smoking related neoplasms | <ul style="list-style-type: none"> • Low hospital admission and ED rates overall for 65+ • Low hospital admission rates for AMI and Emphysema • Low hospital admission rates for schizophrenia and anxiety • Low ED visits for alcohol and drug related psychoses • Low mortality rates for female breast, colorectal and male prostate cancers • Low motor vehicle accident mortality rate |
|---|---|

Note: The term high connotes a result at least 10% greater than Maine result. The term low connotes a result at least 10% less than the Maine result. Highest and 2nd highest are based on comparisons between Maine counties. Additional detail on indicators and data sources can be found in full report – Appendix 9: Detailed Data Sources

		Androscoggin	Maine	Maine Counties Source
DEMOGRAPHICS				
Total Population	107,061	1,319,691	2008 Census Estimates	
Median Annual Household Income (to 2008)	\$44,545	\$46,807	ME SPO Data Center	
% of Labor Force Unemployed	8.4%	7.8%	ME Dept Labor	
% Population Not Attaining H.S. Diploma (>25 yr)	20%	15%	2000 Census	
% Population on Medicaid (all ages)	27%	23%	2004 CMS, HRSA Area Resource File	
% Population Under the Age of 18	22%	21%	2008 Census Estimates	
% Population Age 65 and Over	15%	15%	2008 Census Estimates	
% Uninsured Non-Elderly Adults (Ages 18-65)	12%	16%	Household Survey	
HEALTH STATUS				
% Health Fair to Poor	17%	15%	Household Survey	
% 11+ Days Lost due to Poor Mental or Physical Health	7%	8%	Household Survey	
% 3+ Chronic Conditions	15%	13%	Household Survey	
Wellness Categories:				
% Well	30%	34%	Household Survey	
% At Risk for Future Medical Problems	9%	8%	Household Survey	
% Some Health Problems	35%	36%	Household Survey	
% Not Well	26%	23%	Household Survey	
ACCESS TO CARE				
% Without Usual Source of Primary Care (Males)	18%	18%	Household Survey	
% Without Usual Source of Primary Care (Females)	5.7%	8.3%	Household Survey	
% Named hospital or ER as usual source of care	2.3%	1.9%	Household Survey	
% Not Having a Checkup Within the Past 2 yrs (Males)	12%	15%	Household Survey	
% Not Having a Checkup Within the Past 2 yrs (Females)	5.5%	6.4%	Household Survey	
% Received Flu Shot or Mist past 12 months	40%	42%	Household Survey	
% Ever Received Pneumococcal Vaccine (Age 65+)	73%	73%	Household Survey	
% Needed Medical Care But Could not Afford it: Past Year	4.9%	6.5%	Household Survey	
% No Dental Visit in Past 2 Years	27%	24%	Household Survey	
ED Visits per 100,000 population	57,097	47,665	MHDO Hosp ED	
Ages 65+	48,645	49,497	MHDO Hosp ED	
Hospitalizations per 100,000 Population	12,920	12,076	MHDO Hosp Inpatient	
Ages 65+	28,349	31,396	MHDO Hosp Inpatient	
QUALITY/EFFECTIVENESS				
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)	1,044	967	MHDO Hosp Inpatient	
Ages 0-17	241	191	MHDO Hosp Inpatient	
Ages 18-44	319	234	MHDO Hosp Inpatient	
Ages 45-64	914	707	MHDO Hosp Inpatient	
Ages 65+	4,329	4,166	MHDO Hosp Inpatient	
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	3,426	3,073	MHDO Hosp Inpatient	
Ages 0-17	2,466	1,994	MHDO Hosp Inpatient	
Ages 18-44	3,618	2,868	MHDO Hosp Inpatient	
Ages 45-64	2,832	2,374	MHDO Hosp Inpatient	
Ages 65+	5,517	6,375	MHDO Hosp Inpatient	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
CARDIOVASCULAR HEALTH				
Risk Factors	% Current Smokers (Age 18+)	20%	22%	Household Survey
	% Sedentary Lifestyle (measured by no physical activity)	20%	21%	Household Survey
	% Overweight (Ages 18+)	39%	37%	Household Survey
	% Obesity (Ages 18+)	31%	28%	Household Survey
Disease Prevalence	% High Cholesterol	34%	29%	Household Survey
	% High Blood Pressure	31%	30%	Household Survey
	% Heart Disease	7.3%	6.3%	Household Survey
Management	Congestive Heart Failure, Hospital Admissions	306	283	MHDO Hosp Inpatient
	AMI, Hospital Admission Rate	172	211	MHDO Hosp Inpatient
	Ages 45-64	154	157	MHDO Hosp Inpatient
	Ages 65+	866	1,037	MHDO Hosp Inpatient
	Cerebrovascular Disease (stroke), Hospital Admission Rate	144	149	MHDO Hosp Inpatient
	CABG, Hospital Admission Rate	78	62	MHDO Hosp Inpatient
	% Having Cholesterol Checked within the past year (Ages 21+)	68%	63%	Household Survey
	% Smokers advised to quit smoking in the past yr.	71%	72%	Household Survey
Quality/Effectiveness	AMI, Mortality Rate	40	45	ODRVS Mortality
	Ages 65+	202	232	ODRVS Mortality
	Cerebrovascular Disease (stroke), Mortality Rate	45	49	ODRVS Mortality
	Ages 65+	279	294	ODRVS Mortality
	Heart Disease, Mortality Rate	203	202	ODRVS Mortality
	Ages 65+	1,126	1,101	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted
Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Androscoggin	Maine	Maine Counties Source
RESPIRATORY HEALTH				
Disease Prevalence	% Current Smokers (Male)	20%	23%	Household Survey
	% Current Smokers (Female)	20%	20%	Household Survey
	% Former Smokers	32%	31%	Household Survey
	% Current Asthma (Ages 18+)	12%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	10%	6.1%	Household Survey
	% COPD	4.3%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	101	105	ME CDC Cancer Reg
Lung and Broncus Cancer, Females, Incidence Rate	86	86	ME CDC Cancer Reg	
Management	% Received Flu Shot or Mist past 12 months	40%	42%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	73%	73%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	127	87	MHDO Hosp Inpatient
	Ages 65+	84	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	1,064	988	MHDO Hosp ED
	Ages 65+	435	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	307	284	MHDO Hosp Inpatient
	COPD, ED Visit Rate	1,264	998	MHDO Hosp Inpatient
	Ages 65+	1,870	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	299	326	MHDO Hosp Inpatient
	Ages 65+	1,255	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	506	505	MHDO Hosp Inpatient
	Ages 65+	747	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	12	23	MHDO Hosp Inpatient
	Ages 65+	35	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	71%	72%	Household Survey
	% Current smokers tried to quit in past year	52%	54%	Household Survey
% Current smokers ever used Maine Tobacco Quitline	21%	19%	Household Survey	
Lung Cancer, Mortality Rate (Males)	73	78	ODRVS Mortality 07-09	
Lung Cancer, Mortality Rate (Females)	59	61	ODRVS Mortality 07-09	
COPD, Mortality Rate (Ages 65+)	436	332	ODRVS Mortality 07-09	
Pneumonia, Mortality Rate (Ages 65+)	79	103	ODRVS Mortality 07-09	
Smoking-Related Neoplasms, Mortality Rate (Males)	191	205	ODRVS Mortality 07-09	
Smoking-Related Neoplasms, Mortality Rate (Females)	141	150	ODRVS Mortality 07-09	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

	Androscoggin	Maine	Maine Counties Source	
CANCER HEALTH				
	All Cancers, Incidence Rate	585	629	ME CDC Cancer Reg
	Bladder, Incident Rate	35	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	141	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	7.9	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	57	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	93	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	25	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	169	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	69%	69%	Household Survey
	% Stage Female Breast, Local	68%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	4.3%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	67%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	46%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	15%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	23%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	67%	63%	Household Survey
	% Stage Colorectal, Local	47%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	18%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	17%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	55%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	20%	21%	ME CDC Cancer Reg
% Stage Lung and Brunchus Female, Distant	50%	47%	ME CDC Cancer Reg	
% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	65%	69%	Household Survey	
% Reported Digital Rectal Exam past 2 years (males Age 50+)	71%	68%	Household Survey	
% Stage Prostate, Local	84%	76%	ME CDC Cancer Reg	
% Stage Prostate, Distant	4.5%	3.8%	ME CDC Cancer Reg	
Quality/Effectiveness	All Cancers, Mortality Rate	216	234	ODRVS Mortality
	Bladder, Mortality Rate	10	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	24	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	2.4	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	17	21	ODRVS Mortality
	Lung, Mortality Rate	66	69	ODRVS Mortality
	Melanoma, Mortality Rate	4.0	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	20	23	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
DIABETES HEALTH				
Disease Prevalence	% Diagnosed Diabetes	11%	10%	Household Survey
	Ages 18-44	2.8%	2.9%	Household Survey
	Ages 45-64	16%	13%	Household Survey
	Ages 65+	23%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	77%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	78%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	77%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	59%	54%	Household Survey
	Diabetes, Hospital Admission Rate	84	79	MHDO Hosp Inpatient
	Ages 18-44	57	75	MHDO Hosp Inpatient
	Ages 45-64	137	75	MHDO Hosp Inpatient
	Ages 65+	129	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	7	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	171	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	11	11		
Quality	Diabetes, Mortality Rate	25	26	ODRVS Mortality
	Ages 65+	120	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
MENTAL HEALTH				
Risk Factors	% 11+ Days Mental Health Not Good	10%	11%	BRFSS 2008 + 2009
	Ages 65+	6.9%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	5.0%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	12%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	6.3%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	22%	22%	Household Survey
	% Current Depression (18+)	15%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	12%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	4.1%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	911	578	MHDO Hosp Inpatient
	Ages 65+	409	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	7.0	8.6	MHDO Hosp Inpatient
	Ages 65+	42	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	210	157	MHDO Hosp Inpatient
	Ages 0-17	132	85	MHDO Hosp Inpatient
	Ages 18-64	256	196	MHDO Hosp Inpatient
	Ages 65+	126	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	599	280	MHDO Hosp Inpatient
	Ages 65+	222	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	81	114	MHDO Hosp Inpatient
	Ages 65+	19	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	247	269	MHDO Hosp Inpatient
	Ages 65+	42	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	34	28	MHDO Hosp ED
	Major Depressive Disorder, ED Rate	129	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	277	166	MHDO Hosp ED
	Schizophrenia, ED Rate	70	70	MHDO Hosp ED
	Anxiety Disorder, ED Rate	2,132	1,618	MHDO Hosp ED
	Suicide, Mortality Rate (Males)	21	23	ODRVS Mortality
Suicide, Mortality Rate (Females)	5.5	5.4	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
SUBSTANCE ABUSE				
Prevalence	% Chronic Heavy Drinking - Past Month	5.5%	6.4%	BRFSS 2008 & 2009
	Ages 65+	0.8%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	15%	BRFSS 2008 & 2009
	Ages 18-44	24%	26%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.2%	4.7%	Household Survey
	% Current Substance Abuse Problem	0.7%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	1.0%	0.9%	Household Survey
	% have used any street drugs in past 30 days	7.9%	5.2%	Household Survey
% have used any prescription drugs for non-prescribed purpose in past 30 days	1.8%	1.8%	Household Survey	
Management	Substance Abuse, Hospital Admission Rate	673	379	MHDO Hosp Inpatient
	Ages 65+	138	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	17.3	50	MHDO Hosp Inpatient
	Ages 65+	0	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	368	174	MHDO Hosp Inpatient
	Ages 65+	74	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	27	39	MHDO Hosp Inpatient
	Ages 65+	0	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	261	117	MHDO Hosp Inpatient
	Ages 65+	64	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	140	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	18	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	443	297	MHDO Hosp ED
	Drug-Related Psychoses, ED Rate	48	57	MHDO Hosp ED
	Alcohol-Related Mortality Rate (Males)	17	19	ODRVS Mortality
	Alcohol-Related Mortality Rate (Females)	13	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	12	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Males)	14	21	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Females)	6.1	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
REPRODUCTIVE HEALTH				
	2 or more sex partners in past yr (ages 18-34)	21%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	25%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	6.9	4.1	ODRVS Birth
Management	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	499	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	33	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	93%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	1.9%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	6.4%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	8.3%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	6.2	5.5	ODRVS Mortality
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	3.6	3.9	ODRVS Mortality
CHILD/YOUTH HEALTH				
	% Seriously Considered Suicide	14%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	18%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	10%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	31%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month (Grade 9-12)	19%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	23%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	11%	9%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	37%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	15%	15%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Population	6.9	4.1	ODRVS Birth
Prevalence	% Ever Been Diagnosed with Asthma (0-17) parental report	10%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	1.7%	2.0%	Household Survey
	% Overweight (Grade 9-12)	15%	14%	MIYHS 2009
	% Obese (Grade 9-12)	14%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	4.1%	4.5%	Household Survey
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	2,466	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	241	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	311	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	193	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	980	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	132	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	804	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,291	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	634	516	MHDO Hosp ED

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Androscoggin	Maine	Maine Counties Source
ORTHOPEDICS				
	% Diagnosed Arthritis	31%	32%	BRFSS 2007 & 2009
	Ages 65+	61%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	94	93	MHDO Hosp Inpatient
	Ages 65+	473	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	64	57	MHDO Hosp Inpatient
	Ages 65+	180	180	MHDO Hosp Inpatient
INFECTIOUS DISEASE				
	HIV/AIDS, Hospital Admissions Rate	7.5	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	130	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:			
	Gonorrhea	9.4	7.3	ME CDC Infect Disease 2008
	Chlamydia	307	197	ME CDC Infect Disease 2008
INTIMATE PARTNER VIOLENCE				
	% Ever physically hurt by Intimate Partner	15%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partner	2.8%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.