

## CUMBERLAND COUNTY KEY FINDINGS

- 2008 Population Estimate = 277,512
- 2008 Median Household Income 2008 = \$55,647
- 14% of residents are age 65+
- 17% of residents enrolled in Medicaid

### Health Risks and Challenges

### Health Assets and Opportunities

#### Risk Factors

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• <b>Alcohol and Substance Use:</b> <ul style="list-style-type: none"> <li>○ High rate of chronic heavy drinking [CUM=7.9% , ME=6.4%]</li> <li>○ High rate of binge drinking [CUM=18%, ME=15%]</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Health Status:</b> Lowest percentage reporting their health status is 'Fair to Poor' [CUM=11% , ME= 15%]</li> <li>• <b>Immunizations:</b> High receipt of flu vaccination [CUM=49%, ME=42%)</li> <li>• <b>Smoking:</b> Lowest percentage current smokers of any county [CUM=16%, ME=22%]</li> <li>• <b>Overweight/Obesity:</b> <ul style="list-style-type: none"> <li>○ Low percentage obese [CUM=24% , ME=28%]</li> <li>○ Lowest percentage of residents with sedentary lifestyle [CUM=16% , ME=21%]</li> </ul> </li> <li>• <b>Reproductive Health:</b> Low teen birth rate</li> <li>• <b>Intimate Partner Violence:</b> Lowest percentage of respondents reporting ever experienced intimate partner violence [CUM= 9%, ME=12% ]</li> <li>• <b>Youth:</b> (Grades 9-12) <ul style="list-style-type: none"> <li>○ Lowest percentage current smoking of any county [CUM=17%, ME=20%]</li> <li>○ Lowest past week consumption of sugar sweetened beverages [CUM= 25%, ME= 29%]</li> <li>○ Lowest rates of obesity and overweight [CUM=11%,10%, ME=14%,13% ]</li> </ul> </li> </ul> |
|--|---|

#### Disease Incidence & Prevalence

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• <b>Infectious Disease:</b> <ul style="list-style-type: none"> <li>○ Highest incidence rate for HIV of any county</li> <li>○ High gonorrhea and chlamydia incidence rates</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Asthma:</b> Lowest percentage of parental report of youths (0-17) with asthma [CUM= 2.4%, ME= 6.1%]</li> <li>• <b>COPD:</b> Low prevalence of COPD [CUM=2.6% , ME=4.2%]</li> <li>• <b>Cancer:</b> Lowest incidence of colorectal and lung cancer of any county</li> </ul> |
|--|---|

## Health Risks and Challenges

## Health Assets and Opportunities

### Hospital Utilization & Mortality Rates

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• <b>Hospital Admissions:</b> <ul style="list-style-type: none"> <li>○ High hospital admissions rate for major depressive disorder for youths</li> <li>○ High hospital admission rate for senility and organic mental disorders</li> <li>○ High substance abuse and alcohol- and drug-related psychosis hospital admissions rate</li> <li>○ High hospital admission rate for HIV/AIDS</li> </ul> </li> <li>• <b>Emergency Department (ED) Visits:</b> <ul style="list-style-type: none"> <li>○ High schizophrenia ED admissions rate</li> <li>○ High ED admissions rate for acute alcohol-related mental disorders</li> <li>○ Highest ED admissions rate for major depressive disorder of any county</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• Low overall ED utilization rates</li> <li>• Low hospital admission rates for ambulatory care sensitive conditions for both youths and adults</li> <li>• Lowest hospital admission rates for AMI and stroke of any county; low CHF hospital admission rates</li> <li>• Low hospital admission rate for asthma, bronchitis, and emphysema and lowest COPD hospital admission rate of any county</li> <li>• Low hospital admission rate for anxiety</li> <li>• Lowest ED visit rate for ambulatory care sensitive conditions of any county</li> <li>• Lowest ED Visit rate for COPD, pneumonia of any county</li> <li>• Lowest ED visit rate for uncontrolled diabetes</li> <li>• Low ED rate for pneumonia, asthma and bronchitis among youths</li> <li>• Low mortality rates for heart disease; lowest mortality rates for AMI and stroke of any county</li> <li>• Lowest mortality rates for COPD of any county</li> <li>• Lowest all cancer and lung cancer mortality rate of any county</li> <li>• Low diabetes mortality rate</li> <li>• Low mortality rates for smoking- and alcohol-related disease</li> <li>• Low mortality rates for motor vehicle accidents</li> </ul> |
|--|---|

Note: The term high connotes a result at least 10% greater than Maine result. The term low connotes a result at least 10% less than the Maine result. Highest and 2<sup>nd</sup> highest are based on comparisons between Maine counties. Additional detail on indicators and data sources can be found in full report – Appendix 9: Detailed Data Sources

	Cumberland	Maine	Maine Counties Source
<b>DEMOGRAPHICS</b>			
Total Population	277,512	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)	\$55,647	\$46,807	ME SPO Data Center
% of Labor Force Unemployed	6.5%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)	9.9%	15%	2000 Census
% Population on Medicaid (all ages)	17%	23%	2004 CMS, HRSA Area Resource File
% Population Under the Age of 18	21%	21%	2008 Census Estimates
% Population Age 65 and Over	14%	15%	2008 Census Estimates
% Uninsured Non-Elderly Adults (Ages 18-65)	13%	16%	Household Survey
<b>HEALTH STATUS</b>			
% Health Fair to Poor	11%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health	7%	8%	Household Survey
% 3+ Chronic Conditions	12%	13%	Household Survey
Wellness Categories:			
%Well	39%	34%	Household Survey
%At Risk for Future Medical Problems	7%	8%	Household Survey
%Some Health Problems	35%	36%	Household Survey
%Not Well	19%	23%	Household Survey
<b>ACCESS TO CARE</b>			
% Without Usual Source of Primary Care (Males)	18%	18%	Household Survey
% Without Usual Source of Primary Care (Females)	9.1%	8.3%	Household Survey
% Named hospital or ER as usual source of care	2.6%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Males)	10%	15%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Females)	6.9%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months	49%	42%	Household Survey
% Ever Received Pneumoccal Vaccine (Age 65+)	76%	73%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year	5.2%	6.5%	Household Survey
% No Dental Visit in Past 2 Years	21%	24%	Household Survey
ED Visits per 100,000 population	36,351	47,665	MHDO Hosp ED
Ages 65+	35,292	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population	11,328	12,076	MHDO Hosp Inpatient
Ages 65+	31,855	31,396	MHDO Hosp Inpatient
<b>QUALITY/EFFECTIVENESS</b>			
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)	754	967	MHDO Hosp Inpatient
Ages 0-17	182	191	MHDO Hosp Inpatient
Ages 18-44	167	234	MHDO Hosp Inpatient
Ages 45-64	520	707	MHDO Hosp Inpatient
Ages 65+	3,618	4,166	MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	2,085	3,073	MHDO Hosp Inpatient
Ages 0-17	1,530	1,994	MHDO Hosp Inpatient
Ages 18-44	2,114	2,868	MHDO Hosp Inpatient
Ages 45-64	1,635	2,374	MHDO Hosp Inpatient
Ages 65+	3,764	6,375	MHDO Hosp Inpatient

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>CARDIOVASCULAR HEALTH</b>				
Risk Factors	% Current Smokers (Age 18+)	16%	22%	Household Survey
	% Sedentary Lifestyle (measured by no physical activity)	16%	21%	Household Survey
	% Overweight (Ages 18+)	36%	37%	Household Survey
	% Obesity (Ages 18+)	24%	28%	Household Survey
Disease Prevalence	% High Cholesterol	26%	29%	Household Survey
	% High Blood Pressure	27%	30%	Household Survey
	% Heart Disease	6.4%	6.3%	Household Survey
Management	Congestive Heart Failure, Hospital Admissions	251	283	MHDO Hosp Inpatient
	AMI, Hospital Admission Rate	108	211	MHDO Hosp Inpatient
	Ages 45-64	61	157	MHDO Hosp Inpatient
	Ages 65+	637	1,037	MHDO Hosp Inpatient
	Cerebrovascular Disease (stroke), Hospital Admission Rate	128	149	MHDO Hosp Inpatient
	CABG, Hospital Admission Rate	51	62	MHDO Hosp Inpatient
	% Having Cholesterol Checked within the past year (Ages 21+)	63%	63%	Household Survey
	% Smokers advised to quit smoking in the past yr.	78%	72%	Household Survey
Quality/Effectiveness	AMI, Mortality Rate	25	45	ODRVS Mortality
	Ages 65+	142	232	ODRVS Mortality
	Cerebrovascular Disease (stroke), Mortality Rate	39	49	ODRVS Mortality
	Ages 65+	256	294	ODRVS Mortality
	Heart Disease, Mortality Rate	161	202	ODRVS Mortality
	Ages 65+	976	1,101	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Cumberland	Maine	Maine Counties Source
<b>RESPIRATORY HEALTH</b>				
	% Current Smokers (Male)	19%	23%	Household Survey
	% Current Smokers (Female)	13%	20%	Household Survey
	% Former Smokers	31%	31%	Household Survey
Disease Prevalence	% Current Asthma (Ages 18+)	9.6%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	2.4%	6.1%	Household Survey
	% COPD	2.6%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	87	105	ME CDC Cancer Reg
	Lung and Broncus Cancer, Females, Incidence Rate	71	86	ME CDC Cancer Reg
Management	% Received Flu Shot or Mist past 12 months	49%	42%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	76%	73%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	74	87	MHDO Hosp Inpatient
	Ages 65+	99	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	860	988	MHDO Hosp ED
	Ages 65+	502	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	194	284	MHDO Hosp Inpatient
	COPD, ED Visit Rate	407	998	MHDO Hosp Inpatient
	Ages 65+	911	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	204	326	MHDO Hosp Inpatient
	Ages 65+	942	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	284	505	MHDO Hosp Inpatient
	Ages 65+	497	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	20	23	MHDO Hosp Inpatient
	Ages 65+	75	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	78%	72%	Household Survey
	% Current smokers tried to quit in past year	54%	54%	Household Survey
	% Current smokers ever used Maine Tobacco Quitline	19%	19%	Household Survey
	Lung Cancer, Mortality Rate (Males)	67	78	ODRVS Mortality 07-09
Lung Cancer, Mortality Rate (Females)	52	61	ODRVS Mortality 07-09	
COPD, Mortality Rate (Ages 65+)	301	332	ODRVS Mortality 07-09	
Pneumonia, Mortality Rate (Ages 65+)	124	103	ODRVS Mortality 07-09	
Smoking-Related Neoplasms, Mortality Rate (Males)	179	205	ODRVS Mortality 07-09	
Smoking-Related Neoplasms, Mortality Rate (Females)	130	150	ODRVS Mortality 07-09	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>CANCER HEALTH</b>				
	All Cancers, Incidence Rate	580	629	ME CDC Cancer Reg
	Bladder, Incident Rate	34	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	159	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	7.5	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	52	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	79	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	32	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	179	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	69%	69%	Household Survey
	% Stage Female Breast, Local	67%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	2.9%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	70%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	59%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	3%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	17%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	69%	63%	Household Survey
	% Stage Colorectal, Local	43%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	19%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	14%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	51%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	18%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	42%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	75%	69%	Household Survey
	% Reported Digital Rectal Exam past 2 years (males Age 50+)	73%	68%	Household Survey
% Stage Prostate, Local	73%	76%	ME CDC Cancer Reg	
% Stage Prostate, Distant	3.6%	3.8%	ME CDC Cancer Reg	
Quality/Effectiveness	All Cancers, Mortality Rate	205	234	ODRVS Mortality
	Bladder, Mortality Rate	6.7	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	26	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	2.3	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	18	21	ODRVS Mortality
	Lung, Mortality Rate	59	69	ODRVS Mortality
	Melanoma, Mortality Rate	2.9	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	22	23	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>DIABETES HEALTH</b>				
Disease Prevalence	% Diagnosed Diabetes	9.4%	10%	Household Survey
	Ages 18-44	2.2%	2.9%	Household Survey
	Ages 45-64	12%	13%	Household Survey
	Ages 65+	21%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	97%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	79%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	83%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	51%	54%	Household Survey
	Diabetes, Hospital Admission Rate	64	79	MHDO Hosp Inpatient
	Ages 18-44	62	75	MHDO Hosp Inpatient
	Ages 45-64	57	75	MHDO Hosp Inpatient
	Ages 65+	121	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	3	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	83	111	MHDO Hosp Inpatient
	Diabetes Uncontrolled, ACSC ED Visit Rate	7	11	
Quality	Diabetes, Mortality Rate	20	26	ODRVS Mortality
	Ages 65+	103	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>MENTAL HEALTH</b>				
Risk Factors	% 11+ Days Mental Health Not Good	10%	11%	BRFSS 2008 + 2009
	Ages 65+	6.3%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	3.5%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	12%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	5.0%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	22%	22%	Household Survey
	% Current Depression (18+)	12%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	14%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	3.3%	4.5%	Household Survey
	Management	Psychoses Hospital Admission Rate	536	578
Ages 65+		302	246	MHDO Hosp Inpatient
Senility and Organic Mental Disorders, Hospital Admission Rate		9.9	8.6	MHDO Hosp Inpatient
Ages 65+		66	50	MHDO Hosp Inpatient
Major Depressive Disorder, Hospital Admission Rate		160	157	MHDO Hosp Inpatient
Ages 0-17		120	85	MHDO Hosp Inpatient
Ages 18-64		179	196	MHDO Hosp Inpatient
Ages 65+		133	93	MHDO Hosp Inpatient
Bipolar Disorder, Hospital Admission Rate		234	280	MHDO Hosp Inpatient
Ages 65+		86	88	MHDO Hosp Inpatient
Schizophrenia, Hospital Admission Rate		118	114	MHDO Hosp Inpatient
Ages 65+		55	39	MHDO Hosp Inpatient
Anxiety, Hospital Admission Rate		229	269	MHDO Hosp Inpatient
Ages 65+		68	70	MHDO Hosp Inpatient
Senility and Organic Mental Disorders, ED Rate		27	28	MHDO Hosp ED
Major Depressive Disorder, ED Rate		179	109	MHDO Hosp ED
Bipolar Disorder, ED Rate		169	166	MHDO Hosp ED
Schizophrenia, ED Rate		101	70	MHDO Hosp ED
Anxiety Disorder, ED Rate		1,511	1,618	MHDO Hosp ED
Suicide, Mortality Rate (Males)		20	23	ODRVS Mortality
Suicide, Mortality Rate (Females)	6.6	5.4	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted



		Cumberland	Maine	Maine Counties Source
<b>SUBSTANCE ABUSE</b>				
Prevalence	% Chronic Heavy Drinking - Past Month	7.9%	6.4%	BRFSS 2008 & 2009
	Ages 65+	5.2%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	18%	15%	BRFSS 2008 & 2009
	Ages 18-44	20%	26%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	5.9%	4.7%	Household Survey
	% Current Substance Abuse Problem	2.9%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	1.1%	0.9%	Household Survey
	% have used any street drugs in past 30 days	4.5%	5.2%	Household Survey
	% have used any prescription drugs for non-prescribed purpose in past 30 days	1.8%	1.8%	Household Survey
Management	Substance Abuse, Hospital Admission Rate	544	379	MHDO Hosp Inpatient
	Ages 65+	220	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	32	50	MHDO Hosp Inpatient
	Ages 65+	15	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	326	174	MHDO Hosp Inpatient
	Ages 65+	106	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	28	39	MHDO Hosp Inpatient
	Ages 65+	3.9	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	157	117	MHDO Hosp Inpatient
	Ages 65+	95	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	180	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	39	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	291	297	MHDO Hosp ED
	Drug-Related Psychoses, ED Rate	50	57	MHDO Hosp ED
	Alcohol-Related Mortality Rate (Males)	15	19	ODRVS Mortality
	Alcohol-Related Mortality Rate (Females)	8.2	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	7.9	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Males)	15	21	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Females)	5.9	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>REPRODUCTIVE HEALTH</b>				
	2 or more sex partners in past yr (ages 18-34)	14%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	35%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	3.4	4.1	ODRVS Birth
Management	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	349	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	30	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	89%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	2.1%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	6.4%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	8.9%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	5.7	5.5	ODRVS Mortality
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	3.8	3.9	ODRVS Mortality
<b>CHILD/YOUTH HEALTH</b>				
	% Seriously Considered Suicide	13%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	17%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	9%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	35%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month (Grade 9-12)	21%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	24%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	9%	9%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	41%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	16%	15%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Population	3.4	4.1	ODRVS Birth
Prevalence	% Ever Been Diagnosed with Asthma (0-17) parental report	2.4%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	1.8%	2.0%	Household Survey
	% Overweight (Grade 9-12)	11%	14%	MIYHS 2009
	% Obese (Grade 9-12)	10%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	3.3%	4.5%	Household Survey
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,530	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	182	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	188	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	79	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	365	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	120	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	212	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	987	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	322	516	MHDO Hosp ED

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Cumberland	Maine	Maine Counties Source
<b>ORTHOPEDICS</b>				
% Diagnosed Arthritis		29%	32%	BRFSS 2007 & 2009
Ages 65+		56%	59%	BRFSS 2007 & 2009
Hip Procedures, Hospital Admission Rate		93	93	MHDO Hosp Inpatient
Ages 65+		483	452	MHDO Hosp Inpatient
Head Brain Injury, Hospital Admission Rate		68	57	MHDO Hosp Inpatient
Ages 65+		238	180	MHDO Hosp Inpatient
<b>INFECTIOUS DISEASE</b>				
HIV/AIDS, Hospital Admissions Rate		8.6	5.1	MHDO Hosp Inpatient
Chronic Hepatitis C, Number of Case Reports*		421	1453	ME CDC Infect Disease 2007
Sexually Transmitted Disease Incidence Rate:				
Gonorrhea		15	7.3	ME CDC Infect Disease 2008
Chlamydia		234	197	ME CDC Infect Disease 2008
<b>INTIMATE PARTNER VIOLENCE</b>				
% Ever physically hurt by Intimate Partner		9%	12%	Household Survey
% Past yr physical violence or unwanted sex from Intimate Partner		1.0%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

\* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.