

## FRANKLIN COUNTY KEY FINDINGS

- 2008 Population Estimate = 29,767
- 2008 Median Household Income 2008 = \$38,865
- 14% of residents are age 65+
- 27% of residents enrolled in Medicaid

### Health Risks and Challenges

### Health Assets and Opportunities

#### Risk Factors

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• <b>Access to Medical Care:</b> <ul style="list-style-type: none"> <li>○ High percentage of uninsured adults [FRA=15%, ME=13%]</li> <li>○ High percentage with no medical checkup in past 2 years [FRA=12%, ME=10%]</li> <li>○ High percentage reporting unmet medical needs in past year due to cost [FRA=7.3%, ME=6.5%]</li> </ul> </li> <li>• <b>Smoking:</b> <ul style="list-style-type: none"> <li>○ High percentage of former smokers [FRA=36%, ME=31%]</li> <li>○ Lowest percentage of current smokers reporting medical provider advised to quit smoking in past year [FRA=58%, ME=72%] and lowest percentage reporting quit attempt in past year [FRA=42%, ME=54%]</li> </ul> </li> <li>• <b>Prevention:</b> <ul style="list-style-type: none"> <li>○ Low percentage reporting flu shot or mist in past year [FRA=35%, ME=42%]</li> <li>○ Low percentage reporting blood stool test, prostate exam (PSA test), or digital rectal screening</li> </ul> </li> <li>• <b>Youth (Grades 9-12):</b> <ul style="list-style-type: none"> <li>○ High teen birth rate</li> <li>○ High percentage with report of past month alcohol use [FRA=40%, ME=35%]</li> <li>○ High percentage with report of past month marijuana use [FRA=28%, ME=24%]</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Overweight/Obesity:</b> 2<sup>nd</sup> highest county reporting regular physical activity [FRA=30%, ME=26%]</li> <li>• <b>Alcohol and Substance Use:</b> <ul style="list-style-type: none"> <li>○ Lowest rate of chronic heavy drinking [FRA=4.0%, ME=6.4%]</li> <li>○ Low percentage reporting current substance abuse problem [FRA= 0.7%, ME= 1.5%]</li> <li>○ Low percentage reporting use of street drugs [FRA=4.3%, ME=5.2%] or misuse of prescription drugs [FRA=1.0%, ME=1.8%]</li> </ul> </li> <li>• <b>Youth (Grades 9-12):</b> <ul style="list-style-type: none"> <li>○ Lowest percentage youth reporting suicidal ideation of any county [FRA=11%, ME=14%]</li> <li>○ Lowest percentage youth current smokers of any county [FRA=17%, ME=20%]</li> <li>○ Highest percentage youth reporting regular physical activity [FRA=50%, ME=39%]</li> </ul> </li> </ul> |
|---|---|

#### Disease Incidence & Prevalence

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• <b>Cancer:</b> High incidence of bladder, cervical and colorectal cancers</li> <li>• <b>Diabetes:</b> Low receipt of eye and foot examinations and participation in self management course among diabetics</li> <li>• <b>Mental Health:</b> <ul style="list-style-type: none"> <li>○ High percentage at risk for clinical depression on MHI-5 [FRA=9.2%, ME=7.2%]</li> <li>○ Highest percentage reporting ever diagnosed with psychiatric disorder other than depression [FRA=15%, ME=13%]</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• <b>Heart Disease:</b> Low prevalence of heart disease [FRA=3.8%, ME=6.3%]</li> <li>• <b>Respiratory Disease:</b> Low percentage ever diagnosed with COPD [FRA=2.5%, ME=4.2%]</li> <li>• <b>Cancer:</b> Low incidence of lung cancer, particularly among females, and melanoma</li> <li>• <b>Mental Health:</b> Low report of unmet mental health care needs [FRA=3.9%, ME=4.8%]</li> <li>• <b>Infectious Disease:</b> Low rates of sexually transmitted disease</li> </ul> |
|--|---|

## Health Risks and Challenges

## Health Assets and Opportunities

### Hospital Utilization & Mortality Rates

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• <b>Hospital Admissions:</b> <ul style="list-style-type: none"> <li>○ High rate of hospitalizations for ambulatory care sensitive conditions (ACSC)</li> <li>○ High rates of hospital admissions for Congestive Heart Failure and CABG</li> <li>○ 2<sup>nd</sup> highest rate of hospital admission for bronchitis/asthma among youth 0-17</li> <li>○ Highest hospital admission rates for COPD of any county</li> <li>○ 2<sup>nd</sup> highest rate of hospital admissions for diabetes among 18-44 year olds</li> <li>○ High rate of hospital admissions for hip procedures and head/brain injury among 65+</li> </ul> </li> <li>• <b>Mortality:</b> <ul style="list-style-type: none"> <li>○ High mortality rates for cardiovascular disease including AMI</li> <li>○ High mortality rates for all respiratory disease including lung cancer</li> <li>○ High mortality rate for colorectal cancer</li> <li>○ 2<sup>nd</sup> highest mortality rate for diabetes</li> <li>○ High suicide mortality rate</li> <li>○ High alcohol related mortality including liver disease</li> <li>○ High motor vehicle accident mortality</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>• Low rates of overall Emergency Department (ED) visits and ACSC ED visits</li> <li>• Low ED visit rates for respiratory disease</li> <li>• Low hospital admission and ED visits for all mental health disorders and substance abuse diagnoses among all age groups</li> <li>• Low mortality rates for bladder, breast, cervix and melanoma cancers</li> </ul> |
|---|---|

Note: The term high connotes a result at least 10% greater than Maine result. The term low connotes a result at least 10% less than the Maine result. Highest and 2<sup>nd</sup> highest are based on comparisons between Maine counties. Additional detail on indicators and data sources can be found in full report – Appendix 9: Detailed Data Sources

		Franklin	Maine	Maine Counties Source
<b>DEMOGRAPHICS</b>				
Total Population		29,767	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)		\$38,865	\$46,807	ME SPO Data Center
% of Labor Force Unemployed		11%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)		15%	15%	2000 Census
% Population on Medicaid (all ages)		27%	23%	2004 CMS, HRSA Area Resource File
% Population Under the Age of 18		20%	21%	2008 Census Estimates
% Population Age 65 and Over		14%	15%	2008 Census Estimates
% Uninsured Non-Elderly Adults (Ages 18-65)		18%	16%	Household Survey
<b>HEALTH STATUS</b>				
% Health Fair to Poor		15%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health		8%	8%	Household Survey
% 3+ Chronic Conditions		12%	13%	Household Survey
Wellness Categories:				
%Well		38%	34%	Household Survey
%At Risk for Future Medical Problems		7%	8%	Household Survey
%Some Health Problems		34%	36%	Household Survey
%Not Well		22%	23%	Household Survey
<b>ACCESS TO CARE</b>				
% Without Usual Source of Primary Care (Males)		18%	18%	Household Survey
% Without Usual Source of Primary Care (Females)		9.2%	8.3%	Household Survey
% Named hospital or ER as usual source of care		0.2%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Males)		18%	15%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Females)		6.4%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months		35%	42%	Household Survey
% Ever Received Pneumococcal Vaccine (Age 65+)		75%	73%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year		7.3%	6.5%	Household Survey
% No Dental Visit in Past 2 Years		24%	24%	Household Survey
ED Visits per 100,000 population		41,596	47,665	MHDO Hosp ED
Ages 65+		46,089	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population		12,044	12,076	MHDO Hosp Inpatient
Ages 65+		33,240	31,396	MHDO Hosp Inpatient
<b>QUALITY/EFFECTIVENESS</b>				
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)		1,377	967	MHDO Hosp Inpatient
Ages 0-17		332	191	MHDO Hosp Inpatient
Ages 18-44		306	234	MHDO Hosp Inpatient
Ages 45-64		884	707	MHDO Hosp Inpatient
Ages 65+		6,483	4,166	MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)		2,226	3,073	MHDO Hosp Inpatient
Ages 0-17		1,320	1,994	MHDO Hosp Inpatient
Ages 18-44		2,004	2,868	MHDO Hosp Inpatient
Ages 45-64		1,734	2,374	MHDO Hosp Inpatient
Ages 65+		5,040	6,375	MHDO Hosp Inpatient

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>CARDIOVASCULAR HEALTH</b>				
Risk Factors	% Current Smokers (Age 18+)	20%	22%	Household Survey
	% Sedentary Lifestyle (measured by no physical activity)	18%	21%	Household Survey
	% Overweight (Ages 18+)	38%	37%	Household Survey
	% Obesity (Ages 18+)	31%	28%	Household Survey
Disease Prevalence	% High Cholesterol	28%	29%	Household Survey
	% High Blood Pressure	27%	30%	Household Survey
	% Heart Disease	3.8%	6.3%	Household Survey
Management	Congestive Heart Failure, Hospital Admissions	363	283	MHDO Hosp Inpatient
	AMI, Hospital Admission Rate	213	211	MHDO Hosp Inpatient
	Ages 45-64	89	157	MHDO Hosp Inpatient
	Ages 65+	1,222	1,037	MHDO Hosp Inpatient
	Cerebrovascular Disease (stroke), Hospital Admission Rate	146	149	MHDO Hosp Inpatient
	CABG, Hospital Admission Rate	72	62	MHDO Hosp Inpatient
	% Having Cholesterol Checked within the past year (Ages 21+)	57%	63%	Household Survey
	% Smokers advised to quit smoking in the past yr.	58%	72%	Household Survey
Quality/Effectiveness	AMI, Mortality Rate	73	45	ODRVS Mortality
	Ages 65+	411	232	ODRVS Mortality
	Cerebrovascular Disease (stroke), Mortality Rate	49	49	ODRVS Mortality
	Ages 65+	287	294	ODRVS Mortality
	Heart Disease, Mortality Rate	223	202	ODRVS Mortality
	Ages 65+	1,288	1,101	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Franklin	Maine	Maine Counties Source	
<b>RESPIRATORY HEALTH</b>					
	% Current Smokers (Male)	20%	23%	Household Survey	
	% Current Smokers (Female)	19%	20%	Household Survey	
	% Former Smokers	36%	31%	Household Survey	
Disease Prevalence	% Current Asthma (Ages 18+)	9.4%	10%	Household Survey	
	% Ever Asthma (Ages 0-17)	3.0%	6.1%	Household Survey	
	% COPD	2.5%	4.2%	Household Survey	
	Lung and Bronchus Cancer, Males, Incidence Rate	95	105	ME CDC Cancer Reg	
	Lung and Bronchus Cancer, Females, Incidence Rate	72	86	ME CDC Cancer Reg	
Management	% Received Flu Shot or Mist past 12 months	35%	42%	Household Survey	
	% Ever Received Pneumococcal Vaccine (Ages 65+)	75%	73%	Household Survey	
	Bronchitis and Asthma, Hospital Admission Rate	94	87	MHDO Hosp Inpatient	
	Ages 65+	47	114	MHDO Hosp Inpatient	
	Bronchitis and Asthma, ED Visit Rate	544	988	MHDO Hosp ED	
	Ages 65+	221	632	MHDO Hosp ED	
	COPD, Hospital Admission Rate	502	284	MHDO Hosp Inpatient	
	COPD, ED Visit Rate	754	998	MHDO Hosp Inpatient	
	Ages 65+	1,769	1,914	MHDO Hosp Inpatient	
	Pneumonia, Hospital Admission Rate	349	326	MHDO Hosp Inpatient	
	Ages 65+	1,653	1,402	MHDO Hosp Inpatient	
	Pneumonia, ED Visit Rate	232	505	MHDO Hosp Inpatient	
	Ages 65+	500	1,053	MHDO Hosp Inpatient	
	Emphysema, Hospital Admission Rate	24	23	MHDO Hosp Inpatient	
	Ages 65+	105	79	MHDO Hosp Inpatient	
		% Current Smokers advised to quit smoking in the past year	58%	72%	Household Survey
		% Current smokers tried to quit in past year	42%	54%	Household Survey
	% Current smokers ever used Maine Tobacco Quitline	21%	19%	Household Survey	
	Lung Cancer, Mortality Rate (Males)	104	78	ODRVS Mortality 07-09	
	Lung Cancer, Mortality Rate (Females)	69	61	ODRVS Mortality 07-09	
	COPD, Mortality Rate (Ages 65+)	435	332	ODRVS Mortality 07-09	
	Pneumonia, Mortality Rate (Ages 65+)	109	103	ODRVS Mortality 07-09	
	Smoking-Related Neoplasms, Mortality Rate (Males)	243	205	ODRVS Mortality 07-09	
	Smoking-Related Neoplasms, Mortality Rate (Females)	167	150	ODRVS Mortality 07-09	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>CANCER HEALTH</b>				
	All Cancers, Incidence Rate	609	629	ME CDC Cancer Reg
	Bladder, Incident Rate	41	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	156	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	8.7	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	72	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	83	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	15	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	176	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	74%	69%	Household Survey
	% Stage Female Breast, Local	71%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	9.7%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	72%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	25%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	25%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	25%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	59%	63%	Household Survey
	% Stage Colorectal, Local	41%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	14%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	15%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	51%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	30%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	52%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	60%	69%	Household Survey
	% Reported Digital Rectal Exam past 2 years (males Age 50+)	57%	68%	Household Survey
% Stage Prostate, Local	74%	76%	ME CDC Cancer Reg	
% Stage Prostate, Distant	1.3%	3.8%	ME CDC Cancer Reg	
Quality/Effectiveness	All Cancers, Mortality Rate	251	234	ODRVS Mortality
	Bladder, Mortality Rate	1.1	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	20	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	2.2	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	26	21	ODRVS Mortality
	Lung, Mortality Rate	86	69	ODRVS Mortality
	Melanoma, Mortality Rate	1.1	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	25	23	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>DIABETES HEALTH</b>				
Disease Prevalence	% Diagnosed Diabetes	9.7%	10%	Household Survey
	Ages 18-44	2.8%	2.9%	Household Survey
	Ages 45-64	14%	13%	Household Survey
	Ages 65+	16%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	81%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	65%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	60%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	35%	54%	Household Survey
	Diabetes, Hospital Admission Rate	77	79	MHDO Hosp Inpatient
	Ages 18-44	127	75	MHDO Hosp Inpatient
	Ages 45-64	33	75	MHDO Hosp Inpatient
	Ages 65+	128	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	13	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	181	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	12	11		
Quality	Diabetes, Mortality Rate	49	26	ODRVS Mortality
	Ages 65+	233	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>MENTAL HEALTH</b>				
Risk Factors	% 11+ Days Mental Health Not Good	8.5%	11%	BRFSS 2008 + 2009
	Ages 65+	2.9%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	3.9%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	11%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	9.2%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	21%	22%	Household Survey
	% Current Depression (18+)	15%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	15%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	6.0%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	376	578	MHDO Hosp Inpatient
	Ages 65+	105	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	6.7	8.6	MHDO Hosp Inpatient
	Ages 65+	47	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	133	157	MHDO Hosp Inpatient
	Ages 0-17	0	85	MHDO Hosp Inpatient
	Ages 18-64	191	196	MHDO Hosp Inpatient
	Ages 65+	47	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	188	280	MHDO Hosp Inpatient
	Ages 65+	58	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	47	114	MHDO Hosp Inpatient
	Ages 65+	0	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	185	269	MHDO Hosp Inpatient
	Ages 65+	17	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	12	28	MHDO Hosp ED
	Major Depressive Disorder, ED Rate	72	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	106	166	MHDO Hosp ED
	Schizophrenia, ED Rate	74	70	MHDO Hosp ED
	Anxiety Disorder, ED Rate	1,465	1,618	MHDO Hosp ED
	Suicide, Mortality Rate (Males)	25	23	ODRVS Mortality
Suicide, Mortality Rate (Females)	6.5	5.4	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted



		Franklin	Maine	Maine Counties Source
<b>SUBSTANCE ABUSE</b>				
Prevalence	% Chronic Heavy Drinking - Past Month	4.0%	6.4%	BRFSS 2008 & 2009
	Ages 65+	2.4%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	15%	BRFSS 2008 & 2009
	Ages 18-44	27%	26%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	3.8%	4.7%	Household Survey
	% Current Substance Abuse Problem	0.7%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.0%	0.9%	Household Survey
	% have used any street drugs in past 30 days % have used any prescription drugs for non-prescribed purpose in past 30 days	4.3% 1.0%	5.2% 1.8%	Household Survey
Management	Substance Abuse, Hospital Admission Rate	227	379	MHDO Hosp Inpatient
	Ages 65+	93	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	29	50	MHDO Hosp Inpatient
	Ages 65+	12	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	86	174	MHDO Hosp Inpatient
	Ages 65+	35	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	18	39	MHDO Hosp Inpatient
	Ages 65+	0	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	94	117	MHDO Hosp Inpatient
	Ages 65+	47	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	86	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	6.7	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	254	297	MHDO Hosp ED
	Drug-Related Psychoses, ED Rate	44	57	MHDO Hosp ED
Mortality	Alcohol-Related Mortality Rate (Males)	23	19	ODRVS Mortality
	Alcohol-Related Mortality Rate (Females)	13	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	15	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Males)	32	21	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Females)	11	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>REPRODUCTIVE HEALTH</b>				
Management	2 or more sex partners in past yr (ages 18-34)	8.1%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	34%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	6.1	4.1	ODRVS Birth
	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	383	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	32	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	89%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	2.5%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	7.0%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	8.8%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	*	5.5	ODRVS Mortality
Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	*	3.9	ODRVS Mortality	
<b>CHILD/YOUTH HEALTH</b>				
Prevalence	% Seriously Considered Suicide	11%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	17%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	9%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	40%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month (Grade 9-12)	24%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	28%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	6%	9%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	50%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	17%	15%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Population	6.1	4.1	ODRVS Birth
Prevalence	% Ever Been Diagnosed with Asthma (0-17) parental report	3.0%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	2.3%	2.0%	Household Survey
	% Overweight (Grade 9-12)	16%	14%	MIYHS 2009
	% Obese (Grade 9-12)	13%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	6.0%	4.5%	Household Survey
	Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,320	1,994
ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)		332	191	MHDO Hosp Inpatient
Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)		307	196	MHDO Hosp Inpatient
Pneumonia, Hospital Admission Rate (Ages 0-17)		187	132	MHDO Hosp Inpatient
Psychoses Hospital Admission Rate (Ages 0-17)		213	484	MHDO Hosp Inpatient
Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)		0	85	MHDO Hosp Inpatient
Bipolar Disorder, Hospital Admission Rate (Ages 0-17)		170	353	MHDO Hosp Inpatient
Asthma and Bronchitis, ED Rate (Ages 0-17)		894	1,145	MHDO Hosp ED
Pneumonia, ED Rate (Ages 0-17)		204	516	MHDO Hosp ED

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Franklin	Maine	Maine Counties Source
<b>ORTHOPEDICS</b>				
	% Diagnosed Arthritis	30%	32%	BRFSS 2007 & 2009
	Ages 65+	53%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	92	93	MHDO Hosp Inpatient
	Ages 65+	500	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	60	57	MHDO Hosp Inpatient
	Ages 65+	233	180	MHDO Hosp Inpatient
<b>INFECTIOUS DISEASE</b>				
	HIV/AIDS, Hospital Admissions Rate	1.7	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	7	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:			
	Gonorrhea	6.7	7.3	ME CDC Infect Disease 2008
	Chlamydia	161	197	ME CDC Infect Disease 2008
<b>INTIMATE PARTNER VIOLENCE</b>				
	% Ever physically hurt by Intimate Partner	11%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partner	0%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

\* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.