

HANCOCK COUNTY KEY FINDINGS

- 2008 Population Estimate = 53,371
- 2008 Median Household Income 2008 = \$47,507
- 17% of residents are age 65+
- 19% of residents enrolled in Medicaid

Health Risks and Challenges

Health Assets and Opportunities

Risk Factors

- **Access to Care:**
 - High percentage of nonelderly adults (18-64) uninsured [HAN=20%, ME=16%]
 - High percentage with no usual source of medical care [HAN=16%, ME=13%], particularly among males [HAN=26%, ME=18%]
- **Prevention:**
 - High percentage of adults with no checkup past 2 years [HAN=13%, ME=10%]
 - Low percentage of 50+ adults with colonoscopy past 5 years [HAN=56%, ME=63%]
- **Smoking:** Low percentage of current smokers have tried to quit in past year: [HAN=43%, ME=54%]
- **Alcohol and Substance Use:**
 - High percentage of chronic heavy drinking among elderly (65+) [HAN=6.1%, ME=4.5%]
 - High percentage report misuse of prescription drugs in past 30 days [HAN=2.2%, ME=1.8%]
- **Youth (Grades 9-12):**
 - High percentage past month smokeless tobacco use among youth (0-17) [HAN=11%, ME=9.5%]
 - High percentage past month prescription drug misuse [HAN=13%, ME=11%] and past month inhalant use [HAN=12%, ME=9%]
- **Developmental Delay/Disability:** High percentage parental report of youth (0-17) with developmental delay/disability [HAN=9.0%, ME=4.5%]

- **Access to Care:** Female access to care generally good
- **Smoking:** Low percentage current smokers [HAN=19%, ME=22%]
- **Overweight/Obesity:**
 - Low percentage obese [HAN=22%, ME=28%]
 - High percentage with regular physical activity [HAN=31%, ME=26%]
- **Prevention:** High percentage (50+) received blood stool test in past year [HAN=25%, ME=22%]
- **Mental Health:**
 - Low percentage reporting unmet mental health care needs [HAN=3.5%, ME=4.8%]
 - 2nd lowest percentage of any county classified as at risk for depression based on MHI-5 score [HAN=5.6%, ME=7.2%]
- **Alcohol and Substance Use:** Low percentage of non-elderly adults (18-64) engaging in chronic heavy drinking [HAN=10%, ME=14%]

Disease Incidence & Prevalence

- | | |
|---|---|
| <ul style="list-style-type: none"> • Cancer: <ul style="list-style-type: none"> ○ High percentage reporting ever diagnosed with cancer [HAN=9.4%, ME=7.5%] ○ High incidence of lung cancer among males and females ○ High incidence of all cancers combined, breast, cervical, lung and prostate cancers • Asthma: High percentage parental report of youth (0-17) with asthma [HAN=11%, ME=6%] • Infectious Disease: High incidence rate for gonorrhea | <ul style="list-style-type: none"> • Asthma: Low percentage with current adult asthma [HAN=7.3%, ME=10%] • Diabetes: High percentage reporting having taken a diabetes self management course in lifetime [HAN=65%, ME=54%] |
|---|---|

Health Risks and Challenges

Health Assets and Opportunities

Hospital Utilization & Mortality Rates

- | | |
|--|--|
| <ul style="list-style-type: none"> • Hospital Admissions: <ul style="list-style-type: none"> ○ High hospitalization rates overall for elderly (65+), including pneumonia, hip procedures, senility and alcohol/substance abuse related disorders ○ High ambulatory care sensitive condition (ACSC) hospitalization rate among youth (0-17) and adults age 18-44 ○ High hospitalization rates for cardiovascular disease, including CHF, AMI, Stroke, and CABG ○ High emphysema hospitalization rates • Emergency Department (ED) Visits: <ul style="list-style-type: none"> ○ High overall ED use among elderly (65+), including pneumonia ○ High ED rates for bronchitis/asthma and uncontrolled diabetes ○ Highest ED visit rates of any county for alcohol related psychoses ○ 2nd highest ED visit rates for drug related psychoses and senility/organic mental disorders • Mortality: <ul style="list-style-type: none"> ○ High AMI, Stroke and Heart Disease mortality rates ○ High bladder, melanoma, and prostate cancer mortality rates ○ High diabetes mortality rate ○ High mortality rate among females for lung cancer and smoking related neoplasms ○ High alcohol related mortality rate among males | <ul style="list-style-type: none"> • Low hospital admission rates for psychoses, major depression and bipolar disorder • Low ED visit rates for COPD and mental health conditions (except senility/organic mental disorders) • Low COPD mortality rate • Low infant mortality rate |
|--|--|

Note: The term high connotes a result at least 10% greater than Maine result. The term low connotes a result at least 10% less than the Maine result. Highest and 2nd highest are based on comparisons between Maine counties.

Additional detail on indicators and data sources can be found in full report – Appendix 9: Detailed Data Sources

		Hancock	Maine	Maine Counties Source
DEMOGRAPHICS				
Total Population		53,371	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)		\$47,507	\$46,807	ME SPO Data Center
% of Labor Force Unemployed		6.8%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)		12%	15%	2000 Census
% Population on Medicaid (all ages)		19%	23%	2004 CMS, HRSA Area Resource File
% Population Under the Age of 18		19%	21%	2008 Census Estimates
% Population Age 65 and Over		17%	15%	2008 Census Estimates
% Uninsured Non-Elderly Adults (Ages 18-65)		20%	16%	Household Survey
HEALTH STATUS				
% Health Fair to Poor		15%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health		8%	8%	Household Survey
% 3+ Chronic Conditions		12%	13%	Household Survey
Wellness Categories:				
%Well		35%	34%	Household Survey
%At Risk for Future Medical Problems		6%	8%	Household Survey
%Some Health Problems		38%	36%	Household Survey
%Not Well		22%	23%	Household Survey
ACCESS TO CARE				
% Without Usual Source of Primary Care (Males)		26%	18%	Household Survey
% Without Usual Source of Primary Care (Females)		6.6%	8.3%	Household Survey
% Named hospital or ER as usual source of care		2.1%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Males)		21%	15%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Females)		4.7%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months		40%	42%	Household Survey
% Ever Received Pneumococcal Vaccine (Age 65+)		67%	73%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year		6.4%	6.5%	Household Survey
% No Dental Visit in Past 2 Years		23%	24%	Household Survey
ED Visits per 100,000 population		49,221	47,665	MHDO Hosp ED
Ages 65+		63,177	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population		12,869	12,076	MHDO Hosp Inpatient
Ages 65+		35,081	31,396	MHDO Hosp Inpatient
QUALITY/EFFECTIVENESS				
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)		922	967	MHDO Hosp Inpatient
Ages 0-17		243	191	MHDO Hosp Inpatient
Ages 18-44		271	234	MHDO Hosp Inpatient
Ages 45-64		620	707	MHDO Hosp Inpatient
Ages 65+		3,473	4,166	MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)		3,359	3,073	MHDO Hosp Inpatient
Ages 0-17		1,943	1,994	MHDO Hosp Inpatient
Ages 18-44		2,832	2,868	MHDO Hosp Inpatient
Ages 45-64		2,246	2,374	MHDO Hosp Inpatient
Ages 65+		8,095	6,375	MHDO Hosp Inpatient

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
CARDIOVASCULAR HEALTH				
Risk Factors	% Current Smokers (Age 18+)	19%	22%	Household Survey
	% Sedentary Lifestyle (measured by no physical activity)	20%	21%	Household Survey
	% Overweight (Ages 18+)	38%	37%	Household Survey
	% Obesity (Ages 18+)	22%	28%	Household Survey
Disease Prevalence	% High Cholesterol	30%	29%	Household Survey
	% High Blood Pressure	31%	30%	Household Survey
	% Heart Disease	6.6%	6.3%	Household Survey
Management	Congestive Heart Failure, Hospital Admissions	348	283	MHDO Hosp Inpatient
	AMI, Hospital Admission Rate	325	211	MHDO Hosp Inpatient
	Ages 45-64	207	157	MHDO Hosp Inpatient
	Ages 65+	1,487	1,037	MHDO Hosp Inpatient
	Cerebrovascular Disease (stroke), Hospital Admission Rate	183	149	MHDO Hosp Inpatient
	CABG, Hospital Admission Rate	76	62	MHDO Hosp Inpatient
	% Having Cholesterol Checked within the past year (Ages 21+)	59%	63%	Household Survey
	% Smokers advised to quit smoking in the past yr.	76%	72%	Household Survey
Quality/Effectiveness	AMI, Mortality Rate	66	45	ODRVS Mortality
	Ages 65+	277	232	ODRVS Mortality
	Cerebrovascular Disease (stroke), Mortality Rate	64	49	ODRVS Mortality
	Ages 65+	362	294	ODRVS Mortality
	Heart Disease, Mortality Rate	246	202	ODRVS Mortality
	Ages 65+	1,221	1,101	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Hancock	Maine	Maine Counties Source
RESPIRATORY HEALTH				
	% Current Smokers (Male)	19%	23%	Household Survey
	% Current Smokers (Female)	18%	20%	Household Survey
	% Former Smokers	30%	31%	Household Survey
Disease Prevalence	% Current Asthma (Ages 18+)	7.3%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	11%	6.1%	Household Survey
	% COPD	4.0%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	141	105	ME CDC Cancer Reg
	Lung and Broncus Cancer, Females, Incidence Rate	118	86	ME CDC Cancer Reg
Management	% Received Flu Shot or Mist past 12 months	40%	42%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	67%	73%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	91	87	MHDO Hosp Inpatient
	Ages 65+	117	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	1,371	988	MHDO Hosp ED
	Ages 65+	1,265	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	261	284	MHDO Hosp Inpatient
	COPD, ED Visit Rate	536	998	MHDO Hosp Inpatient
	Ages 65+	1,359	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	386	326	MHDO Hosp Inpatient
	Ages 65+	1,609	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	527	505	MHDO Hosp Inpatient
	Ages 65+	1,515	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	41	23	MHDO Hosp Inpatient
	Ages 65+	133	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	76%	72%	Household Survey
	% Current smokers tried to quit in past year	43%	54%	Household Survey
% Current smokers ever used Maine Tobacco Quitline	20%	19%	Household Survey	
	Lung Cancer, Mortality Rate (Males)	71	78	ODRVS Mortality 07-09
	Lung Cancer, Mortality Rate (Females)	76	61	ODRVS Mortality 07-09
	COPD, Mortality Rate (Ages 65+)	274	332	ODRVS Mortality 07-09
	Pneumonia, Mortality Rate (Ages 65+)	96	103	ODRVS Mortality 07-09
	Smoking-Related Neoplasms, Mortality Rate (Males)	211	205	ODRVS Mortality 07-09
	Smoking-Related Neoplasms, Mortality Rate (Females)	167	150	ODRVS Mortality 07-09

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
CANCER HEALTH				
	All Cancers, Incidence Rate	744	629	ME CDC Cancer Reg
	Bladder, Incident Rate	37	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	198	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	8.6	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	66	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	129	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	27	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	231	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	68%	69%	Household Survey
	% Stage Female Breast, Local	67%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	3.7%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	72%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	43%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	29%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	25%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	56%	63%	Household Survey
	% Stage Colorectal, Local	48%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	13%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	30%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	40%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	28%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	37%	47%	ME CDC Cancer Reg
% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	64%	69%	Household Survey	
% Reported Digital Rectal Exam past 2 years (males Age 50+)	71%	68%	Household Survey	
% Stage Prostate, Local	79%	76%	ME CDC Cancer Reg	
% Stage Prostate, Distant	5.5%	3.8%	ME CDC Cancer Reg	
Quality/Effectiveness	All Cancers, Mortality Rate	256	234	ODRVS Mortality
	Bladder, Mortality Rate	10	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	31	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	1.2	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	19	21	ODRVS Mortality
	Lung, Mortality Rate	74	69	ODRVS Mortality
	Melanoma, Mortality Rate	8.1	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	38	23	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
DIABETES HEALTH				
Disease Prevalence	% Diagnosed Diabetes	8.3%	10%	Household Survey
	Ages 18-44	0.9%	2.9%	Household Survey
	Ages 45-64	8%	13%	Household Survey
	Ages 65+	23%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	93%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	80%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	75%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	65%	54%	Household Survey
	Diabetes, Hospital Admission Rate	82	79	MHDO Hosp Inpatient
	Ages 18-44	66	75	MHDO Hosp Inpatient
	Ages 45-64	79	75	MHDO Hosp Inpatient
	Ages 65+	128	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	11	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	91	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	31	11		
Quality	Diabetes, Mortality Rate	33	26	ODRVS Mortality
	Ages 65+	166	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
MENTAL HEALTH				
Risk Factors	% 11+ Days Mental Health Not Good	9.3%	11%	BRFSS 2008 + 2009
	Ages 65+	4.5%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	3.5%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	11%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	5.6%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	21%	22%	Household Survey
	% Current Depression (18+)	14%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	10%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	9.0%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	373	578	MHDO Hosp Inpatient
	Ages 65+	189	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	18	8.6	MHDO Hosp Inpatient
	Ages 65+	94	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	98	157	MHDO Hosp Inpatient
	Ages 0-17	35	85	MHDO Hosp Inpatient
	Ages 18-64	127	196	MHDO Hosp Inpatient
	Ages 65+	61	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	170	280	MHDO Hosp Inpatient
	Ages 65+	55	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	79	114	MHDO Hosp Inpatient
	Ages 65+	50	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	246	269	MHDO Hosp Inpatient
	Ages 65+	134	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	40	28	MHDO Hosp ED
	Major Depressive Disorder, ED Rate	63	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	121	166	MHDO Hosp ED
	Schizophrenia, ED Rate	43	70	MHDO Hosp ED
Anxiety Disorder, ED Rate	1291	1,618	MHDO Hosp ED	
Suicide, Mortality Rate (Males)	22	23	ODRVS Mortality	
Suicide, Mortality Rate (Females)	4.9	5.4	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
SUBSTANCE ABUSE				
Prevalence	% Chronic Heavy Drinking - Past Month	5.3%	6.4%	BRFSS 2008 & 2009
	Ages 65+	6.1%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	15%	BRFSS 2008 & 2009
	Ages 18-44	19%	26%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.4%	4.7%	Household Survey
	% Current Substance Abuse Problem	0.9%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.7%	0.9%	Household Survey
	% have used any street drugs in past 30 days % have used any prescription drugs for non-prescribed purpose in past 30 days	5.5% 2.2%	5.2% 1.8%	Household Survey
Management	Substance Abuse, Hospital Admission Rate	208	379	MHDO Hosp Inpatient
	Ages 65+	172	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	91	50	MHDO Hosp Inpatient
	Ages 65+	67	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	53	174	MHDO Hosp Inpatient
	Ages 65+	39	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	27	39	MHDO Hosp Inpatient
	Ages 65+	17	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	37	117	MHDO Hosp Inpatient
	Ages 65+	50	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	138	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	67	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	156	297	MHDO Hosp ED
	Drug-Related Psychoses, ED Rate	82	57	MHDO Hosp ED
	Alcohol-Related Mortality Rate (Males)	24	19	ODRVS Mortality
	Alcohol-Related Mortality Rate (Females)	6.1	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	11	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Males)	25	21	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Females)	7.4	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
REPRODUCTIVE HEALTH				
	2 or more sex partners in past yr (ages 18-34)	22%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	41%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	4.0	4.1	ODRVS Birth
Management	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	325	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	27	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	91%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	3.1%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	6.0%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	7.3%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	4.0	5.5	ODRVS Mortality
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	*	3.9	ODRVS Mortality
CHILD/YOUTH HEALTH				
	% Seriously Considered Suicide	15%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	22%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	11%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	33%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month) (Grade 9-12)	21%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	25%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	12%	9%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	42%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	15%	15%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Population	4.0	4.1	ODRVS Birth
Prevalance	% Ever Been Diagnosed with Asthma (0-17) parental report	11%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	1.5%	2.0%	Household Survey
	% Overweight (Grade 9-12)	13%	14%	MIYHS 2009
	% Obese (Grade 9-12)	12%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	9.0%	4.5%	Household Survey
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,943	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	243	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	218	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	104	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	297	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	35	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	173	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,194	1,145	MHDO Hosp ED
Pneumonia, ED Rate (Ages 0-17)	382	516	MHDO Hosp ED	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Hancock	Maine	Maine Counties Source
ORTHOPEDICS				
	% Diagnosed Arthritis	32%	32%	BRFSS 2007 & 2009
	Ages 65+	56%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	114	93	MHDO Hosp Inpatient
	Ages 65+	499	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	66	57	MHDO Hosp Inpatient
	Ages 65+	200	180	MHDO Hosp Inpatient
INFECTIOUS DISEASE				
	HIV/AIDS, Hospital Admissions Rate	0.9	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	21	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:			
	Gonorrhea	9.4	7.3	ME CDC Infect Disease 2008
	Chlamydia	169	197	ME CDC Infect Disease 2008
INTIMATE PARTNER VIOLENCE				
	% Ever physically hurt by Intimate Partner	11%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partner	1.6%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.