

PENOBSCOT COUNTY KEY FINDINGS

- 2008 Population Estimate = 149,268
- 2008 Median Household Income 2008 = \$42,585
- 14% of residents are age 65+
- 27% of residents enrolled in Medicaid

Health Risks and Challenges

Health Assets and Opportunities

Risk Factors

- **Access to Care:**
 - Highest percentage of females in any county with no medical checkup in past 2 years [PEN=8.4%, ME=6.4%] and High percentage of females with no usual source of medical care [PEN=10%, ME=8%]
 - High percentage reporting unmet medical needs in past year due to cost [PEN=8.0%, ME=6.5%]
 - High percentage with no dental visit in past 2 years [PEN=27%, ME=24%]
- **Prevention:** Low percentage of 50+ males receiving prostate exam (PSA test) in past 2 years [PEN=62%, ME=69%]
- **Overweight/Obesity:** Highest percentage of obese residents of any county [PEN=35%, ME=28%]
- **Smoking:** Low percentage of current smokers tried to quit in past year [PEN=48%, ME=54%]
- **Reproductive Health:**
 - High percentage infants born with inadequate prenatal care [PEN=4.0%, ME=2.5%]
 - High percentage infants born premature [PEN=10%, ME=8.7%]
- **Interpersonal violence:** High percentage experienced interpersonal violence in lifetime [PEN=14%, ME=12%]
- **Youth (Grades 9-12):**
 - Lowest percentage of any county consuming fruits and vegetables 5 times per day [PEN=12%, ME=15%]

- **Reproductive Health:** Low teen birth rate
- **Alcohol and Substance Use:**
 - Low percentage of chronic heavy drinking [PEN=4.6%, ME=6.4%]
 - Low percentage report past or current diagnosed substance abuse problem
- **Youth (Grades 9-12):**
 - Lowest percentage reporting inhalant use [PEN=8.3%, ME=9.3%]

Disease Incidence & Prevalence

- **Heart Disease:** High prevalence of heart disease [PEN=7.0%, ME=6.3%]
- **Asthma:** High percentage parental report of youth (0-17) asthma [PEN=8%, ME=6%]
- **Cancer:**
 - High incidence of lung cancer among females
 - High incidence of colorectal cancer
- **Infectious Disease:** High incidence of chlamydia

- **Cancer:**
 - Low prevalence of diagnosed cancer [PEN=6.2%, ME=7.5%]
 - Low incidence of breast and melanoma cancers
- **Mental Health:**
 - Low percentage received outpatient mental health treatment in past year [PEN=8.5%, ME=11%]
 - Low percentage considered at risk for depression based on MHI-5 score [PEN=8.1%, ME=7.2%]
- **Infectious Disease:** Low incidence rates except for Chlamydia

Health Risks and Challenges

Health Assets and Opportunities

Hospital Utilization & Mortality Rates

- | | |
|---|--|
| <ul style="list-style-type: none"> • Hospital Admissions: <ul style="list-style-type: none"> ○ High hospitalization rates overall and for ambulatory care sensitive conditions ○ High hospitalization rates for CABG and CHF ○ High hospitalization rates for bronchitis/asthma, COPD, pneumonia and emphysema ○ High hospitalization rate for diabetes ○ High hospitalization rates for psychoses, senility, bipolar disorder, schizophrenia and anxiety ○ High hospitalization rates for acute alcohol- and drug-related mental disorders • Emergency Department (ED) Visits: <ul style="list-style-type: none"> ○ High ED visit rates for COPD ○ High ED visit rates for bipolar disorder, schizophrenia and anxiety ○ High ED visit rates for all alcohol and drug related diagnoses • Mortality: <ul style="list-style-type: none"> ○ High AMI and general heart disease mortality ○ High lung and cervical cancer mortality among females | <ul style="list-style-type: none"> • Low hospitalization rates for alcohol- and drug-related psychoses • Low hospitalization rate for high risk pregnancies • Low hospitalization rates for hip procedures and head/brain injury • Low ED rates for bronchitis/asthma and pneumonia • Low ED rate for uncontrolled diabetes • Low hospitalization and ED rates for major depressive disorder • Low pneumonia mortality rate • Low bladder and melanoma mortality rates • Low motor vehicle accident mortality among females |
|---|--|

Note: The term high connotes a result at least 10% greater than Maine result. The term low connotes a result at least 10% less than the Maine result. Highest and 2nd highest are based on comparisons between Maine counties. Additional detail on indicators and data sources can be found in full report – Appendix 9: Detailed Data Sources

		Penobscot	Maine	Maine Counties Source
DEMOGRAPHICS				
Total Population		149,268	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)		\$42,585	\$46,807	ME SPO Data Center
% of Labor Force Unemployed		8.0%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)		14%	15%	2000 Census
% Population on Medicaid (all ages)		27%	23%	2004 CMS, HRSA Area Resource File
% Population Under the Age of 18		20%	21%	2008 Census Estimates
% Population Age 65 and Over		14%	15%	2008 Census Estimates
% Uninsured Non-Elderly Adults (Ages 18-65)		16%	16%	Household Survey
HEALTH STATUS				
% Health Fair to Poor		17%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health		9%	8%	Household Survey
% 3+ Chronic Conditions		14%	13%	Household Survey
Wellness Categories:				
%Well		32%	34%	Household Survey
%At Risk for Future Medical Problems		8%	8%	Household Survey
%Some Health Problems		36%	36%	Household Survey
%Not Well		24%	23%	Household Survey
ACCESS TO CARE				
% Without Usual Source of Primary Care (Males)		21%	18%	Household Survey
% Without Usual Source of Primary Care (Females)		10%	8.3%	Household Survey
% Named hospital or ER as usual source of care		0.8%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Males)		14%	15%	Household Survey
% Not Having a Checkup Within the Past 2 yrs (Females)		8.4%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months		43%	42%	Household Survey
% Ever Received Pneumococcal Vaccine (Age 65+)		72%	73%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year		8.0%	6.5%	Household Survey
% No Dental Visit in Past 2 Years		27%	24%	Household Survey
ED Visits per 100,000 population		45,531	47,665	MHDO Hosp ED
Ages 65+		50,938	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population		13,357	12,076	MHDO Hosp Inpatient
Ages 65+		36,052	31,396	MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)		1,241	967	MHDO Hosp Inpatient
Ages 0-17		257	191	MHDO Hosp Inpatient
Ages 18-44		291	234	MHDO Hosp Inpatient
Ages 45-64		1,123	707	MHDO Hosp Inpatient
Ages 65+		5,401	4,166	MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)		2,907	3,073	MHDO Hosp Inpatient
Ages 0-17		1,680	1,994	MHDO Hosp Inpatient
Ages 18-44		2,309	2,868	MHDO Hosp Inpatient
Ages 45-64		2,516	2,374	MHDO Hosp Inpatient
Ages 65+		7,015	6,375	MHDO Hosp Inpatient

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
CARDIOVASCULAR HEALTH				
Risk Factors	% Current Smokers (Age 18+)	23%	22%	Household Survey
	% Sedentary Lifestyle (measured by no physical activity)	23%	21%	Household Survey
	% Overweight (Ages 18+)	34%	37%	Household Survey
	% Obesity (Ages 18+)	35%	28%	Household Survey
Disease Prevalence	% High Cholesterol	31%	29%	Household Survey
	% High Blood Pressure	31%	30%	Household Survey
	% Heart Disease	7.0%	6.3%	Household Survey
Management	Congestive Heart Failure, Hospital Admissions	308	283	MHDO Hosp Inpatient
	AMI, Hospital Admission Rate	223	211	MHDO Hosp Inpatient
	Ages 45-64	199	157	MHDO Hosp Inpatient
	Ages 65+	1,135	1,037	MHDO Hosp Inpatient
	Cerebrovascular Disease (stroke), Hospital Admission Rate	148	149	MHDO Hosp Inpatient
	CABG, Hospital Admission Rate	72	62	MHDO Hosp Inpatient
	% Having Cholesterol Checked within the past year (Ages 21+)	62%	63%	Household Survey
	% Smokers advised to quit smoking in the past yr.	73%	72%	Household Survey
Quality/Effectiveness	AMI, Mortality Rate	52	45	ODRVS Mortality
	Ages 65+	271	232	ODRVS Mortality
	Cerebrovascular Disease (stroke), Mortality Rate	50	49	ODRVS Mortality
	Ages 65+	321	294	ODRVS Mortality
	Heart Disease, Mortality Rate	223	202	ODRVS Mortality
Ages 65+	1,273	1,101	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Penobscot	Maine	Maine Counties Source	
RESPIRATORY HEALTH					
	% Current Smokers (Male)	25%	23%	Household Survey	
	% Current Smokers (Female)	22%	20%	Household Survey	
	% Former Smokers	29%	31%	Household Survey	
Disease Prevalence	% Current Asthma (Ages 18+)	11%	10%	Household Survey	
	% Ever Asthma (Ages 0-17)	8.0%	6.1%	Household Survey	
	% COPD	4.9%	4.2%	Household Survey	
	Lung and Bronchus Cancer, Males, Incidence Rate	108	105	ME CDC Cancer Reg	
	Lung and Bronchus Cancer, Females, Incidence Rate	99	86	ME CDC Cancer Reg	
Management	% Received Flu Shot or Mist past 12 months	43%	42%	Household Survey	
	% Ever Received Pneumococcal Vaccine (Ages 65+)	72%	73%	Household Survey	
	Bronchitis and Asthma, Hospital Admission Rate	117	87	MHDO Hosp Inpatient	
	Ages 65+	163	114	MHDO Hosp Inpatient	
	Bronchitis and Asthma, ED Visit Rate	935	988	MHDO Hosp ED	
	Ages 65+	707	632	MHDO Hosp ED	
	COPD, Hospital Admission Rate	381	284	MHDO Hosp Inpatient	
	COPD, ED Visit Rate	1,175	998	MHDO Hosp Inpatient	
	Ages 65+	2,413	1,914	MHDO Hosp Inpatient	
	Pneumonia, Hospital Admission Rate	426	326	MHDO Hosp Inpatient	
	Ages 65+	1,858	1,402	MHDO Hosp Inpatient	
	Pneumonia, ED Visit Rate	422	505	MHDO Hosp Inpatient	
	Ages 65+	1,028	1,053	MHDO Hosp Inpatient	
	Emphysema, Hospital Admission Rate	31	23	MHDO Hosp Inpatient	
	Ages 65+	104	79	MHDO Hosp Inpatient	
		% Current Smokers advised to quit smoking in the past year	73%	72%	Household Survey
		% Current smokers tried to quit in past year	48%	54%	Household Survey
	% Current smokers ever used Maine Tobacco Quitline	18%	19%	Household Survey	
	Lung Cancer, Mortality Rate (Males)	84	78	ODRVS Mortality 07-09	
	Lung Cancer, Mortality Rate (Females)	69	61	ODRVS Mortality 07-09	
	COPD, Mortality Rate (Ages 65+)	298	332	ODRVS Mortality 07-09	
	Pneumonia, Mortality Rate (Ages 65+)	110	103	ODRVS Mortality 07-09	
	Smoking-Related Neoplasms, Mortality Rate (Males)	197	205	ODRVS Mortality 07-09	
	Smoking-Related Neoplasms, Mortality Rate (Females)	156	150	ODRVS Mortality 07-09	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
CANCER HEALTH				
	All Cancers, Incidence Rate	638	629	ME CDC Cancer Reg
	Bladder, Incident Rate	35	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	145	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	7.0	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	69	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	104	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	19	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	175	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	67%	69%	Household Survey
	% Stage Female Breast, Local	63%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	2.4%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	68%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	56%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	19%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	22%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	59%	63%	Household Survey
	% Stage Colorectal, Local	51%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	18%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	22%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	48%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	22%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	44%	47%	ME CDC Cancer Reg
% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	62%	69%	Household Survey	
% Reported Digital Rectal Exam past 2 years (males Age 50+)	63%	68%	Household Survey	
% Stage Prostate, Local	68%	76%	ME CDC Cancer Reg	
% Stage Prostate, Distant	3.4%	3.8%	ME CDC Cancer Reg	
Quality/Effectiveness	All Cancers, Mortality Rate	227	234	ODRVS Mortality
	Bladder, Mortality Rate	6.7	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	26	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	3.5	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	20	21	ODRVS Mortality
	Lung, Mortality Rate	77	69	ODRVS Mortality
	Melanoma, Mortality Rate	2.5	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	21	23	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
DIABETES HEALTH				
Disease Prevalence	% Diagnosed Diabetes	10%	10%	Household Survey
	Ages 18-44	3.3%	2.9%	Household Survey
	Ages 45-64	14%	13%	Household Survey
	Ages 65+	21%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	92%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	79%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	80%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	54%	54%	Household Survey
	Diabetes, Hospital Admission Rate	102	79	MHDO Hosp Inpatient
	Ages 18-44	90	75	MHDO Hosp Inpatient
	Ages 45-64	99	75	MHDO Hosp Inpatient
	Ages 65+	201	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	11	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	109	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	6	11		
Quality	Diabetes, Mortality Rate	26	26	ODRVS Mortality
	Ages 65+	128	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
MENTAL HEALTH				
Risk Factors	% 11+ Days Mental Health Not Good	10%	11%	BRFSS 2008 + 2009
	Ages 65+ % needed, but did not get, mental health treatment in past 12 months	6.9%	6.1%	BRFSS 2008 + 2009
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	8.5%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	8.1%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	20%	22%	Household Survey
	% Current Depression (18+)	15%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	11%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	3.6%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	785	578	MHDO Hosp Inpatient
	Ages 65+	262	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	14	8.6	MHDO Hosp Inpatient
	Ages 65+	78	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	154	157	MHDO Hosp Inpatient
	Ages 0-17	65	85	MHDO Hosp Inpatient
	Ages 18-64	200	196	MHDO Hosp Inpatient
	Ages 65+	73	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	366	280	MHDO Hosp Inpatient
	Ages 65+	92	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	216	114	MHDO Hosp Inpatient
	Ages 65+	61	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	365	269	MHDO Hosp Inpatient
	Ages 65+	89	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	27	28	MHDO Hosp ED
	Major Depressive Disorder, ED Rate	80	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	265	166	MHDO Hosp ED
	Schizophrenia, ED Rate	112	70	MHDO Hosp ED
Anxiety Disorder, ED Rate	1,956	1,618	MHDO Hosp ED	
	Suicide, Mortality Rate (Males)	25	23	ODRVS Mortality
	Suicide, Mortality Rate (Females)	3.9	5.4	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
SUBSTANCE ABUSE				
Prevalence	% Chronic Heavy Drinking - Past Month	4.6%	6.4%	BRFSS 2008 & 2009
	Ages 65+	3.7%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	14%	15%	BRFSS 2008 & 2009
	Ages 18-44	22%	26%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.2%	4.7%	Household Survey
	% Current Substance Abuse Problem	1.2%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.4%	0.9%	Household Survey
	% have used any street drugs in past 30 days	5.5%	5.2%	Household Survey
% have used any prescription drugs for non-prescribed purpose in past 30 days	2.2%	1.8%	Household Survey	
Management	Substance Abuse, Hospital Admission Rate	286	379	MHDO Hosp Inpatient
	Ages 65+	180	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	86	50	MHDO Hosp Inpatient
	Ages 65+	28	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	79	174	MHDO Hosp Inpatient
	Ages 65+	35	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	67	39	MHDO Hosp Inpatient
	Ages 65+	9.5	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	54	117	MHDO Hosp Inpatient
	Ages 65+	104	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	218	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	39	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	411	297	MHDO Hosp ED
Drug-Related Psychoses, ED Rate	76	57	MHDO Hosp ED	
	Alcohol-Related Mortality Rate (Males)	21	19	ODRVS Mortality
	Alcohol-Related Mortality Rate (Females)	9.2	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	12	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Males)	21	21	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate (Females)	6.6	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Penobscot	Maine	Maine Counties Source
REPRODUCTIVE HEALTH				
Management	2 or more sex partners in past yr (ages 18-34)	18%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	42%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	3.3	4.1	ODRVS Birth
	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	294	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	30	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	91%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	4.0%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	6.8%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	10%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	5.2	5.5	ODRVS Mortality
Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	4.4	3.9	ODRVS Mortality	
CHILD/YOUTH HEALTH				
Prevalence	% Seriously Considered Suicide	12%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	20%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	9%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	33%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month) (Grade 9-12)	19%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	22%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	8%	9%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	37%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	12%	15%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Population	3.3	4.1	ODRVS Birth
Prevalence	% Ever Been Diagnosed with Asthma (0-17) parental report	8.0%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	2.6%	2.0%	Household Survey
	% Overweight (Grade 9-12)	14%	14%	MIYHS 2009
	% Obese (Grade 9-12)	14%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	3.6%	4.5%	Household Survey
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,680	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	257	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	267	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	149	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	692	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	65	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	525	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,055	1,145	MHDO Hosp ED
Pneumonia, ED Rate (Ages 0-17)	406	516	MHDO Hosp ED	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

	Penobscot	Maine	Maine Counties Source
ORTHOPEDICS			
% Diagnosed Arthritis			
Ages 65+	63%	59%	BRFSS 2007 & 2009
Hip Procedures, Hospital Admission Rate	81	93	MHDO Hosp Inpatient
Ages 65+	404	452	MHDO Hosp Inpatient
Head Brain Injury, Hospital Admission Rate	51	57	MHDO Hosp Inpatient
Ages 65+	139	180	MHDO Hosp Inpatient
INFECTIOUS DISEASE			
HIV/AIDS, Hospital Admissions Rate	2.0	5.1	MHDO Hosp Inpatient
Chronic Hepatitis C, Number of Case Reports*	198	1453	ME CDC Infect Disease 2007
Sexually Transmitted Disease Incidence Rate:			
Gonorrhea	2.7	7.3	ME CDC Infect Disease 2008
Chlamydia	219	197	ME CDC Infect Disease 2008
INTIMATE PARTNER VIOLENCE			
% Ever physically hurt by Intimate Partner	14%	12%	Household Survey
% Past yr physical violence or unwanted sex from Intimate Partner	1.4%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.