

Aroostook District	A Oostoo	Maine	Courses Source
OGRAPHICS			
Total Population	71,827	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)	\$35,999	\$46,807	ME SPO Data Center
% of Labor Force Unemployed	9.3%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)	23%	15%	2000 Census
% Population on Medicaid (all ages)	32%	23%	2004 CMS, HRSA Area Resource
% Population Under the Age of 18	20%	21%	2008 Census Estimates
% Population Between Ages 18-44	31%	34%	2008 Census Estimates
% Population Between Ages 45-64	31%	30%	2008 Census Estimates
% Population Age 65 and Over	18%	15%	2008 Census Estimates
% Uninsured (18+)	12%	13%	Household Survey
% Uninsured Non-Elderly Adults (Ages 18-65)	15%	16%	Household Survey
TH STATUS			
% Health Fair to Poor	18%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health	10%	8%	Household Survey
% 3+ Chronic Conditions	15%	13%	Household Survey
Wellness Categories:			
%Well	28%	34%	Household Survey
%At Risk for Future Medical Problems	10%	8%	Household Survey
%Some Health Problems	37%	36%	Household Survey
%Not Well	26%	23%	Household Survey
ESS TO CARE			
% Without Usual Source of Primary Care	14%	13%	Household Survey
Males	20%	18%	Household Survey
Females	9.1%	8.3%	Household Survey
% Named a clinic or doctor's office as usual source of care	93%	97%	Household Survey
% Named hospital or ER as usual source of care	5.7%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs	11%	10%	Household Survey
Males	16%	15%	Household Survey
Females	5.7%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months	37%	42%	Household Survey
Males	36%	40%	Household Survey
Females	39%	43%	Household Survey
% Ever Received Pneumoccal Vaccine (Age 65+)	66%	73%	Household Survey
Males	68%	71%	Household Survey
Females	64%	74%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year	8.2%	6.5%	Household Survey
% No Dental Visit in Past 2 Years	30%	24%	Household Survey
ED Visits per 100,000 population	68,196	47,665	MHDO Hosp ED
Ages <18	67,503	44,458	MHDO Hosp ED
Ages 18-44	85,389	60,516	MHDO Hosp ED
Ages 45-64	50,520	34,450	MHDO Hosp ED
Ages 65+	69,926	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population	13,764	12,076	MHDO Hosp Inpatient
Ages <18	7,851	7,575	MHDO Hosp Inpatient
Ages 18-44	8,426	8,127	MHDO Hosp Inpatient
Ages 45-64	11,033	9,832	MHDO Hosp Inpatient
Ages 65+	34,060	31,396	MHDO Hosp Inpatient



Aroostook District	Aroosto,	Maine	Maine Source Source
LITY/EFFECTIVENESS	<u> </u>	<u> </u>	
Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate	1.510	067	MHDO Hosp Inpatient
,	1 '		MHDO Hosp Inpatient
0	_		MHDO Hosp Inpatient
	1		MHDO Hosp Inpatient
	· ·		MHDO Hosp Inpatient
Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	4,786	3,073	MHDO Hosp Inpatient
Ages 0-17	2,796	1,994	MHDO Hosp Inpatient
Ages 18-44	4,153	2,868	MHDO Hosp Inpatient
Ages 45-64	3,766	2,374	MHDO Hosp Inpatient
Ages 65+	9,819	6,375	MHDO Hosp Inpatient
DIOVASCULAR HEALTH			
% Current Smokers (Age 18+)	27%	22%	Household Survey
% Sedentary Lifestyle (measured by no physical activity)	25%	21%	Household Survey
% Physical Activity (5 times a week at 30 min,)	25%	26%	Household Survey
% Use aspirin daily (Age 35+)	40%	35%	Household Survey
	38%	37%	Household Survey
% Obesity (Ages 18+)	31%	28%	Household Survey
% High Cholesterol (ever told)	32%	29%	Household Survey
, ,	34%	30%	Household Survey
% Heart Disease	7.3%	6.3%	Household Survey
Congestive Heart Failure, Hospital Admissions	340	283	MHDO Hosp Inpatient
Ages 45-64	95	127	MHDO Hosp Inpatient
Ages 65+	1,699	1,588	MHDO Hosp Inpatient
AMI, Hospital Admission Rate	431	211	MHDO Hosp Inpatient
Ages 45-64	316	157	MHDO Hosp Inpatient
Ages 65+	1,772	1,037	MHDO Hosp Inpatient
			MHDO Hosp Inpatient
Ages 45-64		107	MHDO Hosp Inpatient
•			MHDO Hosp Inpatient
			MHDO Hosp Inpatient
0			MHDO Hosp Inpatient
· ·			MHDO Hosp Inpatient
, , ,			Household Survey
. , , , ,			Household Survey
			Household Survey
			ODRVS Mortality
· ·			ODRVS Mortality
0			ODRVS Mortality
			ODRVS Mortality
•	_		ODRVS Mortality
3			ODRVS Mortality
Heart Disease, Mortality Rate	262	202	ODRVS Mortality
Ages 45-64	113	99	ODRVS Mortality
	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*) Ages 0-17 Ages 18-44 Ages 45-64 Ages 65+ Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*) Ages 0-17 Ages 18-44 Ages 45-64 Ages 0-17 Ages 18-44 Ages 45-64 Ages 65+ DIOVASCULAR HEALTH % Current Smokers (Age 18+) % Sedentary Lifestyle (measured by no physical activity) % Physical Activity (5 times a week at 30 min.) % Use aspirin daily (Age 35+) % Overweight (Ages 18+) % Obesity (Ages 18+) % High Cholesterol (ever told) % High Blood Pressure (ever told) % Heart Disease Congestive Heart Failure, Hospital Admissions Ages 45-64 Ages 65+ AMI, Hospital Admission Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Hospital Admission Rate Ages 45-64 Ages 65+ CABG, Hospital Admission Rate Ages 45-64 Ages 65+ % Advised to cut down on salt by doctor (ever) % Having Cholesterol Checked within the past year (Ages 21+) % Smokers advised to quit smoking in the past yr. AMI, Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Mortality Rate Ages 45-64 Ages 65+	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*) Ages 0-17 Ages 18-44 Ages 45-64 Ages 65+ Ages 65+ Ages 18-44 Ages 65+ Ages 18-44 Ages 65+ Ages 18-44 Ages 65+ Ages 65+ Ages 65+ Ages 65+ Ages 65+ Solver Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*) Ages 18-44 Ages 45-64 Ages 65+ Ages 65+ Boltovascular Health **Courrent Smokers (Age 18+) **Sedentary Lifestyle (measured by no physical activity) **Physical Activity (5 times a week at 30 min.) **Substity (Ages 18+) **Overweight (Ages 18+) **Overweight (Ages 18+) **High Cholesterol (ever told) **High Blood Pressure (ever told) **Heart Disease Congestive Heart Failure, Hospital Admissions Ages 45-64 Ages 65+ Cerebrovascular Disease (stroke), Hospital Admission Rate Ages 45-64 Ages 65+ Ages 65+ **CABG, Hospital Admission Rate Ages 45-64 Ages 65+ CABG, Hospital Admission Rate Ages 45-64 Ages 65+	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions



	Aroostook District	4roogroo	Maine	Main Source Source
RES	PIRATORY HEALTH			
	% Current Smokers	27%	22%	Household Survey
Factors	Male	31%	23%	Household Survey
F	Female	23%	20%	Household Survey
Risk	% Former Smokers	30%	31%	Household Survey
	% Current Asthma (Ages 18+)	13%	10%	Household Survey
ce c	% Ever Asthma (Ages 0-17)	6.6%	6.1%	Household Survey
revelance	% COPD	5.8%	4.2%	Household Survey
Prevel	Lung and Broncus Cancer, Males, Incidence Rate	163	105	ME CDC Cancer Reg
Δ.	Lung and Broncus Cancer, Females, Incidence Rate	80	86	ME CDC Cancer Reg
	% Received Flu Shot or Mist past 12 months	37%	42%	Household Survey
	Males	36%	40%	Household Survey
	Females	39%	43%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	66%	73%	Household Survey
	Males	68%	71%	Household Survey
	Females	64%	74%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	120	87	MHDO Hosp Inpatient
	Ages 0-17	171	196	MHDO Hosp Inpatient
	Ages 18-44	32	45	MHDO Hosp Inpatient
	Ages 45-64	111	46	MHDO Hosp Inpatient
	Ages 65+	230	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	1,292	988	MHDO Hosp ED
	Ages 0-17	1,606	1,145	MHDO Hosp ED
	Ages 18-44	1,695	1,346	MHDO Hosp ED
	Ages 45-64	872	654	MHDO Hosp ED
¥	Ages 65+	970	632	MHDO Hosp ED
ner	COPD, Hospital Admission Rate	455	284	MHDO Hosp Inpatient
Management	Ages 45-64	465	285	MHDO Hosp Inpatient
aus	Ages 65+	1,622	1,236	MHDO Hosp Inpatient
Σ	COPD, ED Visit Rate	2,638	998	MHDO Hosp Inpatient
	Ages 45-64	2,476	1,019	MHDO Hosp Inpatient
	Ages 65+	4,445	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	459	326	MHDO Hosp Inpatient
	Ages 45-64	258	209	MHDO Hosp Inpatient
	Ages 65+	1,753	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	608	505	MHDO Hosp Inpatient
	Ages 18-44	329	366	MHDO Hosp Inpatient
	Ages 45-64	443	376	MHDO Hosp Inpatient
	Ages 65+	1,431	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	27	23	MHDO Hosp Inpatient
	Ages 45-64	32	22	MHDO Hosp Inpatient
	Ages 65+	73	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	78%	72%	Household Survey
	% Current smokers tried to quit in past year	62%	54%	Household Survey
	% Current smokers ever used Maine Tobacco Quitline	26%	19%	Household Survey



		/,	* /	
	Aroostook District	Aroosioo.	Maine	Souries Souries
RESF	PIRATORY HEALTH Cont.	/ V	/ 4	<u> </u>
	Lung Cancer, Mortality Rate	91	69	
l	Males	117	78	ODRVS Mortality 07-09
ı	Females	67	61	ODRVS Mortality 07-09
Quality/Effectiveness	COPD, Mortality Rate	67	58	ODRVS Mortality 07-09
/eu	Ages 45-64	29	25	ODRVS Mortality 07-09
cti	Ages 65+	320	332	ODRVS Mortality 07-09
Effe	Pneumonia, Mortality Rate	24	17	ODRVS Mortality 07-09
lity.	Ages 45-64	5	5	ODRVS Mortality 07-09
Sua	Ages 65+	125	103	ODRVS Mortality 07-09
Ĭ	Smoking-Related Neoplasms, Mortality Rate	215	177	ODRVS Mortality 07-09
ı	Males	258	205	ODRVS Mortality 07-09
l	Females	175	150	ODRVS Mortality 07-09
CANO	CER HEALTH			
<i>"</i>	% Current Smokers (Age 18+)	27%	22%	Household Survey
Factors	% Sedentary Lifestyle	25%	21%	Household Survey
Fac	% Former smokers (Age 18+)	30%	31%	Household Survey
	% Overweight (Age 18+)	38%	37%	Household Survey
~	% Obesity (Age 18+)	31%	28%	Household Survey
	% Diagnosed Cancer (Age 18+)	8.2%	7.5%	Household Survey
ľ	All Cancers, Incidence Rate	669	629	ME CDC Cancer Reg
ance	Bladder, Incident Rate	32	35	ME CDC Cancer Reg
vels	Female Breast Cancer, Incidence Rate	151	162	ME CDC Cancer Reg
Prevelance	Female Cervix Uteri, Incidence Rate	4.5	7.3	ME CDC Cancer Reg
se	Colorectal, Incidence Rate	84	62	ME CDC Cancer Reg
Disease	Lung and Bronchus Cancer, Incidence Rate	121	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	13	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	149	187	ME CDC Cancer Reg
	% Reported Mammogram past year (40+)	73%	69%	Household Survey
ı	% Stage Female Breast, Local	62%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	3.6%	3.8%	ME CDC Cancer Reg
				, and the second
ı	% Reported Pap Smear past 2 years	72%	70%	Household Survey
ı	% Stage Cervix Uteri Female, Local	20%	52%	ME CDC Cancer Reg
ı	% Stage Cervix Uteri Female, Distant	0%	14%	ME CDC Cancer Reg
are				
ent / Patient Care	% Reported Blood Stool Test Past Year (Age 50+)	15%	20%	BRFSS 2006/2008
tien	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	57%	63%	Household Survey
Ра	% Stage Colorectal, Local	52%	47%	ME CDC Cancer Reg
nt/	% Stage Colorectal, Distant	14%	17%	ME CDC Cancer Reg
Managem	% Stage Lung and Brunchus Male, Local	20%	16%	ME CDC Cancer Reg
Ma	% Stage Lung and Brunchus Male, Distant	48%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	20%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	46%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	68%	69%	Household Survey
l	% Reported Digital Rectal Exam past 2 years (males Age 50+)	65%	68%	Household Survey
			1	· · · · · · · · · · · · · · · · · · ·
	% Stage Prostate, Local	78%	76%	ME CDC Cancer Reg



Aroostook District	4roosi O.	Maine	Source Source
ANCER HEALTH Cont.			
All Cancers, Mortality Rate	285	234	ODRVS Mortality
Bladder, Mortality Rate Female Breast Cancer, Mortality Rate Female Cervix Uteri, Mortality Rate Colorectal, Mortality Rate Lung, Mortality Rate Melanoma, Mortality Rate	6.0	7.5	ODRVS Mortality
Female Breast Cancer, Mortality Rate	40	28	ODRVS Mortality
Female Cervix Uteri, Mortality Rate	2.7	2.5	ODRVS Mortality
Colorectal, Mortality Rate	30	21	ODRVS Mortality
Lung, Mortality Rate	91	69	ODRVS Mortality
Melanoma, Mortality Rate	2.8	3.6	ODRVS Mortality
Male Prostate, Mortality Rate	18	23	ODRVS Mortality
IABETES HEALTH		•	
% Sedentary Lifestyle (measured by no pysical activity)	25%	21%	Household Survey
% Sedentary Lifestyle (measured by no pysical activity) % Adults consume fruits and vegetables 5 or more times/day	20%	28%	BRFSS 2007 & 2009
	38%	37%	Household Survey
% Obesity (Age 18+)	31%	28%	Household Survey
φ % Diagnosed Diabetes	13%	10%	Household Survey
# Diagnosed Diabetes Ages 18-44 Ages 45-64 Ages 65+	4.1%	2.9%	Household Survey
Ages 18-44 Ages 45-64	17%	13%	Household Survey
Ages 65+	20%	21%	Household Survey
% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	82%	89%	Household Survey
% Reported pupil dilation eye exam in past yr (age 18+)	70%	76%	Household Survey
% Reported foot examination in past yr (Age 18+)	74%	78%	Household Survey
% Reported ever taken diabetes self management course (Age 18+)	56%	54%	Household Survey
% Reported ever taken diabetes self management course (Age 18+) Diabetes, Hospital Admission Rate Ages 18-44 Ages 45-64	93	79	MHDO Hosp Inpatient
Ön Ages 18-44	104	75	MHDO Hosp Inpatient
Ages 45-64	86	75	MHDO Hosp Inpatient
Ages 65+	169	150	MHDO Hosp Inpatient
Diabetes Short-term Complications, ACSC ED Visit Rate	22	9	MHDO Hosp Inpatient
Diabetes Long-term Complications, ACSC ED Visit Rate	168	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	17	11	
Diabetes, Mortality Rate	33	26	ODRVS Mortality
Diabetes, Mortality Rate Ages 45-64 Ages 65+	23	20	ODRVS Mortality
₩ Ages 65+	133	126	ODRVS Mortality



			ş* /	
	Aroostook District	Aroosin	Maine	Maine Source Source
	MENTAL HEALTH	<u> </u>	<u> </u>	
(0	% 11+ Days Mental Health Not Good	12%	11%	BRFSS 2008 + 2009
Factors	Ages 18-44	15%	12%	BRFSS 2008 + 2009
Fa	Ages 45-64	12%	12%	BRFSS 2008 + 2009
Risk	Ages 65+	4.7%	6.1%	BRFSS 2008 + 2009
Œ	% needed, but did not get, mental health treatment in past 12 months	6.6%	4.8%	Household Survey
nce	% receiving outpatient mental health treatment in past 12 mos	9.5%	11%	Household Survey
alen	% At Risk for Clinical Depression Based on MHI5 (18+)	8.9%	7.2%	Household Survey
Prev	% Diagnosed Depression (ever, 18+)	20%	22%	Household Survey
	% Current Depression (18+)	13%	15%	Household Survey
Disease	% Diagnosed Other Psychiatric Disorder (ever, 18+)	14%	13%	Household Survey
ä	% Developmental Delay/Learning Disability (Ages 0-17	4.5%	4.5%	Household Survey
	Psychoses Hospital Admission Rate	486	578	MHDO Hosp Inpatient
	Ages 0-17	455	484	MHDO Hosp Inpatient
	Ages 18-44	699	801	MHDO Hosp Inpatient
	Ages 45-64	477	559	MHDO Hosp Inpatient
	Ages 65+	176	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	6.3	8.6	MHDO Hosp Inpatient
	Ages 65+	35	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	134	157	MHDO Hosp Inpatient
	Ages 0-17	89	85	MHDO Hosp Inpatient
	Ages 18-64	165	196	MHDO Hosp Inpatient
	Ages 65+	81	93	MHDO Hosp Inpatient
±	Bipolar Disorder, Hospital Admission Rate	207	280	MHDO Hosp Inpatient
Management	Ages 0-17	267	353	MHDO Hosp Inpatient
ıgeı	Ages 18-64	238	302	MHDO Hosp Inpatient
lane	Ages 65+	35	88	MHDO Hosp Inpatient
Σ	Schizophrenia, Hospital Admission Rate	111	114	MHDO Hosp Inpatient
	Ages 18-64	147 31	155	MHDO Hosp Inpatient
	Ages 65+	230	39 269	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate Ages 0-17	222	213	MHDO Hosp Inpatient
	Ages 18-44	458	662	MHDO Hosp Inpatient
	Ages 45-64	338	342	MHDO Hosp Inpatient MHDO Hosp Inpatient
	Ages 65+	109	70	' '
	Senility and Organic Mental Disorders, ED Rate	32	28	MHDO Hosp Inpatient MHDO Hosp ED
	Major Depressive Disorder, ED Rate	79	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	122	166	MHDO Hosp ED
	Schizophrenia, ED Rate	57	70	MHDO Hosp ED
	Anxiety Disorder, ED Rate	1,671	1,618	MHDO Hosp ED
_	Suicide, Mortality Rate	18	1,010	ODRVS Mortality
Quality	Males	32	23	ODRVS Mortality
Ø	Females	3.6	5.4	ODRVS Mortality



		/ }	, /	
	Aroostook District	400shor	Maine	Mains Sources
		/ 4	<u> </u>	* ¿ ő
	SUBSTANCE ABUSE			
	% Chronic Heavy Drinking - Past Month	5.5%	6.4%	BRFSS 2008 & 2009
	Ages 18-64	12%	14%	BRFSS 2008 & 2009
	Ages 65+	3%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	15%	BRFSS 2008 & 2009
Se	Ages 18-44	21%	26%	BRFSS 2008 & 2009
Prevelance	Ages 45-64	13%	14%	BRFSS 2008 & 2009
eve	Ages 65+	12%	3.6%	BRFSS 2008 & 2009
ď	% Ever diagnosed with Substance Abuse Problem	4.9%	4.7%	Household Survey
	% Current Substance Abuse Problem	1.8%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.5%	0.9%	Household Survey
	% have used any street drugs in past 30 days % nave used any prescription drugs for non-prescribed purpose in past 30	1.8%	5.2%	Household Survey
	days	0.8%	1.8%	Household Survey
	Substance Abuse, Hospital Admission Rate	161	379	MHDO Hosp Inpatient
	Ages 18-64	221	553	MHDO Hosp Inpatient
	Ages 65+	123	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	36.2	50	MHDO Hosp Inpatient
	Ages 18-64	53	73	MHDO Hosp Inpatient
	Ages 65+	19	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	52	174	MHDO Hosp Inpatient
ŧ	Ages 18-64	75	260	MHDO Hosp Inpatient
me	Ages 65+	31	52	MHDO Hosp Inpatient
Management	Acute Drug-Related Mental Disorders, Hospital Admission Rate	30	39	MHDO Hosp Inpatient
/an	Ages 18-64	42	56	MHDO Hosp Inpatient
_	Ages 65+	11.5	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	43	117	MHDO Hosp Inpatient
	Ages 18-64	51	164	MHDO Hosp Inpatient
	Ages 65+	61	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	88	131	MHDO Hosp ED
	Alcohol-Related Psychoses, ED Rate	31	28	MHDO Hosp ED
	Acute Drug-Related Mental Disorders, ED Rate	232	297	MHDO Hosp ED
	Drug-Related Psychoses, ED Rate	74	57	MHDO Hosp ED
	Smoking-Related Neoplasms, Mortality Rate	215	177	ODRVS Mortality
ss	Males	258	205	ODRVS Mortality
nes	Females	175	150	ODRVS Mortality
Quality / Effectiveness	Alcohol-Related Mortality Rate	19	14	ODRVS Mortality
ffec	Males	24	19	ODRVS Mortality
. / E	Females	15	10	ODRVS Mortality
ality	Alcohol Liver Disease, Mortality Rate	17	11	ODRVS Mortality
δu	Motor Vehicle Accidents, Mortality Rate	19	14	ODRVS Mortality
	Males	29	21	ODRVS Mortality
	Females	11	8.0	ODRVS Mortality



		/	/	
		/ ;	* /	
		4roostor.	 	Source Source
	Aroostook District	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	Maine	* 3 8
REP	RODUCTIVE HEALTH		<u> </u>	
	% Binge Drinking Females (past month)	10%	11%	BRFSS 2008 & 2009
	2 or more sex partners in past yr (ages 18-34)	7.2%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	22%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	4.2	4.1	ODRVS Birth
ent	High Risk Pregancy, Hospital Admission Rate (10-44 year old females)	423	360	MHDO Hosp Inpatient
Wanagement	C-Section Rate per 100 births	32	30	ODRVS Birth
Jag	% Adequate Prenatal Care (of live births)	91%	91%	ODRVS Birth
Mai	% Inadequate Prenatal Care (of live births)	2.1%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	5.6%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	7.1%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age)	4.2	5.5	
	per 1,000 live births Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live		0.0	ODRVS Mortality
	births	2.3	3.9	ODRVS Mortality
	Post-Ineonatal Mortality Rate (deaths to infants 28 through 364 days of	*	1.7	
	age) per 1,000 live births		1,	ODRVS Mortality
HIL	D/YOUTH HEALTH			
	% Sad/Hopeless (two weeks in a row, stopped usu. activities)	24%	24%	MIYHS 2009
	% Seriously Considered Suicide	14%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	21%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	6%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	34%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month) (Grade 9-12)	20%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	17%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	7%	9%	MIYHS 2009
	% Used Rx Drug w/out Rx (Past Month) (Grade 9-12)	7%	11%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	41%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	13%	15%	MIYHS 2009
	% Drank sugar sweetened beverage in past week	35%	29%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Populatior	4.2	4.1	ODRVS Birth
_	% Ever Been Diagnosed with Asthma (0-17) parental report	6.6%	6.1%	Household Survey
nce	% Overweight/Obesity Problem (0-17) parental report	4.0%	2.0%	Household Survey
Prevalance	% Overweight (Grade 9-12)	17%	14%	MIYHS 2009
ř	% Obese (Grade 9-12)	14%	13%	MIYHS 2009
ū.	% with developmental delay or learning disability (0-17) parental repor	5.4%	4.5%	Household Survey

^{*} Rates based on less than 5 occurrences omitted



	Aroostook District	Aroovino,	Maine	Souries Souries
CHIL	D/YOUTH HEALTH Cont.			
	ACSC, ED Rate - Overall PQI (Ages 0-17)	2,796	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	212	191	MHDO Hosp Inpatient
¥	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	171	196	MHDO Hosp Inpatient
ner	Pneumonia, Hospital Admission Rate (Ages 0-17)	171	132	MHDO Hosp Inpatient
Management	Psychoses Hospital Admission Rate (Ages 0-17)	455	484	MHDO Hosp Inpatient
lane	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	89	85	MHDO Hosp Inpatient
2	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	267	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,606	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	543	516	MHDO Hosp ED
ORT	HOPEDICS			
	% Diagnosed Arthritis	32%	32%	BRFSS 2007 & 2009
	Ages 18-44	16%	13%	BRFSS 2007 & 2009
	Ages 45-64	38%	39%	BRFSS 2007 & 2009
	Ages 65+	65%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	94	93	MHDO Hosp Inpatient
	Ages 65+	418	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	53	57	MHDO Hosp Inpatient
	Ages 65+	161	180	MHDO Hosp Inpatient
INFE	CTIOUS DISEASE			
	HIV/AIDS, Hospital Admissions Rate	5.6	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	46	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:			
	Gonorrhea	8.4	7.3	ME CDC Infect Disease 2008
	Chlamydia	89	197	ME CDC Infect Disease 2008
INTII	MATE PARTNER VIOLENCE			
	% Ever physically hurt by Intimate Partner	10%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partne	1.0%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

^{*} A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.