

Downeast District		Hancock	Washington	Maine	Maine Counties Source
<b>DEMOGRAPHICS</b>					
Total Population	53,371	32,490	1,319,691	2008 Census Estimates	
Median Annual Household Income (to 2008)	\$47,507	\$34,459	\$46,807	ME SPO Data Center	
% of Labor Force Unemployed	6.8%	10%	7.8%	ME Dept Labor	
% Population Not Attaining H.S. Diploma (>25 yr)	12%	20%	15%	2000 Census	
% Population on Medicaid (all ages)	19%	37%	23%	2004 CMS, HRSA Area Resource File	
% Population Under the Age of 18	19%	20%	21%	2008 Census Estimates	
% Population Between Ages 18-44	31%	30%	34%	2008 Census Estimates	
% Population Between Ages 45-64	33%	31%	30%	2008 Census Estimates	
% Population Age 65 and Over	17%	18%	15%	2008 Census Estimates	
% Uninsured (18+)	16%	22%	13%	Household Survey	
% Uninsured Non-Elderly Adults (Ages 18-65)	20%	28%	16%	Household Survey	
<b>HEALTH STATUS</b>					
% Health Fair to Poor	15%	26%	15%	Household Survey	
% 11+ Days Lost due to Poor Mental or Physical Health	8%	11%	8%	Household Survey	
% 3+ Chronic Conditions	12%	16%	13%	Household Survey	
Wellness Categories:					
%Well	35%	22%	34%	Household Survey	
%At Risk for Future Medical Problems	6%	8%	8%	Household Survey	
%Some Health Problems	38%	40%	36%	Household Survey	
%Not Well	22%	30%	23%	Household Survey	
<b>ACCESS TO CARE</b>					
% Without Usual Source of Primary Care	16%	17%	13%	Household Survey	
Males	26%	26%	18%	Household Survey	
Females	6.6%	8.6%	8.3%	Household Survey	
% Named a clinic or doctor's office as usual source of care	95%	96%	97%	Household Survey	
% Named hospital or ER as usual source of care	2.1%	2.1%	1.9%	Household Survey	
% Not Having a Checkup Within the Past 2 yrs	13%	11%	10%	Household Survey	
Males	21%	18%	15%	Household Survey	
Females	4.7%	5.5%	6.4%	Household Survey	
% Received Flu Shot or Mist past 12 months	40%	34%	42%	Household Survey	
Males	39%	28%	40%	Household Survey	
Females	41%	39%	43%	Household Survey	
% Ever Received Pneumoccal Vaccine (Age 65+)	67%	72%	73%	Household Survey	
Males	65%	66%	71%	Household Survey	
Females	69%	77%	74%	Household Survey	
% Needed Medical Care But Could not Afford it: Past Year	6.4%	13%	6.5%	Household Survey	
% No Dental Visit in Past 2 Years	23%	31%	24%	Household Survey	
ED Visits per 100,000 population	49,221	61,002	47,665	MHDO Hosp ED	
Ages <18	44,856	61,395	44,458	MHDO Hosp ED	
Ages 18-44	59,327	70,968	60,516	MHDO Hosp ED	
Ages 45-64	35,104	41,072	34,450	MHDO Hosp ED	
Ages 65+	63,177	77,923	49,497	MHDO Hosp ED	
Hospitalizations per 100,000 Population	12,869	14,280	12,076	MHDO Hosp Inpatient	
Ages <18	6,933	7,574	7,575	MHDO Hosp Inpatient	
Ages 18-44	7,625	8,889	8,127	MHDO Hosp Inpatient	
Ages 45-64	9,857	11,222	9,832	MHDO Hosp Inpatient	
Ages 65+	35,081	35,683	31,396	MHDO Hosp Inpatient	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Downeast District		Hancock	Washington	Maine	Maine Counties Source	
		QUALITY/EFFECTIVENESS				
QUALITY/EFFECTIVENESS	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)	922	1,479	967	MHDO Hosp Inpatient	
	Ages 0-17	243	319	191	MHDO Hosp Inpatient	
	Ages 18-44	271	336	234	MHDO Hosp Inpatient	
	Ages 45-64	620	944	707	MHDO Hosp Inpatient	
	Ages 65+	3,473	5,536	4,166	MHDO Hosp Inpatient	
	Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	3,359	5,462	3,073	MHDO Hosp Inpatient	
	Ages 0-17	1,943	3,198	1,994	MHDO Hosp Inpatient	
	Ages 18-44	2,832	3,816	2,868	MHDO Hosp Inpatient	
	Ages 45-64	2,246	3,431	2,374	MHDO Hosp Inpatient	
	Ages 65+	8,095	14,091	6,375	MHDO Hosp Inpatient	
	<b>CARDIOVASCULAR HEALTH</b>					
	Risk Factors	% Current Smokers (Age 18+)	19%	31%	22%	Household Survey
		% Sedentary Lifestyle (measured by no physical activity)	20%	25%	21%	Household Survey
		% Physical Activity (5 times a week at 30 min.)	31%	29%	26%	Household Survey
% Use aspirin daily (Age 35+)		36%	37%	35%	Household Survey	
% Overweight (Ages 18+)		38%	39%	37%	Household Survey	
% Obesity (Ages 18+)		22%	33%	28%	Household Survey	
Disease Prevalent	% High Cholesterol (ever told)	30%	33%	29%	Household Survey	
	% High Blood Pressure (ever told)	31%	40%	30%	Household Survey	
	% Heart Disease	6.6%	5.1%	6.3%	Household Survey	
Management	Congestive Heart Failure, Hospital Admissions	348	379	283	MHDO Hosp Inpatient	
	Ages 45-64	158	232	127	MHDO Hosp Inpatient	
	Ages 65+	1,725	1,664	1,588	MHDO Hosp Inpatient	
	AMI, Hospital Admission Rate	325	477	211	MHDO Hosp Inpatient	
	Ages 45-64	207	297	157	MHDO Hosp Inpatient	
	Ages 65+	1,487	2,057	1,037	MHDO Hosp Inpatient	
	Cerebrovascular Disease (stroke), Hospital Admission Rate	183	199	149	MHDO Hosp Inpatient	
	Ages 45-64	99	109	107	MHDO Hosp Inpatient	
	Ages 65+	854	886	736	MHDO Hosp Inpatient	
	CABG, Hospital Admission Rate	76	74	62	MHDO Hosp Inpatient	
	Ages 45-64	76	94	92	MHDO Hosp Inpatient	
	Ages 65+	272	226	212	MHDO Hosp Inpatient	
	% Advised to cut down on salt by doctor (ever)	66%	62%	62%	Household Survey	
	% Having Cholesterol Checked within the past year (Ages 21+)	59%	62%	63%	Household Survey	
% Smokers advised to quit smoking in the past yr.	76%	73%	72%	Household Survey		
Quality/Effectiveness	AMI, Mortality Rate	66	92	45	ODRVS Mortality	
	Ages 45-64	55	30	30	ODRVS Mortality	
	Ages 65+	277	452	232	ODRVS Mortality	
	Cerebrovascular Disease (stroke), Mortality Rate	64	58	49	ODRVS Mortality	
	Ages 45-64	6	10	11	ODRVS Mortality	
	Ages 65+	362	290	294	ODRVS Mortality	
	Heart Disease, Mortality Rate	246	291	202	ODRVS Mortality	
	Ages 45-64	115	122	99	ODRVS Mortality	
Ages 65+	1,221	1,349	1,101	ODRVS Mortality		

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

		Downeast District			Maine Counties Source
		Hancock	Washington	Maine	
<b>RESPIRATORY HEALTH</b>					
Risk Factors	% Current Smokers	19%	31%	22%	Household Survey
	Male	19%	30%	23%	Household Survey
	Female	18%	31%	20%	Household Survey
	% Former Smokers	30%	30%	31%	Household Survey
Disease Prevalence	% Current Asthma (Ages 18+)	7.3%	11%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	11%	9.1%	6.1%	Household Survey
	% COPD	4.0%	6.0%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	141	188	105	ME CDC Cancer Reg
	Lung and Broncus Cancer, Females, Incidence Rate	118	110	86	ME CDC Cancer Reg
Management	% Received Flu Shot or Mist past 12 months	40%	34%	42%	Household Survey
	Males	39%	28%	40%	Household Survey
	Females	41%	39%	43%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	67%	72%	73%	Household Survey
	Males	65%	66%	71%	Household Survey
	Females	69%	77%	74%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	91	102	87	MHDO Hosp Inpatient
	Ages 0-17	218	235	196	MHDO Hosp Inpatient
	Ages 18-44	45	51	45	MHDO Hosp Inpatient
	Ages 45-64	48	59	46	MHDO Hosp Inpatient
	Ages 65+	117	109	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	1,371	1,556	988	MHDO Hosp ED
	Ages 0-17	1,194	2,028	1,145	MHDO Hosp ED
	Ages 18-44	1,886	1,900	1,346	MHDO Hosp ED
	Ages 45-64	1,041	1,009	654	MHDO Hosp ED
	Ages 65+	1,265	1,397	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	261	439	284	MHDO Hosp Inpatient
	Ages 45-64	226	331	285	MHDO Hosp Inpatient
	Ages 65+	1,032	1,739	1,236	MHDO Hosp Inpatient
	COPD, ED Visit Rate	536	1,360	998	MHDO Hosp Inpatient
	Ages 45-64	487	1,177	1,019	MHDO Hosp Inpatient
	Ages 65+	1,359	2,919	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	386	563	326	MHDO Hosp Inpatient
	Ages 45-64	198	356	209	MHDO Hosp Inpatient
	Ages 65+	1,609	2,066	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	527	860	505	MHDO Hosp Inpatient
	Ages 18-44	295	346	366	MHDO Hosp Inpatient
	Ages 45-64	325	425	376	MHDO Hosp Inpatient
	Ages 65+	1,515	2,651	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	41	48	23	MHDO Hosp Inpatient
	Ages 45-64	48	44	22	MHDO Hosp Inpatient
	Ages 65+	133	151	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	76%	73%	72%	Household Survey
% Current smokers tried to quit in past year	43%	53%	54%	Household Survey	
% Current smokers ever used Maine Tobacco Quitline	20%	13%	19%	Household Survey	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Downtown District		Hancock	Washington	Maine	Maine Counties Source
<b>RESPIRATORY HEALTH Cont.</b>					
Quality/Effectiveness	Lung Cancer, Mortality Rate	74	101	69	
	Males	71	114	78	ODRVS Mortality 07-09
	Females	76	88	61	ODRVS Mortality 07-09
	COPD, Mortality Rate	49	87	58	ODRVS Mortality 07-09
	Ages 45-64	8	30	25	ODRVS Mortality 07-09
	Ages 65+	274	418	332	ODRVS Mortality 07-09
	Pneumonia, Mortality Rate	18	19	17	ODRVS Mortality 07-09
	Ages 45-64	4	13	5	ODRVS Mortality 07-09
	Ages 65+	96	84	103	ODRVS Mortality 07-09
	Smoking-Related Neoplasms, Mortality Rate	189	230	177	ODRVS Mortality 07-09
Males	211	285	205	ODRVS Mortality 07-09	
Females	167	178	150	ODRVS Mortality 07-09	
<b>CANCER HEALTH</b>					
Risk Factors	% Current Smokers (Age 18+)	19%	31%	22%	Household Survey
	% Sedentary Lifestyle	20%	25%	21%	Household Survey
	% Former smokers (Age 18+)	30%	30%	31%	Household Survey
	% Overweight (Age 18+)	38%	39%	37%	Household Survey
	% Obesity (Age 18+)	22%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Cancer (Age 18+)	9.4%	8.4%	7.5%	Household Survey
	All Cancers, Incidence Rate	744	787	629	ME CDC Cancer Reg
	Bladder, Incident Rate	37	43	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	198	142	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	8.6	8.0	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	66	95	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	129	148	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	27	18	26	ME CDC Cancer Reg
Male Prostate, Incidence Rate	231	261	187	ME CDC Cancer Reg	
Management / Patient Care	% Reported Mammogram past year (40+)	68%	68%	69%	Household Survey
	% Stage Female Breast, Local	67%	69%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	3.7%	4.2%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	72%	69%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	43%	100%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	29%	0%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	25%	22%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	56%	58%	63%	Household Survey
	% Stage Colorectal, Local	48%	54%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	13%	15%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	30%	12%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	40%	54%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	28%	20%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	37%	49%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	64%	65%	69%	Household Survey
	% Reported Digital Rectal Exam past 2 years (males Age 50+)	71%	65%	68%	Household Survey
	% Stage Prostate, Local	79%	77%	76%	ME CDC Cancer Reg
% Stage Prostate, Distant	5.5%	4.0%	3.8%	ME CDC Cancer Reg	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Downeast District			Maine Counties Source
		Hancock	Washington	Maine	
<b>CANCER HEALTH Cont.</b>					
Quality/Effectiveness	All Cancers, Mortality Rate	256	307	234	ODRVS Mortality
	Bladder, Mortality Rate	10	8.2	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	31	34	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	1.2	4.0	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	19	16	21	ODRVS Mortality
	Lung, Mortality Rate	74	101	69	ODRVS Mortality
	Melanoma, Mortality Rate	8.1	3.1	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	38	32	23	ODRVS Mortality
<b>DIABETES HEALTH</b>					
Risk Factors	% Sedentary Lifestyle (measured by no physical activity)	20%	25%	21%	Household Survey
	% Adults consume fruits and vegetables 5 or more times/day	30%	27%	28%	BRFSS 2007 & 2009
	% Overweight (Age 18+)	38%	39%	37%	Household Survey
	% Obesity (Age 18+)	22%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Diabetes	8.3%	13%	10%	Household Survey
	Ages 18-44	0.9%	5.9%	2.9%	Household Survey
	Ages 45-64	8%	14%	13%	Household Survey
	Ages 65+	23%	21%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	93%	72%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	80%	78%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	75%	73%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	65%	29%	54%	Household Survey
	Diabetes, Hospital Admission Rate	82	103	79	MHDO Hosp Inpatient
	Ages 18-44	66	92	75	MHDO Hosp Inpatient
	Ages 45-64	79	84	75	MHDO Hosp Inpatient
	Ages 65+	128	226	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	11	23	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	91	232	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	31	46	11		
Quality Effective	Diabetes, Mortality Rate	33	61	26	ODRVS Mortality
	Ages 45-64	15	36	20	ODRVS Mortality
	Ages 65+	166	251	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Downeast District		Hancock	Washington	Maine	Maine Counties Source
		MENTAL HEALTH			
Risk Factors	% 11+ Days Mental Health Not Good	9.3%	12%	11%	BRFSS 2008 + 2009
	Ages 18-44	14%	14%	12%	BRFSS 2008 + 2009
	Ages 45-64	6.4%	12%	12%	BRFSS 2008 + 2009
	Ages 65+	4.5%	6.3%	6.1%	BRFSS 2008 + 2009
Disease Prevalence	% needed, but did not get, mental health treatment in past 12 months	3.5%	4.2%	4.8%	Household Survey
	% receiving outpatient mental health treatment in past 12 mos	11%	12%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	5.6%	10%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	21%	20%	22%	Household Survey
	% Current Depression (18+)	14%	16%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	10%	14%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	9.0%	12.8%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	373	420	578	MHDO Hosp Inpatient
	Ages 0-17	297	289	484	MHDO Hosp Inpatient
	Ages 18-44	548	601	801	MHDO Hosp Inpatient
	Ages 45-64	345	410	559	MHDO Hosp Inpatient
	Ages 65+	189	284	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	18	9.2	8.6	MHDO Hosp Inpatient
	Ages 65+	94	50	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	98	160	157	MHDO Hosp Inpatient
	Ages 0-17	35	23	85	MHDO Hosp Inpatient
	Ages 18-64	127	211	196	MHDO Hosp Inpatient
	Ages 65+	61	142	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	170	169	280	MHDO Hosp Inpatient
	Ages 0-17	173	190	353	MHDO Hosp Inpatient
	Ages 18-64	198	191	302	MHDO Hosp Inpatient
	Ages 65+	55	75	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	79	68	114	MHDO Hosp Inpatient
	Ages 18-64	93	83	155	MHDO Hosp Inpatient
	Ages 65+	50	17	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	246	335	269	MHDO Hosp Inpatient
	Ages 0-17	89	68	213	MHDO Hosp Inpatient
Ages 18-44	694	798	662	MHDO Hosp Inpatient	
Ages 45-64	387	646	342	MHDO Hosp Inpatient	
Ages 65+	134	144	70	MHDO Hosp Inpatient	
Senility and Organic Mental Disorders, ED Rate	40	15	28	MHDO Hosp ED	
Major Depressive Disorder, ED Rate	63	117	109	MHDO Hosp ED	
Bipolar Disorder, ED Rate	121	111	166	MHDO Hosp ED	
Schizophrenia, ED Rate	43	38	70	MHDO Hosp ED	
Anxiety Disorder, ED Rate	1291	1,590	1,618	MHDO Hosp ED	
Quality	Suicide, Mortality Rate	13	7.2	14	ODRVS Mortality
	Males	22	11	23	ODRVS Mortality
	Females	4.9	4.0	5.4	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Downtown District		Hancock	Washington	Maine	Maine Counties Source
		SUBSTANCE ABUSE			
Prevalence	% Chronic Heavy Drinking - Past Month	5.3%	7.8%	6.4%	BRFSS 2008 & 2009
	Ages 18-64	10%	17%	14%	BRFSS 2008 & 2009
	Ages 65+	6.1%	2.9%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	18%	15%	BRFSS 2008 & 2009
	Ages 18-44	19%	25%	26%	BRFSS 2008 & 2009
	Ages 45-64	15%	11%	14%	BRFSS 2008 & 2009
	Ages 65+	4.0%	1.1%	3.6%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.4%	5.9%	4.7%	Household Survey
	% Current Substance Abuse Problem	0.9%	2.8%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.7%	0.4%	0.9%	Household Survey
Management	% have used any street drugs in past 30 days	5.5%	7.6%	5.2%	Household Survey
	% have used any prescription drugs for non-prescribed purpose in past 30 days	2.2%	2.9%	1.8%	Household Survey
	Substance Abuse, Hospital Admission Rate	208	291	379	MHDO Hosp Inpatient
	Ages 18-64	274	421	553	MHDO Hosp Inpatient
	Ages 65+	172	159	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	91	112	50	MHDO Hosp Inpatient
	Ages 18-64	124	168	73	MHDO Hosp Inpatient
	Ages 65+	67	50	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	53	40	174	MHDO Hosp Inpatient
	Ages 18-64	73	58	260	MHDO Hosp Inpatient
Ages 65+	39	25	52	MHDO Hosp Inpatient	
Acute Drug-Related Mental Disorders, Hospital Admission Rate	27	95	39	MHDO Hosp Inpatient	
Ages 18-64	35	143	56	MHDO Hosp Inpatient	
Ages 65+	17	33	6.5	MHDO Hosp Inpatient	
Drug-Related Psychoses, Hospital Admission Rate	37	43	117	MHDO Hosp Inpatient	
Ages 18-64	42	53	164	MHDO Hosp Inpatient	
Ages 65+	50	50	72	MHDO Hosp Inpatient	
Acute Alcohol-Related Mental Disorders, ED Rate	138	97	131	MHDO Hosp ED	
Alcohol-Related Psychoses, ED Rate	67	20	28	MHDO Hosp ED	
Acute Drug-Related Mental Disorders, ED Rate	156	217	297	MHDO Hosp ED	
Drug-Related Psychoses, ED Rate	82	80	57	MHDO Hosp ED	
Quality / Effectiveness	Smoking-Related Neoplasms, Mortality Rate	189	230	177	ODRVS Mortality
	Males	211	285	205	ODRVS Mortality
	Females	167	178	150	ODRVS Mortality
	Alcohol-Related Mortality Rate	15	15	14	ODRVS Mortality
	Males	24	23	19	ODRVS Mortality
	Females	6.1	8	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	11	11	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate	16	23	14	ODRVS Mortality
	Males	25	42	21	ODRVS Mortality
	Females	7.4	4.0	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Downtown District		Hancock	Washington	Maine	Maine Counties Source	
		REPRODUCTIVE HEALTH				
Management	% Binge Drinking Females (past month)	11%	14%	11%	BRFSS 2008 & 2009	
	2 or more sex partners in past yr (ages 18-34)	22%	25%	16%	Household Survey	
	% used condom last time had sex (ages 18-34)	41%	34%	35%	Household Survey	
	Teen Birth Rate (10-17yrs) Per 1,000 Females	4.0	5.3	4.1	ODRVS Birth	
	High Risk Pregnancy, Hospital Admission Rate (10-44 year old females)	325	373	360	MHDO Hosp Inpatient	
	C-Section Rate per 100 births	27	31	30	ODRVS Birth	
	% Adequate Prenatal Care (of live births)	91%	87%	91%	ODRVS Birth	
	% Inadequate Prenatal Care (of live births)	3.1%	4.4%	2.5%	ODRVS Birth	
	% Low Birthweight (<2500 grams)	6.0%	5.9%	6.4%	ODRVS Birth	
	% Prematurity (< 37 weeks)	7.3%	7.7%	8.7%	ODRVS Birth	
Prevalence	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	4.0	*	5.5	ODRVS Mortality	
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	*	*	3.9	ODRVS Mortality	
	Post-Neonatal Mortality Rate (deaths to infants 28 through 364 days of age) per 1,000 live births	*	*	1.7	ODRVS Mortality	
	CHILD/YOUTH HEALTH					
	% Sad/Hopeless (two weeks in a row, stopped usu. activities)	26%	26%	24%	MIYHS 2009	
	% Seriously Considered Suicide	15%	15%	14%	MIYHS 2009	
% Current Smoker (Past Month) (Grade 9-12)	22%	27%	20%	MIYHS 2009		
% Current Smokeless Tobacco User	11%	12%	9.5%	MIYHS 2009		
% Alcohol Use (Past Month) (Grade 9-12)	33%	41%	35%	MIYHS 2009		
% Binge Drink (5+ in a row) Past Month (Grade 9-12)	21%	31%	21%	MIYHS 2009		
% Marijuana Use (Past Month) (Grade 9-12)	25%	24%	24%	MIYHS 2009		
% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	12%	11%	9%	MIYHS 2009		
% Used Rx Drug w/out Rx (Past Month) (Grade 9-12)	13%	12%	11%	MIYHS 2009		
% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	42%	39%	39%	MIYHS 2009		
% Consume fruits and vegetables 5 or more times/day	15%	14%	15%	MIYHS 2009		
% Drank sugar sweetened beverage in past week	32%	37%	29%	MIYHS 2009		
Teen Birth Rate (10-17yrs) Per 1,000 Female Populator	4.0	5.3	4.1	ODRVS Birth		
% Ever Been Diagnosed with Asthma (0-17) parental report	11%	9.1%	6.1%	Household Survey		
% Overweight/Obesity Problem (0-17) parental report	1.5%	3.1%	2.0%	Household Survey		
% Overweight (Grade 9-12)	13%	18%	14%	MIYHS 2009		
% Obese (Grade 9-12)	12%	11%	13%	MIYHS 2009		
% with developmental delay or learning disability (0-17) parental report	9.0%	12.8%	4.5%	Household Survey		

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

\* Rates based on less than 5 occurrences omitted



Downeast District		Hancock	Washington	Maine	Maine Counties Source
<b>CHILD/YOUTH HEALTH Cont.</b>					
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,943	3,198	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	243	319	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	218	235	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	104	213	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	297	289	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	35	23	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	173	190	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,194	2,028	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	382	668	516	MHDO Hosp ED
<b>ORTHOPEDECS</b>					
	% Diagnosed Arthritis	32%	35%	32%	BRFSS 2007 & 2009
	Ages 18-44	15%	12%	13%	BRFSS 2007 & 2009
	Ages 45-64	35%	44%	39%	BRFSS 2007 & 2009
	Ages 65+	56%	60%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	114	114	93	MHDO Hosp Inpatient
	Ages 65+	499	443	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	66	49	57	MHDO Hosp Inpatient
	Ages 65+	200	125	180	MHDO Hosp Inpatient
<b>INFECTIOUS DISEASE</b>					
	HIV/AIDS, Hospital Admissions Rate	0.9	1.5	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	21	29	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:				
	Gonorrhea	9.4	6.2	7.3	ME CDC Infect Disease 2008
	Chlamydia	169	111	197	ME CDC Infect Disease 2008
<b>INTIMATE PARTNER VIOLENCE</b>					
	% Ever physically hurt by Intimate Partner	11%	18%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partne	1.6%	1.4%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

\* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.