

Penquis District	Penobscot	Piscataquis	Maine	Maine Counties Source
DEMOGRAPHICS				
Total Population	149,268	16,989	1,319,691	2008 Census Estimates
Median Annual Household Income (to 2008)	\$42,585	\$28,250	\$46,807	ME SPO Data Center
% of Labor Force Unemployed	8.0%	12%	7.8%	ME Dept Labor
% Population Not Attaining H.S. Diploma (>25 yr)	14%	20%	15%	2000 Census
% Population on Medicaid (all ages)	27%	32%	23%	2004 CMS, HRSA Area Resource File
% Population Under the Age of 18	20%	20%	21%	2008 Census Estimates
% Population Between Ages 18-44	38%	27%	34%	2008 Census Estimates
% Population Between Ages 45-64	28%	35%	30%	2008 Census Estimates
% Population Age 65 and Over	14%	18%	15%	2008 Census Estimates
% Uninsured (18+)	14%	15%	13%	Household Survey
% Uninsured Non-Elderly Adults (Ages 18-65)	16%	19%	16%	Household Survey
HEALTH STATUS				
% Health Fair to Poor	17%	20%	15%	Household Survey
% 11+ Days Lost due to Poor Mental or Physical Health	9%	7%	8%	Household Survey
% 3+ Chronic Conditions	14%	14%	13%	Household Survey
Wellness Categories:				
%Well	32%	31%	34%	Household Survey
%At Risk for Future Medical Problems	8%	8%	8%	Household Survey
%Some Health Problems	36%	36%	36%	Household Survey
%Not Well	24%	25%	23%	Household Survey
ACCESS TO CARE				
% Without Usual Source of Primary Care	15%	15%	13%	Household Survey
Males	21%	22%	18%	Household Survey
Females	10%	8.3%	8.3%	Household Survey
% Named a clinic or doctor's office as usual source of care	97%	94%	97%	Household Survey
% Named hospital or ER as usual source of care	0.8%	4.0%	1.9%	Household Survey
% Not Having a Checkup Within the Past 2 yrs	11%	9.8%	10%	Household Survey
Males	14%	18%	15%	Household Survey
Females	8.4%	1.9%	6.4%	Household Survey
% Received Flu Shot or Mist past 12 months	43%	34%	42%	Household Survey
Males	43%	32%	40%	Household Survey
Females	44%	36%	43%	Household Survey
% Ever Received Pneumoccal Vaccine (Age 65+)	72%	68%	73%	Household Survey
Males	69%	57%	71%	Household Survey
Females	75%	76%	74%	Household Survey
% Needed Medical Care But Could not Afford it: Past Year	8.0%	7.1%	6.5%	Household Survey
% No Dental Visit in Past 2 Years	27%	32%	24%	Household Survey
ED Visits per 100,000 population	45,531	59,780	47,665	MHDO Hosp ED
Ages <18	40,443	56,987	44,458	MHDO Hosp ED
Ages 18-44	53,318	73,758	60,516	MHDO Hosp ED
Ages 45-64	36,008	41,807	34,450	MHDO Hosp ED
Ages 65+	50,938	76,742	49,497	MHDO Hosp ED
Hospitalizations per 100,000 Population	13,357	13,488	12,076	MHDO Hosp Inpatient
Ages <18	8,574	7,876	7,575	MHDO Hosp Inpatient
Ages 18-44	8,157	9,324	8,127	MHDO Hosp Inpatient
Ages 45-64	12,306	9,738	9,832	MHDO Hosp Inpatient
Ages 65+	36,052	33,171	31,396	MHDO Hosp Inpatient

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source	
QUALITY/EFFECTIVENESS						
QUALITY/EFFECTIVENESS	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)	1,241	415	967	MHDO Hosp Inpatient	
	Ages 0-17	257	131	191	MHDO Hosp Inpatient	
	Ages 18-44	291	142	234	MHDO Hosp Inpatient	
	Ages 45-64	1,123	279	707	MHDO Hosp Inpatient	
	Ages 65+	5,401	1,400	4,166	MHDO Hosp Inpatient	
	Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	2,907	5,356	3,073	MHDO Hosp Inpatient	
	Ages 0-17	1,680	2,392	1,994	MHDO Hosp Inpatient	
	Ages 18-44	2,309	3,491	2,868	MHDO Hosp Inpatient	
	Ages 45-64	2,516	3,666	2,374	MHDO Hosp Inpatient	
	Ages 65+	7,015	14,697	6,375	MHDO Hosp Inpatient	
	CARDIOVASCULAR HEALTH					
	Risk Factors	% Current Smokers (Age 18+)	23%	21%	22%	Household Survey
		% Sedentary Lifestyle (measured by no physical activity)	23%	26%	21%	Household Survey
		% Physical Activity (5 times a week at 30 min.)	25%	26%	26%	Household Survey
% Use aspirin daily (Age 35+)		36%	36%	35%	Household Survey	
% Overweight (Ages 18+)		34%	38%	37%	Household Survey	
% Obesity (Ages 18+)		35%	33%	28%	Household Survey	
Disease Prevalence		% High Cholesterol (ever told)	31%	32%	29%	Household Survey
		% High Blood Pressure (ever told)	31%	35%	30%	Household Survey
		% Heart Disease	7.0%	6.9%	6.3%	Household Survey
Management		Congestive Heart Failure, Hospital Admissions	308	256	283	MHDO Hosp Inpatient
		Ages 45-64	165	127	127	MHDO Hosp Inpatient
		Ages 65+	1,806	1,156	1,588	MHDO Hosp Inpatient
		AMI, Hospital Admission Rate	223	359	211	MHDO Hosp Inpatient
		Ages 45-64	199	236	157	MHDO Hosp Inpatient
	Ages 65+	1,135	1,530	1,037	MHDO Hosp Inpatient	
	Cerebrovascular Disease (stroke), Hospital Admission Rate	148	197	149	MHDO Hosp Inpatient	
	Ages 45-64	117	127	107	MHDO Hosp Inpatient	
	Ages 65+	771	814	736	MHDO Hosp Inpatient	
	CABG, Hospital Admission Rate	72	77	62	MHDO Hosp Inpatient	
	Ages 45-64	102	59	92	MHDO Hosp Inpatient	
	Ages 65+	281	277	212	MHDO Hosp Inpatient	
	% Advised to cut down on salt by doctor (ever)	62%	65%	62%	Household Survey	
	% Having Cholesterol Checked within the past year (Ages 21+)	62%	70%	63%	Household Survey	
% Smokers advised to quit smoking in the past yr.	73%	63%	72%	Household Survey		
Quality/Effectiveness	AMI, Mortality Rate	52	112	45	ODRVS Mortality	
	Ages 45-64	45	101	30	ODRVS Mortality	
	Ages 65+	271	401	232	ODRVS Mortality	
	Cerebrovascular Disease (stroke), Mortality Rate	50	77	49	ODRVS Mortality	
	Ages 45-64	14	6	11	ODRVS Mortality	
	Ages 65+	321	391	294	ODRVS Mortality	
	Heart Disease, Mortality Rate	223	281	202	ODRVS Mortality	
	Ages 45-64	137	130	99	ODRVS Mortality	
	Ages 65+	1,273	1,280	1,101	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
RESPIRATORY HEALTH					
Risk Factors	% Current Smokers	23%	21%	22%	Household Survey
	Male	25%	21%	23%	Household Survey
	Female	22%	20%	20%	Household Survey
	% Former Smokers	29%	38%	31%	Household Survey
Disease Prevalence	% Current Asthma (Ages 18+)	11%	9.2%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	8.0%	6.0%	6.1%	Household Survey
	% COPD	4.9%	4.4%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	108	131	105	ME CDC Cancer Reg
	Lung and Broncus Cancer, Females, Incidence Rate	99	105	86	ME CDC Cancer Reg
Management	% Received Flu Shot or Mist past 12 months	43%	34%	42%	Household Survey
	Males	43%	32%	40%	Household Survey
	Females	44%	36%	43%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	72%	68%	73%	Household Survey
	Males	69%	57%	71%	Household Survey
	Females	75%	76%	74%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	117	74	87	MHDO Hosp Inpatient
	Ages 0-17	267	233	196	MHDO Hosp Inpatient
	Ages 18-44	59	44	45	MHDO Hosp Inpatient
	Ages 45-64	65	25	46	MHDO Hosp Inpatient
	Ages 65+	163	33	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	935	1,636	988	MHDO Hosp ED
	Ages 0-17	1,055	1,546	1,145	MHDO Hosp ED
	Ages 18-44	1,144	2,517	1,346	MHDO Hosp ED
	Ages 45-64	681	1,140	654	MHDO Hosp ED
	Ages 65+	707	1,383	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	381	318	284	MHDO Hosp Inpatient
	Ages 45-64	451	253	285	MHDO Hosp Inpatient
	Ages 65+	1,697	1,253	1,236	MHDO Hosp Inpatient
	COPD, ED Visit Rate	1,175	1,316	998	MHDO Hosp Inpatient
	Ages 45-64	1,290	1,284	1,019	MHDO Hosp Inpatient
	Ages 65+	2,413	3,418	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	426	509	326	MHDO Hosp Inpatient
	Ages 45-64	355	270	209	MHDO Hosp Inpatient
	Ages 65+	1,858	1,855	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	422	1,042	505	MHDO Hosp Inpatient
	Ages 18-44	254	646	366	MHDO Hosp Inpatient
	Ages 45-64	354	752	376	MHDO Hosp Inpatient
	Ages 65+	1,028	2,799	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	31	38	23	MHDO Hosp Inpatient
	Ages 45-64	37	25	22	MHDO Hosp Inpatient
	Ages 65+	104	98	79	MHDO Hosp Inpatient
	% Current Smokers advised to quit smoking in the past year	73%	63%	72%	Household Survey
% Current smokers tried to quit in past year	48%	49%	54%	Household Survey	
% Current smokers ever used Maine Tobacco Quitline	18%	20%	19%	Household Survey	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
RESPIRATORY HEALTH Cont.					
Quality/Effectiveness	Lung Cancer, Mortality Rate	77	69	69	
	Males	84	95	78	ODRVS Mortality 07-09
	Females	69	43	61	ODRVS Mortality 07-09
	COPD, Mortality Rate	50	77	58	ODRVS Mortality 07-09
	Ages 45-64	29	23	25	ODRVS Mortality 07-09
	Ages 65+	298	369	332	ODRVS Mortality 07-09
	Pneumonia, Mortality Rate	17	12	17	ODRVS Mortality 07-09
	Ages 45-64	3	0	5	ODRVS Mortality 07-09
	Ages 65+	110	65	103	ODRVS Mortality 07-09
	Smoking-Related Neoplasms, Mortality Rate	176	232	177	ODRVS Mortality 07-09
	Males	197	267	205	ODRVS Mortality 07-09
Females	156	197	150	ODRVS Mortality 07-09	
CANCER HEALTH					
Risk Factors	% Current Smokers (Age 18+)	23%	21%	22%	Household Survey
	% Sedentary Lifestyle	23%	26%	21%	Household Survey
	% Former smokers (Age 18+)	29%	38%	31%	Household Survey
	% Overweight (Age 18+)	34%	38%	37%	Household Survey
	% Obesity (Age 18+)	35%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Cancer (Age 18+)	6.2%	8.0%	7.5%	Household Survey
	All Cancers, Incidence Rate	638	779	629	ME CDC Cancer Reg
	Bladder, Incident Rate	35	45	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	145	232	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	7.0	3.9	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	69	77	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	104	118	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	19	16	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	175	243	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	67%	69%	69%	Household Survey
	% Stage Female Breast, Local	63%	72%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	2.4%	5.0%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	68%	75%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	56%	100%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	19%	0%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	22%	23%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	59%	58%	63%	Household Survey
	% Stage Colorectal, Local	51%	42%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	18%	20%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	22%	21%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	48%	42%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	22%	19%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	44%	52%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	62%	63%	69%	Household Survey
	% Reported Digital Rectal Exam past 2 years (males Age 50+)	63%	65%	68%	Household Survey
	% Stage Prostate, Local	68%	61%	76%	ME CDC Cancer Reg
% Stage Prostate, Distant	3.4%	4.9%	3.8%	ME CDC Cancer Reg	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
CANCER HEALTH Cont.					
Quality/Effectiveness	All Cancers, Mortality Rate	227	296	234	ODRVS Mortality
	Bladder, Mortality Rate	6.7	14	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	26	23	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	3.5	0.0	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	20	27	21	ODRVS Mortality
	Lung, Mortality Rate	77	69	69	ODRVS Mortality
	Melanoma, Mortality Rate	2.5	3.9	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	21	24	23	ODRVS Mortality
DIABETES HEALTH					
Risk Factors	% Sedentary Lifestyle (measured by no physical activity)	23%	26%	21%	Household Survey
	% Adults consume fruits and vegetables 5 or more times/day	25%	26%	28%	BRFSS 2007 & 2009
	% Overweight (Age 18+)	34%	38%	37%	Household Survey
	% Obesity (Age 18+)	35%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Diabetes	10%	13%	10%	Household Survey
	Ages 18-44	3.3%	7.9%	2.9%	Household Survey
	Ages 45-64	14%	14%	13%	Household Survey
	Ages 65+	21%	20%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	92%	89%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	79%	65%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	80%	71%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	54%	51%	54%	Household Survey
	Diabetes, Hospital Admission Rate	102	150	79	MHDO Hosp Inpatient
	Ages 18-44	90	219	75	MHDO Hosp Inpatient
	Ages 45-64	99	110	75	MHDO Hosp Inpatient
	Ages 65+	201	293	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	11	15	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	109	209	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	6	15	11		
Quality/Effective	Diabetes, Mortality Rate	26	29	26	ODRVS Mortality
	Ages 45-64	24	34	20	ODRVS Mortality
	Ages 65+	128	98	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
MENTAL HEALTH					
Risk Factors	% 11+ Days Mental Health Not Good	10%	13%	11%	BRFSS 2008 + 2009
	Ages 18-44	9.8%	19%	12%	BRFSS 2008 + 2009
	Ages 45-64	12%	12%	12%	BRFSS 2008 + 2009
	Ages 65+	6.9%	5.1%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	5.2%	3.0%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	8.5%	9.0%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	8.1%	6.6%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	20%	21%	22%	Household Survey
	% Current Depression (18+)	15%	14%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	11%	13%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	3.6%	9.1%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	785	509	578	MHDO Hosp Inpatient
	Ages 0-17	692	379	484	MHDO Hosp Inpatient
	Ages 18-44	989	755	801	MHDO Hosp Inpatient
	Ages 45-64	843	583	559	MHDO Hosp Inpatient
	Ages 65+	262	146	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	14	15	8.6	MHDO Hosp Inpatient
	Ages 65+	78	81	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	154	171	157	MHDO Hosp Inpatient
	Ages 0-17	65	0	85	MHDO Hosp Inpatient
	Ages 18-64	200	257	196	MHDO Hosp Inpatient
	Ages 65+	73	65	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	366	215	280	MHDO Hosp Inpatient
	Ages 0-17	525	306	353	MHDO Hosp Inpatient
	Ages 18-64	376	238	302	MHDO Hosp Inpatient
	Ages 65+	92	33	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	216	91	114	MHDO Hosp Inpatient
	Ages 18-64	293	129	155	MHDO Hosp Inpatient
	Ages 65+	61	16	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	365	200	269	MHDO Hosp Inpatient
	Ages 0-17	244	88	213	MHDO Hosp Inpatient
	Ages 18-44	949	525	662	MHDO Hosp Inpatient
	Ages 45-64	523	292	342	MHDO Hosp Inpatient
	Ages 65+	89	88	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	27	41	28	MHDO Hosp ED
Major Depressive Disorder, ED Rate	80	71	109	MHDO Hosp ED	
Bipolar Disorder, ED Rate	265	165	166	MHDO Hosp ED	
Schizophrenia, ED Rate	112	53	70	MHDO Hosp ED	
Anxiety Disorder, ED Rate	1,956	1,607	1,618	MHDO Hosp ED	
Quality	Suicide, Mortality Rate	14	24	14	ODRVS Mortality
	Males	25	36	23	ODRVS Mortality
	Females	3.9	12	5.4	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penquis District			Maine Counties Source
		Penobscot	Piscataquis	Maine	
SUBSTANCE ABUSE					
Prevalence	% Chronic Heavy Drinking - Past Month	4.6%	5.6%	6.4%	BRFSS 2008 & 2009
	Ages 18-64	9.6%	13%	14%	BRFSS 2008 & 2009
	Ages 65+	3.7%	2.0%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	14%	19%	15%	BRFSS 2008 & 2009
	Ages 18-44	22%	20%	26%	BRFSS 2008 & 2009
	Ages 45-64	14%	11%	14%	BRFSS 2008 & 2009
	Ages 65+	2.1%	3.8%	3.6%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.2%	5.9%	4.7%	Household Survey
	% Current Substance Abuse Problem	1.2%	0.8%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	0.4%	0.5%	0.9%	Household Survey
% have used any street drugs in past 30 days		5.5%	3.2%	5.2%	Household Survey
	% have used any prescription drugs for non-prescribed purpose in past 30 days	2.2%	3.5%	1.8%	Household Survey
Management	Substance Abuse, Hospital Admission Rate	286	153	379	MHDO Hosp Inpatient
	Ages 18-64	391	200	553	MHDO Hosp Inpatient
	Ages 65+	180	146	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	86	41	50	MHDO Hosp Inpatient
	Ages 18-64	124	62	73	MHDO Hosp Inpatient
	Ages 65+	28	16	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	79	32	174	MHDO Hosp Inpatient
	Ages 18-64	112	43	260	MHDO Hosp Inpatient
	Ages 65+	35	33	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	67	38	39	MHDO Hosp Inpatient
	Ages 18-64	95	62	56	MHDO Hosp Inpatient
	Ages 65+	9.5	0	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	54	41	117	MHDO Hosp Inpatient
	Ages 18-64	59	33	164	MHDO Hosp Inpatient
	Ages 65+	104	98	72	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, ED Rate	218	109	131	MHDO Hosp ED
Alcohol-Related Psychoses, ED Rate	39	15	28	MHDO Hosp ED	
Acute Drug-Related Mental Disorders, ED Rate	411	224	297	MHDO Hosp ED	
Drug-Related Psychoses, ED Rate	76	100	57	MHDO Hosp ED	
Quality / Effectiveness	Smoking-Related Neoplasms, Mortality Rate	176	232	177	ODRVS Mortality
	Males	197	267	205	ODRVS Mortality
	Females	156	197	150	ODRVS Mortality
	Alcohol-Related Mortality Rate	15	16	14	ODRVS Mortality
	Males	21	24	19	ODRVS Mortality
	Females	9.2	7.7	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	12	14	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate	14	16	14	ODRVS Mortality
	Males	21	32	21	ODRVS Mortality
	Females	6.6	0.0	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
REPRODUCTIVE HEALTH					
Management	% Binge Drinking Females (past month)	9.2%	8%	11%	BRFSS 2008 & 2009
	2 or more sex partners in past yr (ages 18-34)	18%	1.8%	16%	Household Survey
	% used condom last time had sex (ages 18-34)	42%	25%	35%	Household Survey
	Teen Birth Rate (10-17yrs) Per 1,000 Females	3.3	6.2	4.1	ODRVS Birth
	High Risk Pregancy, Hospital Admission Rate (10-44 year old females)	294	500	360	MHDO Hosp Inpatient
	C-Section Rate per 100 births	30	26	30	ODRVS Birth
	% Adequate Prenatal Care (of live births)	91%	86%	91%	ODRVS Birth
	% Inadequate Prenatal Care (of live births)	4.0%	3.5%	2.5%	ODRVS Birth
	% Low Birthweight (<2500 grams)	6.8%	7.5%	6.4%	ODRVS Birth
	% Prematurity (< 37 weeks)	10%	9.4%	8.7%	ODRVS Birth
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	5.2	*	5.5	ODRVS Mortality
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	4.4	*	3.9	ODRVS Mortality
	Post-Neonatal Mortality Rate (deaths to infants 28 through 364 days of age) per 1,000 live births	*	*	1.7	ODRVS Mortality
	CHILD/YOUTH HEALTH				
Prevalence	% Sad/Hopeless (two weeks in a row, stopped usu. activities)	24%	26%	24%	MIYHS 2009
	% Seriously Considered Suicide	12%	17%	14%	MIYHS 2009
	% Current Smoker (Past Month) (Grade 9-12)	20%	26%	20%	MIYHS 2009
	% Current Smokeless Tobacco User	9%	13%	9.5%	MIYHS 2009
	% Alcohol Use (Past Month) (Grade 9-12)	33%	39%	35%	MIYHS 2009
	% Binge Drink (5+ in a row) Past Month (Grade 9-12)	19%	26%	21%	MIYHS 2009
	% Marijuana Use (Past Month) (Grade 9-12)	22%	25%	24%	MIYHS 2009
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	8%	14%	9%	MIYHS 2009
	% Used Rx Drug w/out Rx (Past Month) (Grade 9-12)	11%	16%	11%	MIYHS 2009
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	37%	38%	39%	MIYHS 2009
	% Consume fruits and vegetables 5 or more times/day	12%	16%	15%	MIYHS 2009
	% Drank sugar sweetened beverage in past week	30%	35%	29%	MIYHS 2009
	Teen Birth Rate (10-17yrs) Per 1,000 Female Populator	3.3	6.2	4.1	ODRVS Birth
	% Ever Been Diagnosed with Asthma (0-17) parental report	8.0%	6.0%	6.1%	Household Survey
	% Overweight/Obesity Problem (0-17) parental report	2.6%	3.9%	2.0%	Household Survey
	% Overweight (Grade 9-12)	14%	14%	14%	MIYHS 2009
	% Obese (Grade 9-12)	14%	12%	13%	MIYHS 2009
	% with developmental delay or learning disability (0-17) parental report	3.6%	9.1%	4.5%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* Rates based on less than 5 occurrences omitted

Penquis District		Penobscot	Piscataquis	Maine	Maine Counties Source
CHILD/YOUTH HEALTH Cont.					
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	1,680	2,392	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	257	131	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	267	233	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	149	263	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	692	379	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	65	0	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	525	306	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,055	1,546	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	406	496	516	MHDO Hosp ED
ORTHOPEDICS					
% Diagnosed Arthritis	29%	42%	32%	BRFSS 2007 & 2009	
Ages 18-44	12%	29%	13%	BRFSS 2007 & 2009	
Ages 45-64	38%	45%	39%	BRFSS 2007 & 2009	
Ages 65+	63%	61%	59%	BRFSS 2007 & 2009	
Hip Procedures, Hospital Admission Rate	81	112	93	MHDO Hosp Inpatient	
Ages 65+	404	505	452	MHDO Hosp Inpatient	
Head Brain Injury, Hospital Admission Rate	51	41	57	MHDO Hosp Inpatient	
Ages 65+	139	146	180	MHDO Hosp Inpatient	
INFECTIOUS DISEASE					
HIV/AIDS, Hospital Admissions Rate	2.0	5.9	5.1	MHDO Hosp Inpatient	
Chronic Hepatitis C, Number of Case Reports*	198	7	1453	ME CDC Infect Disease 2009	
Sexually Transmitted Disease Incidence Rate:					
Gonorrhea	2.7	0	7.3	ME CDC Infect Disease 2008	
Chlamydia	219	100	197	ME CDC Infect Disease 2008	
INTIMATE PARTNER VIOLENCE					
% Ever physically hurt by Intimate Partner	14%	14%	12%	Household Survey	
% Past yr physical violence or unwanted sex from Intimate Partne	1.4%	0.4%	1.2%	Household Survey	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no count available so Maine total exceeds sum of counties.