

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
		DEMOGRAPHICS				
Total Population	107,061	29,767	56,608	1,319,691	2008 Census Estimates	
Median Annual Household Income (to 2008)	\$44,545	\$38,865	\$38,987	\$46,807	ME SPO Data Center	
% of Labor Force Unemployed	8.4%	11%	11%	7.8%	ME Dept Labor	
% Population Not Attaining H.S. Diploma (>25 yr)	20%	15%	18%	15%	2000 Census	
% Population on Medicaid (all ages)	27%	27%	30%	23%	2004 CMS, HRSA Area Resource File	
% Population Under the Age of 18	22%	20%	21%	21%	2008 Census Estimates	
% Population Between Ages 18-44	36%	36%	31%	34%	2008 Census Estimates	
% Population Between Ages 45-64	27%	30%	32%	30%	2008 Census Estimates	
% Population Age 65 and Over	15%	14%	16%	15%	2008 Census Estimates	
% Uninsured (18+)	10%	15%	14%	13%	Household Survey	
% Uninsured Non-Elderly Adults (Ages 18-65)	12%	18%	18%	16%	Household Survey	
HEALTH STATUS						
% Health Fair to Poor	17%	15%	23%	15%	Household Survey	
% 11+ Days Lost due to Poor Mental or Physical Health	7%	8%	11%	8%	Household Survey	
% 3+ Chronic Conditions	15%	12%	17%	13%	Household Survey	
Wellness Categories:						
%Well	30%	38%	32%	34%	Household Survey	
%At Risk for Future Medical Problems	9%	7%	7%	8%	Household Survey	
%Some Health Problems	35%	34%	32%	36%	Household Survey	
%Not Well	26%	22%	29%	23%	Household Survey	
ACCESS TO CARE						
% Without Usual Source of Primary Care	12%	14%	14%	13%	Household Survey	
Males	18%	18%	16%	18%	Household Survey	
Females	5.7%	9.2%	12%	8.3%	Household Survey	
% Named a clinic or doctor's office as usual source of care	97%	99%	96%	97%	Household Survey	
% Named hospital or ER as usual source of care	2.3%	0.2%	2.7%	1.9%	Household Survey	
% Not Having a Checkup Within the Past 2 yrs	8.7%	12%	11%	10%	Household Survey	
Males	12%	18%	17%	15%	Household Survey	
Females	5.5%	6.4%	6.6%	6.4%	Household Survey	
% Received Flu Shot or Mist past 12 months	40%	35%	40%	42%	Household Survey	
Males	40%	37%	40%	40%	Household Survey	
Females	40%	34%	41%	43%	Household Survey	
% Ever Received Pneumoccal Vaccine (Age 65+)	73%	75%	80%	73%	Household Survey	
Males	71%	74%	71%	71%	Household Survey	
Females	74%	76%	87%	74%	Household Survey	
% Needed Medical Care But Could not Afford it: Past Year	4.9%	7.3%	8.9%	6.5%	Household Survey	
% No Dental Visit in Past 2 Years	27%	24%	34%	24%	Household Survey	
ED Visits per 100,000 population	57,097	41,596	52,871	47,665	MHDO Hosp ED	
Ages <18	55,811	46,337	49,304	44,458	MHDO Hosp ED	
Ages 18-44	74,101	47,030	71,958	60,516	MHDO Hosp ED	
Ages 45-64	39,804	29,950	35,606	34,450	MHDO Hosp ED	
Ages 65+	48,645	46,089	55,633	49,497	MHDO Hosp ED	
Hospitalizations per 100,000 Population	12,920	12,044	12,484	12,076	MHDO Hosp Inpatient	
Ages <18	9,952	7,956	7,110	7,575	MHDO Hosp Inpatient	
Ages 18-44	10,068	7,731	8,848	8,127	MHDO Hosp Inpatient	
Ages 45-64	10,905	9,672	10,122	9,832	MHDO Hosp Inpatient	
Ages 65+	28,349	33,240	31,433	31,396	MHDO Hosp Inpatient	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source	
		QUALITY/EFFECTIVENESS					
Quality/Effectiveness	Ambulatory Care Sensitive Condition (ACSC), Hospital Admission Rate (Overall PQI*)	1,044	1,377	915	967	MHDO Hosp Inpatient	
	Ages 0-17	241	332	107	191	MHDO Hosp Inpatient	
	Ages 18-44	319	306	190	234	MHDO Hosp Inpatient	
	Ages 45-64	914	884	652	707	MHDO Hosp Inpatient	
	Ages 65+	4,329	6,483	3,922	4,166	MHDO Hosp Inpatient	
	Ambulatory Care Sensitive Condition (ACSC), ED Visit Rate (Overall PQI*)	3,426	2,226	3,227	3,073	MHDO Hosp Inpatient	
	Ages 0-17	2,466	1,320	2,043	1,994	MHDO Hosp Inpatient	
	Ages 18-44	3,618	2,004	2,890	2,868	MHDO Hosp Inpatient	
	Ages 45-64	2,832	1,734	2,411	2,374	MHDO Hosp Inpatient	
	Ages 65+	5,517	5,040	7,101	6,375	MHDO Hosp Inpatient	
	CARDIOVASCULAR HEALTH						
	Risk Factors	% Current Smokers (Age 18+)	20%	20%	25%	22%	Household Survey
		% Sedentary Lifestyle (measured by no physical activity)	20%	18%	24%	21%	Household Survey
		% Physical Activity (5 times a week at 30 min.)	22%	30%	27%	26%	Household Survey
% Use aspirin daily (Age 35+)		41%	31%	36%	35%	Household Survey	
% Overweight (Ages 18+)		39%	38%	36%	37%	Household Survey	
% Obesity (Ages 18+)		31%	31%	33%	28%	Household Survey	
Disease Prevalence	% High Cholesterol (ever told)	34%	28%	35%	29%	Household Survey	
	% High Blood Pressure (ever told)	31%	27%	31%	30%	Household Survey	
	% Heart Disease	7.3%	3.8%	6.9%	6.3%	Household Survey	
Management	Congestive Heart Failure, Hospital Admissions	306	363	255	283	MHDO Hosp Inpatient	
	Ages 45-64	180	156	108	127	MHDO Hosp Inpatient	
	Ages 65+	1,757	2,176	1,379	1,588	MHDO Hosp Inpatient	
	AMI, Hospital Admission Rate	172	213	135	211	MHDO Hosp Inpatient	
	Ages 45-64	154	89	97	157	MHDO Hosp Inpatient	
	Ages 65+	866	1,222	631	1,037	MHDO Hosp Inpatient	
	Cerebrovascular Disease (stroke), Hospital Admission Rate	144	146	141	149	MHDO Hosp Inpatient	
	Ages 45-64	120	128	88	107	MHDO Hosp Inpatient	
	Ages 65+	734	710	692	736	MHDO Hosp Inpatient	
	CABG, Hospital Admission Rate	78	72	68	62	MHDO Hosp Inpatient	
	Ages 45-64	149	128	110	92	MHDO Hosp Inpatient	
	Ages 65+	245	233	194	212	MHDO Hosp Inpatient	
	% Advised to cut down on salt by doctor (ever)	61%	62%	66%	62%	Household Survey	
	% Having Cholesterol Checked within the past year (Ages 21+)	68%	57%	67%	63%	Household Survey	
% Smokers advised to quit smoking in the past yr.	71%	58%	72%	72%	Household Survey		
Quality/Effectiveness	AMI, Mortality Rate	40	73	36	45	ODRVS Mortality	
	Ages 45-64	35	41	18	30	ODRVS Mortality	
	Ages 65+	202	411	188	232	ODRVS Mortality	
	Cerebrovascular Disease (stroke), Mortality Rate	45	49	55	49	ODRVS Mortality	
	Ages 45-64	14	22	15	11	ODRVS Mortality	
	Ages 65+	279	287	310	294	ODRVS Mortality	
	Heart Disease, Mortality Rate	203	223	203	202	ODRVS Mortality	
	Ages 45-64	128	96	92	99	ODRVS Mortality	
	Ages 65+	1,126	1,288	1,052	1,101	ODRVS Mortality	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Overall PQI = methodology based on AHRQ Prevention Quality Indicators using 13 identified conditions

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
		RESPIRATORY HEALTH				
Risk Factors	% Current Smokers	20%	20%	25%	22%	Household Survey
	Male	20%	20%	29%	23%	Household Survey
	Female	20%	19%	20%	20%	Household Survey
	% Former Smokers	32%	36%	30%	31%	Household Survey
Disease Prevalence	% Current Asthma (Ages 18+)	12%	9.4%	11%	10%	Household Survey
	% Ever Asthma (Ages 0-17)	10%	3.0%	6.9%	6.1%	Household Survey
	% COPD	4.3%	2.5%	6.7%	4.2%	Household Survey
	Lung and Broncus Cancer, Males, Incidence Rate	101	95	123	105	ME CDC Cancer Reg
	Lung and Broncus Cancer, Females, Incidence Rate	86	72	91	86	ME CDC Cancer Reg
Management	% Received Flu Shot or Mist past 12 months	40%	35%	40%	42%	Household Survey
	Males	40%	37%	40%	40%	Household Survey
	Females	40%	34%	41%	43%	Household Survey
	% Ever Received Pneumoccal Vaccine (Ages 65+)	73%	75%	80%	73%	Household Survey
	Males	71%	74%	71%	71%	Household Survey
	Females	74%	76%	87%	74%	Household Survey
	Bronchitis and Asthma, Hospital Admission Rate	127	94	87	87	MHDO Hosp Inpatient
	Ages 0-17	311	307	161	196	MHDO Hosp Inpatient
	Ages 18-44	90	42	72	45	MHDO Hosp Inpatient
	Ages 45-64	47	39	47	46	MHDO Hosp Inpatient
	Ages 65+	84	47	100	114	MHDO Hosp Inpatient
	Bronchitis and Asthma, ED Visit Rate	1,064	544	987	988	MHDO Hosp ED
	Ages 0-17	1,291	894	1,285	1,145	MHDO Hosp ED
	Ages 18-44	1,507	698	1,430	1,346	MHDO Hosp ED
	Ages 45-64	619	289	574	654	MHDO Hosp ED
	Ages 65+	435	221	559	632	MHDO Hosp ED
	COPD, Hospital Admission Rate	307	502	401	284	MHDO Hosp Inpatient
	Ages 45-64	383	511	389	285	MHDO Hosp Inpatient
	Ages 65+	1,255	2,339	1,662	1,236	MHDO Hosp Inpatient
	COPD, ED Visit Rate	1,264	754	1,306	998	MHDO Hosp Inpatient
	Ages 45-64	1,298	756	1,262	1,019	MHDO Hosp Inpatient
	Ages 65+	1,870	1,769	2,531	1,914	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate	299	349	465	326	MHDO Hosp Inpatient
	Ages 45-64	206	189	260	209	MHDO Hosp Inpatient
	Ages 65+	1,255	1,653	2,105	1,402	MHDO Hosp Inpatient
	Pneumonia, ED Visit Rate	506	232	531	505	MHDO Hosp Inpatient
	Ages 18-44	407	174	323	366	MHDO Hosp Inpatient
	Ages 45-64	406	189	356	376	MHDO Hosp Inpatient
	Ages 65+	747	500	1,235	1,053	MHDO Hosp Inpatient
	Emphysema, Hospital Admission Rate	12	24	26	23	MHDO Hosp Inpatient
	Ages 45-64	10	22	25	22	MHDO Hosp Inpatient
	Ages 65+	35	105	100	79	MHDO Hosp Inpatient
% Current Smokers advised to quit smoking in the past year	71%	58%	72%	72%	Household Survey	
% Current smokers tried to quit in past year	52%	42%	61%	54%	Household Survey	
% Current smokers ever used Maine Tobacco Quitline	21%	21%	22%	19%	Household Survey	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
		RESPIRATORY HEALTH Cont.				
Quality/Effectiveness	Lung Cancer, Mortality Rate	66	86	80	69	
	Males	73	104	88	78	ODRVS Mortality 07-09
	Females	59	69	73	61	ODRVS Mortality 07-09
	COPD, Mortality Rate	72	74	73	58	ODRVS Mortality 07-09
	Ages 45-64	32	37	24	25	ODRVS Mortality 07-09
	Ages 65+	436	435	406	332	ODRVS Mortality 07-09
	Pneumonia, Mortality Rate	13	20	16	17	ODRVS Mortality 07-09
	Ages 45-64	6	15	7	5	ODRVS Mortality 07-09
	Ages 65+	79	109	89	103	ODRVS Mortality 07-09
	Smoking-Related Neoplasms, Mortality Rate	165	204	208	177	ODRVS Mortality 07-09
	Males	191	243	254	205	ODRVS Mortality 07-09
	Females	141	167	163	150	ODRVS Mortality 07-09
CANCER HEALTH						
Risk Factors	% Current Smokers (Age 18+)	20%	20%	25%	22%	Household Survey
	% Sedentary Lifestyle	20%	18%	24%	21%	Household Survey
	% Former smokers (Age 18+)	32%	36%	30%	31%	Household Survey
	% Overweight (Age 18+)	39%	38%	36%	37%	Household Survey
	% Obesity (Age 18+)	31%	31%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Cancer (Age 18+)	5.8%	8.0%	9.3%	7.5%	Household Survey
	All Cancers, Incidence Rate	585	609	684	629	ME CDC Cancer Reg
	Bladder, Incident Rate	35	41	40	35	ME CDC Cancer Reg
	Female Breast Cancer, Incidence Rate	141	156	178	162	ME CDC Cancer Reg
	Female Cervix Uteri, Incidence Rate	7.9	8.7	3.5	7.3	ME CDC Cancer Reg
	Colorectal, Incidence Rate	57	72	69	62	ME CDC Cancer Reg
	Lung and Bronchus Cancer, Incidence Rate	93	83	107	95	ME CDC Cancer Reg
	Melanoma, Incidence Rate	25	15	24	26	ME CDC Cancer Reg
	Male Prostate, Incidence Rate	169	176	184	187	ME CDC Cancer Reg
Management / Patient Care	% Reported Mammogram past year (40+)	69%	74%	70%	69%	Household Survey
	% Stage Female Breast, Local	68%	71%	67%	66%	ME CDC Cancer Reg
	% Stage Female Breast, Distant	4.3%	9.7%	3.2%	3.8%	ME CDC Cancer Reg
	% Reported Pap Smear past 2 years	67%	72%	68%	70%	Household Survey
	% Stage Cervix Uteri Female, Local	46%	25%	100%	52%	ME CDC Cancer Reg
	% Stage Cervix Uteri Female, Distant	15%	25%	0%	14%	ME CDC Cancer Reg
	% Reported Blood Stool Test Past Year (Age 50+)	23%	25%	27%	20%	BRFSS 2006/2008
	% Reported Having Sigmoid/Colonoscopy Past 5 Yrs (Age 50+)	67%	59%	61%	63%	Household Survey
	% Stage Colorectal, Local	47%	41%	28%	47%	ME CDC Cancer Reg
	% Stage Colorectal, Distant	18%	14%	36%	17%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Local	17%	15%	16%	16%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Male, Distant	55%	51%	51%	50%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Local	20%	30%	18%	21%	ME CDC Cancer Reg
	% Stage Lung and Brunchus Female, Distant	50%	52%	58%	47%	ME CDC Cancer Reg
	% Reported Prostate Exam (PSA test) past 2 yrs (males Age 50+)	65%	60%	72%	69%	Household Survey
	% Reported Digital Rectal Exam past 2 years (males Age 50+)	71%	57%	66%	68%	Household Survey
	% Stage Prostate, Local	84%	74%	84%	76%	ME CDC Cancer Reg
% Stage Prostate, Distant	4.5%	1.3%	1.3%	3.8%	ME CDC Cancer Reg	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

		Western District				Maine Counties Source
		Androscoggin	Franklin	Oxford	Maine	
CANCER HEALTH Cont.						
Quality/Effectiveness	All Cancers, Mortality Rate	216	251	277	234	ODRVS Mortality
	Bladder, Mortality Rate	10	1.1	9.4	7.5	ODRVS Mortality
	Female Breast Cancer, Mortality Rate	24	20	38	28	ODRVS Mortality
	Female Cervix Uteri, Mortality Rate	2.4	2.2	2.3	2.5	ODRVS Mortality
	Colorectal, Mortality Rate	17	26	24	21	ODRVS Mortality
	Lung, Mortality Rate	66	86	80	69	ODRVS Mortality
	Melanoma, Mortality Rate	4.0	1.1	1.8	3.6	ODRVS Mortality
	Male Prostate, Mortality Rate	20	25	17	23	ODRVS Mortality
DIABETES HEALTH						
Risk Factors	% Sedentary Lifestyle (measured by no physical activity)	20%	18%	24%	21%	Household Survey
	% Adults consume fruits and vegetables 5 or more times/day	27%	27%	26%	28%	BRFSS 2007 & 2009
	% Overweight (Age 18+)	39%	38%	36%	37%	Household Survey
	% Obesity (Age 18+)	31%	31%	33%	28%	Household Survey
Disease Prevalence	% Diagnosed Diabetes	11%	9.7%	12%	10%	Household Survey
	Ages 18-44	2.8%	2.8%	5.4%	2.9%	Household Survey
	Ages 45-64	16%	14%	12%	13%	Household Survey
	Ages 65+	23%	16%	26%	21%	Household Survey
Management	% Reported hemoglobin A1c measurement (at least once) in past year (Age 18+)	77%	81%	78%	89%	Household Survey
	% Reported pupil dilation eye exam in past yr (age 18+)	78%	65%	84%	76%	Household Survey
	% Reported foot examination in past yr (Age 18+)	77%	60%	67%	78%	Household Survey
	% Reported ever taken diabetes self management course (Age 18+)	59%	35%	56%	54%	Household Survey
	Diabetes, Hospital Admission Rate	84	77	84	79	MHDO Hosp Inpatient
	Ages 18-44	57	127	92	75	MHDO Hosp Inpatient
	Ages 45-64	137	33	52	75	MHDO Hosp Inpatient
	Ages 65+	129	128	172	150	MHDO Hosp Inpatient
	Diabetes Short-term Complications, ACSC ED Visit Rate	7	13	17	9	MHDO Hosp Inpatient
	Diabetes Long-term Complications, ACSC ED Visit Rate	171	181	125	111	MHDO Hosp Inpatient
Diabetes Uncontrolled, ACSC ED Visit Rate	11	12	11	11		
Quality/Effective	Diabetes, Mortality Rate	25	49	34	26	ODRVS Mortality
	Ages 45-64	21	44	22	20	ODRVS Mortality
	Ages 65+	120	233	162	126	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
		MENTAL HEALTH				
Risk Factors	% 11+ Days Mental Health Not Good	10%	8.5%	14%	11%	BRFSS 2008 + 2009
	Ages 18-44	10%	11%	15%	12%	BRFSS 2008 + 2009
	Ages 45-64	12%	8.5%	17%	12%	BRFSS 2008 + 2009
	Ages 65+	6.9%	2.9%	5.2%	6.1%	BRFSS 2008 + 2009
	% needed, but did not get, mental health treatment in past 12 months	5.0%	3.9%	6.0%	4.8%	Household Survey
Disease Prevalence	% receiving outpatient mental health treatment in past 12 mos	12%	11%	13%	11%	Household Survey
	% At Risk for Clinical Depression Based on MHI5 (18+)	6.3%	9.2%	11.9%	7.2%	Household Survey
	% Diagnosed Depression (ever, 18+)	22%	21%	22%	22%	Household Survey
	% Current Depression (18+)	15%	15%	16%	15%	Household Survey
	% Diagnosed Other Psychiatric Disorder (ever, 18+)	12%	15%	12%	13%	Household Survey
	% Developmental Delay/Learning Disability (Ages 0-17)	4.1%	6.0%	4.7%	4.5%	Household Survey
Management	Psychoses Hospital Admission Rate	911	376	572	578	MHDO Hosp Inpatient
	Ages 0-17	980	213	503	484	MHDO Hosp Inpatient
	Ages 18-44	1,184	646	802	801	MHDO Hosp Inpatient
	Ages 45-64	756	295	558	559	MHDO Hosp Inpatient
	Ages 65+	409	105	255	246	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, Hospital Admission Rate	7.0	6.7	5.3	8.6	MHDO Hosp Inpatient
	Ages 65+	42	47	33	50	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate	210	133	145	157	MHDO Hosp Inpatient
	Ages 0-17	132	0	70	85	MHDO Hosp Inpatient
	Ages 18-64	256	191	188	196	MHDO Hosp Inpatient
	Ages 65+	126	47	78	93	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate	599	188	306	280	MHDO Hosp Inpatient
	Ages 0-17	804	170	395	353	MHDO Hosp Inpatient
	Ages 18-64	613	222	330	302	MHDO Hosp Inpatient
	Ages 65+	222	58	89	88	MHDO Hosp Inpatient
	Schizophrenia, Hospital Admission Rate	81	47	84	114	MHDO Hosp Inpatient
	Ages 18-64	112	64	121	155	MHDO Hosp Inpatient
	Ages 65+	19	0	11	39	MHDO Hosp Inpatient
	Anxiety, Hospital Admission Rate	247	185	189	269	MHDO Hosp Inpatient
	Ages 0-17	369	128	198	213	MHDO Hosp Inpatient
	Ages 18-44	523	579	404	662	MHDO Hosp Inpatient
	Ages 45-64	176	213	227	342	MHDO Hosp Inpatient
	Ages 65+	42	17	54	70	MHDO Hosp Inpatient
	Senility and Organic Mental Disorders, ED Rate	34	12	37	28	MHDO Hosp ED
	Major Depressive Disorder, ED Rate	129	72	72	109	MHDO Hosp ED
	Bipolar Disorder, ED Rate	277	106	145	166	MHDO Hosp ED
Schizophrenia, ED Rate	70	74	75	70	MHDO Hosp ED	
Anxiety Disorder, ED Rate	2,132	1,465	1,763	1,618	MHDO Hosp ED	
Quality	Suicide, Mortality Rate	13	16	14	14	ODRVS Mortality
	Males	21	25	20	23	ODRVS Mortality
	Females	5.5	6.5	6.9	5.4	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
SUBSTANCE ABUSE						
Prevalence	% Chronic Heavy Drinking - Past Month	5.5%	4.0%	7.8%	6.4%	BRFSS 2008 & 2009
	Ages 18-64	12%	9.6%	17%	14%	BRFSS 2008 & 2009
	Ages 65+	0.8%	2.4%	5.1%	4.5%	BRFSS 2008 & 2009
	% Binge Drinking -Past Month	15%	15%	16%	15%	BRFSS 2008 & 2009
	Ages 18-44	24%	27%	25%	26%	BRFSS 2008 & 2009
	Ages 45-64	12%	14%	9.4%	14%	BRFSS 2008 & 2009
	Ages 65+	3.0%	2.9%	3.1%	3.6%	BRFSS 2008 & 2009
	% Ever diagnosed with Substance Abuse Problem	4.2%	3.8%	4.1%	4.7%	Household Survey
	% Current Substance Abuse Problem	0.7%	0.7%	0.9%	1.5%	Household Survey
	% Overdose Past 12 mos (Households)	1.0%	0.0%	1.5%	0.9%	Household Survey
% have used any street drugs in past 30 days	7.9%	4.3%	7.2%	5.2%	Household Survey	
% have used any prescription drugs for non-prescribed purpose in past 30 days	1.8%	1.0%	0.9%	1.8%	Household Survey	
Management	Substance Abuse, Hospital Admission Rate	673	227	359	379	MHDO Hosp Inpatient
	Ages 18-64	1,021	321	539	553	MHDO Hosp Inpatient
	Ages 65+	138	93	116	149	MHDO Hosp Inpatient
	Acute Alcohol-Related Mental Disorders, Hospital Admission Rate	17.3	29	22	50	MHDO Hosp Inpatient
	Ages 18-64	27	41	30	73	MHDO Hosp Inpatient
	Ages 65+	0	12	22	19	MHDO Hosp Inpatient
	Alcohol-Related Psychoses, Hospital Admission Rate	368	86	168	174	MHDO Hosp Inpatient
	Ages 18-64	566	122	261	260	MHDO Hosp Inpatient
	Ages 65+	74	35	28	52	MHDO Hosp Inpatient
	Acute Drug-Related Mental Disorders, Hospital Admission Rate	27	18	18	39	MHDO Hosp Inpatient
	Ages 18-64	36	26	24	56	MHDO Hosp Inpatient
	Ages 65+	0	0	0	6.5	MHDO Hosp Inpatient
	Drug-Related Psychoses, Hospital Admission Rate	261	94	152	117	MHDO Hosp Inpatient
	Ages 18-64	393	133	224	164	MHDO Hosp Inpatient
	Ages 65+	64	47	66	72	MHDO Hosp Inpatient
Acute Alcohol-Related Mental Disorders, ED Rate	140	86	135	131	MHDO Hosp ED	
Alcohol-Related Psychoses, ED Rate	18	6.7	26	28	MHDO Hosp ED	
Acute Drug-Related Mental Disorders, ED Rate	443	254	250	297	MHDO Hosp ED	
Drug-Related Psychoses, ED Rate	48	44	40	57	MHDO Hosp ED	
Quality / Effectiveness	Smoking-Related Neoplasms, Mortality Rate	165.3	204	208	177	ODRVS Mortality
	Males	191	243	254	205	ODRVS Mortality
	Females	141	167	163	150	ODRVS Mortality
	Alcohol-Related Mortality Rate	15	18	21	14	ODRVS Mortality
	Males	17	23	25	19	ODRVS Mortality
	Females	13	13	16	10	ODRVS Mortality
	Alcohol Liver Disease, Mortality Rate	12	15	18	11	ODRVS Mortality
	Motor Vehicle Accidents, Mortality Rate	10	21	17	14	ODRVS Mortality
	Males	14	32	23	21	ODRVS Mortality
	Females	6.1	11	12	8.0	ODRVS Mortality

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source	
REPRODUCTIVE HEALTH							
	% Binge Drinking Females (past month)	11%	7.8%	12%	11%	BRFSS 2008 & 2009	
	2 or more sex partners in past yr (ages 18-34)	21%	8.1%	19%	16%	Household Survey	
	% used condom last time had sex (ages 18-34)	25%	34%	39%	35%	Household Survey	
	Teen Birth Rate (10-17yrs) Per 1,000 Females	6.9	6.1	3.3	4.1	ODRVS Birth	
Management	High Risk Pregancy, Hospital Admission Rate (10-44 year old females)	499	383	477	360	MHDO Hosp Inpatient	
	C-Section Rate per 100 births	33	32	30	30	ODRVS Birth	
	% Adequate Prenatal Care (of live births)	93%	89%	92%	91%	ODRVS Birth	
	% Inadequate Prenatal Care (of live births)	1.9%	2.5%	2.5%	2.5%	ODRVS Birth	
	% Low Birthweight (<2500 grams)	6.4%	7.0%	6.1%	6.4%	ODRVS Birth	
	% Prematurity (< 37 weeks)	8.3%	8.8%	8.2%	8.7%	ODRVS Birth	
	Infant Mortality Rate (deaths to infants from birth through 364 days of age) per 1,000 live births	6.2	*	4.2	5.5	ODRVS Mortality	
	Neonatal Mortality Rate (deaths to infants under 28 days) per 1,000 live births	3.6	*	3.0	3.9	ODRVS Mortality	
	Post-Neonatal Mortality Rate (deaths to infants 28 through 364 days of age) per 1,000 live births	2.6	*	*	1.7	ODRVS Mortality	
CHILD/YOUTH HEALTH							
	% Sad/Hopeless (two weeks in a row, stopped usu. activities)	25%	24%	24%	24%	MIYHS 2009	
	% Seriously Considered Suicide	14%	11%	15%	14%	MIYHS 2009	
	% Current Smoker (Past Month) (Grade 9-12)	18%	17%	19%	20%	MIYHS 2009	
	% Current Smokeless Tobacco User	10%	9%	11%	9.5%	MIYHS 2009	
	% Alcohol Use (Past Month) (Grade 9-12)	31%	40%	34%	35%	MIYHS 2009	
	% Binge Drink (5+ in a row) Past Month) (Grade 9-12)	19%	24%	22%	21%	MIYHS 2009	
	% Marijuana Use (Past Month) (Grade 9-12)	23%	28%	25%	24%	MIYHS 2009	
	% Sniffed Glue or Other Inhalant (Past Month) (Grade 9-12)	11%	6%	10%	9%	MIYHS 2009	
	% Used Rx Drug w/out Rx (Past Month) (Grade 9-12)	12%	11%	12%	11%	MIYHS 2009	
	% Regular Physical Activity (at least 60 min on 5 of last 7 dys)	37%	50%	34%	39%	MIYHS 2009	
	% Consume fruits and vegetables 5 or more times/day	15%	17%	14%	15%	MIYHS 2009	
	% Drank sugar sweetened beverage in past week	32%	29%	30%	29%	MIYHS 2009	
	Teen Birth Rate (10-17yrs) Per 1,000 Female Populatio	6.9	6.1	3.3	4.1	ODRVS Birth	
	Prevalance	% Ever Been Diagnosed with Asthma (0-17) parental report	10%	3.0%	6.9%	6.1%	Household Survey
		% Overweight/Obesity Problem (0-17) parental report	1.7%	2.3%	3.7%	2.0%	Household Survey
% Overweight (Grade 9-12)		15%	16%	17%	14%	MIYHS 2009	
% Obese (Grade 9-12)		14%	13%	16%	13%	MIYHS 2009	
	% with developmental delay or learning disability (0-17) parental repor	4.1%	6.0%	4.7%	4.5%	Household Survey	

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* Rates based on less than 5 occurrences omitted

Western District		Androscoggin	Franklin	Oxford	Maine	Maine Counties Source
CHILD/YOUTH HEALTH Cont.						
Management	ACSC, ED Rate - Overall PQI (Ages 0-17)	2,466	1,320	2,043	1,994	MHDO Hosp Inpatient
	ACSC, Hospital Admission Rate - Overall PQI (Ages 0-17)	241	332	107	191	MHDO Hosp Inpatient
	Asthma and Bronchitis, Hospital Admission Rate (Ages 0-17)	311	307	161	196	MHDO Hosp Inpatient
	Pneumonia, Hospital Admission Rate (Ages 0-17)	193	187	128	132	MHDO Hosp Inpatient
	Psychoses Hospital Admission Rate (Ages 0-17)	980	213	503	484	MHDO Hosp Inpatient
	Major Depressive Disorder, Hospital Admission Rate (Ages 0-17)	132	0	70	85	MHDO Hosp Inpatient
	Bipolar Disorder, Hospital Admission Rate (Ages 0-17)	804	170	395	353	MHDO Hosp Inpatient
	Asthma and Bronchitis, ED Rate (Ages 0-17)	1,291	894	1,285	1,145	MHDO Hosp ED
	Pneumonia, ED Rate (Ages 0-17)	634	204	564	516	MHDO Hosp ED
ORTHOPEDICS						
	% Diagnosed Arthritis	31%	30%	35%	32%	BRFSS 2007 & 2009
	Ages 18-44	13%	10%	16%	13%	BRFSS 2007 & 2009
	Ages 45-64	40%	40%	44%	39%	BRFSS 2007 & 2009
	Ages 65+	61%	53%	62%	59%	BRFSS 2007 & 2009
	Hip Procedures, Hospital Admission Rate	94	92	120	93	MHDO Hosp Inpatient
	Ages 65+	473	500	493	452	MHDO Hosp Inpatient
	Head Brain Injury, Hospital Admission Rate	64	60	72	57	MHDO Hosp Inpatient
	Ages 65+	180	233	210	180	MHDO Hosp Inpatient
INFECTIOUS DISEASE						
	HIV/AIDS, Hospital Admissions Rate	7.5	1.7	7.1	5.1	MHDO Hosp Inpatient
	Chronic Hepatitis C, Number of Case Reports*	130	7	35	1453	ME CDC Infect Disease 2007
	Sexually Transmitted Disease Incidence Rate:					
	Gonorrhea	9.4	6.7	11	7.3	ME CDC Infect Disease 2008
	Chlamydia	307	161	155	197	ME CDC Infect Disease 2008
INTIMATE PARTNER VIOLENCE						
	% Ever physically hurt by Intimate Partner	15%	11%	15%	12%	Household Survey
	% Past yr physical violence or unwanted sex from Intimate Partne	2.8%	0%	1.2%	1.2%	Household Survey

All rates are per 100,000 population (based on US Census estimates 2008) unless otherwise noted

* A Hepatitis C case report is defined as the presence of any positive serologic marker for Hepatitis C infection. State cases include reports where no county data was available so Maine total exceeds sum of counties.