

# Maine Shared Community Health Needs Assessment

## County Summary: 2015

Oxford County

November 2015

### Qualitative Stakeholder Input

A survey of 61 health professionals and community stakeholders in Oxford County provided insight into the most critical health issues and determinants impacting the lives of those living in the area. According to these stakeholders, the following five health issues and health factors have the most impact on Oxford County resulting in poor health outcomes for residents.

#### Top five health issues

- Drug and alcohol abuse
- Physical activity and nutrition
- Mental health
- Obesity
- Diabetes

#### Top five health factors

- Poverty
- Transportation
- Employment
- Health care insurance
- Health literacy


Maine Shared CHNA Health Indicators	Year	Oxford	Trend	Maine	U.S.
<b>Demographics</b>					
Total Population	2013	57,277		1,328,302	319 Mil
Population – % ages 0-17	2013	19.8%		19.7%	23.3%
Population – % ages 18-64	2013	61.4%		62.6%	62.6%
Population – % ages 65+	2013	18.8%		17.7%	14.1%
Population – % White	2013	97.0%		95.2%	77.7%
Population – % Black or African American	2013	0.4%		1.4%	13.2%
Population – % American Indian and Alaska Native	2013	0.4%		0.7%	1.2%
Population – % Asian	2013	0.6%		1.1%	5.3%
Population – % Hispanic	2013	1.2%		1.4%	17.1%
Population – % with a disability	2013	17.5%		15.9%	12.1%
Population density (per square mile)	2013	27.8		43.1	87.4
<b>Socioeconomic Status Measures</b>					
Individuals living in poverty	2009-2013	14.9%	NA	13.6%	15.4%
Children living in poverty	2009-2013	20.4%	NA	18.5%	21.6%
High school graduation rate	2013-2014	86.5%	NA	86.5%	81.0%
Median household income	2009-2013	\$40,674	NA	\$48,453	\$53,046
Percentage of people living in rural areas	2013	100.0%	NA	66.4%	NA
Single-parent families	2009-2013	36.0%	NA	34.0%	33.2%
Unemployment rate	2014	7.0%	NA	5.7%	6.2%
65+ living alone	2009-2013	37.3%	NA	41.2%	37.7%
<b>General Health Status</b>					
Adults who rate their health fair to poor	2011-2013	17.3%		15.6%	16.7%
Adults with 14+ days lost due to poor mental health	2011-2013	11.8%		12.4%	NA
Adults with 14+ days lost due to poor physical health	2011-2013	13.9%		13.1%	NA
Adults with three or more chronic conditions	2011, 2013	30.5%		27.6%	NA
<b>Mortality</b>					
Life expectancy (Female)	2012	81.1	NA	81.5	81.2
Life expectancy (Male)	2012	76.4	NA	76.7	76.4
Overall mortality rate per 100,000 population	2009-2013	794.2	NA	745.8	731.9
<b>Access</b>					
Adults with a usual primary care provider	2011-2013	85.4%		87.7%	76.6%
Individuals who are unable to obtain or delay obtaining necessary medical care due to cost	2011-2013	13.0%		11.0%	15.3%
MaineCare enrollment	2015	34.7%	NA	27.0%	23.0%
Percent of children ages 0-19 enrolled in MaineCare	2015	53.2%	NA	41.8%	48.0%


Maine Shared CHNA Health Indicators	Year	Oxford	Trend	Maine	U.S.
Percent uninsured	2009-2013	11.8%	NA	10.4%	11.7%
<b>Health Care Quality</b>					
Ambulatory care-sensitive condition hospital admission rate per 100,000 population	2011	1,807.0		1,499.3	1457.5
Ambulatory care-sensitive condition emergency department rate per 100,000 population	2011	5,639.7	NA	4,258.8	NA
<b>Oral Health</b>					
Adults with visits to a dentist in the past 12 months	2012	63.0%	NA	65.3%	67.2%
MaineCare members under 18 with a visit to the dentist in the past year	2014	51.8%	NA	55.1%	NA
<b>Respiratory</b>					
Asthma emergency department visits per 10,000 population	2009-2011	73.9		67.3	NA
COPD diagnosed	2011-2013	8.8%		7.6%	6.5%
COPD hospitalizations per 100,000 population	2011	277.3		216.3	NA
Current asthma (Adults)	2011-2013	9.3%		11.7%	9.0%
Current asthma (Youth 0-17)	2011-2013	7.0%†	NA	9.1%	NA
Pneumonia emergency department rate per 100,000 population	2011	1,166.0	–	719.9	NA
Pneumonia hospitalizations per 100,000 population	2011	404.4		329.4	NA
<b>Cancer</b>					
Mortality – all cancers per 100,000 population	2007-2011	196.4	NA	185.5	168.7
Incidence – all cancers per 100,000 population	2007-2011	500.9	NA	500.1	453.4
Bladder cancer incidence per 100,000 population	2007-2011	27.8	NA	28.3	20.2
Female breast cancer mortality per 100,000 population	2007-2011	22.4	NA	20.0	21.5
Breast cancer late-stage incidence (females only) per 100,000 population	2007-2011	40.7	NA	41.6	43.7
Female breast cancer incidence per 100,000 population	2007-2011	117.9	NA	126.3	124.1
Mammograms females age 50+ in past two years	2012	81.1%	NA	82.1%	77.0%
Colorectal cancer mortality per 100,000 population	2007-2011	15.7	NA	16.1	15.1
Colorectal late-stage incidence per 100,000 population	2007-2011	24.0	NA	22.7	22.9
Colorectal cancer incidence per 100,000 population	2007-2011	43.0	NA	43.5	42.0
Colorectal screening	2012	77.7%	NA	72.2%	NA
Lung cancer mortality per 100,000 population	2007-2011	59.2	NA	54.3	46.0
Lung cancer incidence per 100,000 population	2007-2011	78.0	NA	75.5	58.6
Melanoma incidence per 100,000 population	2007-2011	22.8	NA	22.2	21.3
Pap smears females ages 21-65 in past three years	2012	81.4%	NA	88.0%	78.0%
Prostate cancer mortality per 100,000 population	2007-2011	17.4	NA	22.1	20.8
Prostate cancer incidence per 100,000 population	2007-2011	126.1	NA	133.8	140.8
Tobacco-related neoplasms, mortality per 100,000 population	2007-2011	44.9	NA	37.4	34.3
Tobacco-related neoplasms, incidence per 100,000 population	2007-2011	96.6	NA	91.9	81.7
<b>Cardiovascular Disease</b>					
Acute myocardial infarction hospitalizations per 10,000 population	2010-2012	20.3		23.5	NA
Acute myocardial infarction mortality per 100,000 population	2009-2013	27.8	NA	32.2	32.4
Cholesterol checked every five years	2011, 2013	80.5%		81.0%	76.4%
Coronary heart disease mortality per 100,000 population	2009-2013	98.5	NA	89.8	102.6
Heart failure hospitalizations per 10,000 population	2010-2012	20.2		21.9	NA
Hypertension prevalence	2011, 2013	33.8%		32.8%	31.4%
High cholesterol	2011, 2013	43.2%		40.3%	38.4%
Hypertension hospitalizations per 100,000 population	2011	13.0		28.0	NA
Stroke hospitalizations per 10,000 population	2010-2012	16.7		20.8	NA

Maine Shared CHNA Health Indicators	Year	Oxford	Trend	Maine	U.S.
Stroke mortality per 100,000 population	2009-2013	30.0	NA	35.0	36.2
<b>Diabetes</b>					
Diabetes prevalence (ever been told)	2011-2013	10.0%		9.6%	9.7%
Pre-diabetes prevalence	2011-2013	7.2%		6.9%	NA
Adults with diabetes who have eye exam annually	2011-2013	NA	NA	71.2%	NA
Adults with diabetes who have foot exam annually	2011-2013	89.3%	NA	83.3%	NA
Adults with diabetes who have had an A1C test twice per year	2011-2013	NA	NA	73.2%	NA
Adults with diabetes who have received formal diabetes education	2011-2013	NA	NA	60.0%	55.8%
Diabetes emergency department visits (principal diagnosis) per 100,000 population	2011	327.1	–	235.9	NA
Diabetes hospitalizations (principal diagnosis) per 10,000 population	2010-2012	13.6		11.7	NA
Diabetes long-term complication hospitalizations	2011	60.9		59.1	NA
Diabetes mortality (underlying cause) per 100,000 population	2009-2013	25.6	NA	20.8	21.2
<b>Environmental Health</b>					
Children with confirmed elevated blood lead levels (% among those screened)	2009-2013	2.3%	NA	2.5%	NA
Children with unconfirmed elevated blood lead levels (% among those screened)	2009-2013	6.5%	NA	4.2%	NA
Homes with private wells tested for arsenic	2009, 2012	37.5%	NA	43.3%	NA
Lead screening among children age 12-23 months	2009-2013	63.9%	NA	49.2%	NA
Lead screening among children age 24-35 months	2009-2013	47.6%	NA	27.6%	NA
<b>Immunization</b>					
Adults immunized annually for influenza	2011-2013	37.5%		41.5%	NA
Adults immunized for pneumococcal pneumonia (ages 65 and older)	2011-2013	68.6%	NA	72.4%	69.5%
Immunization exemptions among kindergarteners for philosophical reasons	2015	5.3%	NA	3.7%	NA
Two-year-olds up to date with "Series of Seven Immunizations" 4-3-1-3-3-1-4	2015	NA	NA	75.0%	NA
<b>Infectious Disease</b>					
Hepatitis A (acute) incidence per 100,000 population	2014	0.0†	NA	0.6	0.4
Hepatitis B (acute) incidence per 100,000 population	2014	0.0†	NA	0.9	0.9
Hepatitis C (acute) incidence per 100,000 population	2014	1.7†	NA	2.3	0.7
Incidence of past or present hepatitis C virus (HCV) per 100,000 population	2014	85.6	NA	107.1	NA
Incidence of newly reported chronic hepatitis B virus (HBV) per 100,000 population	2014	0.0†	NA	8.1	NA
Lyme disease incidence per 100,000 population	2014	73.4	NA	105.3	10.5
Pertussis incidence per 100,000 population	2014	28.0†	NA	41.9	10.3
Tuberculosis incidence per 100,000 population	2014	0.0†	NA	1.1	3.0
<b>STD/HIV</b>					
AIDS incidence per 100,000 population	2014	0.0†	NA	2.1	8.4
Chlamydia incidence per 100,000 population	2014	218.4	NA	265.5	452.2
Gonorrhea incidence per 100,000 population	2014	1.7†	NA	17.8	109.8
HIV incidence per 100,000 population	2014	0.0†	NA	4.4	11.2
HIV/AIDS hospitalization rate per 100,000 population	2011	23.9		21.4	NA
Syphilis incidence per 100,000 population	2014	0.0†	NA	1.6	19.9
<b>Intentional Injury</b>					
Domestic assaults reports to police per 100,000 population	2013	429.4	NA	413.0	NA
Firearm deaths per 100,000 population	2009-2013	10.1	NA	9.2	10.4

Maine Shared CHNA Health Indicators	Year	Oxford	Trend	Maine	U.S.
Intentional self-injury (Youth)	2013	NA	NA	17.9%	NA
Lifetime rape/non-consensual sex (among females)	2013	NA	NA	11.3%	NA
Nonfatal child maltreatment per 1,000 population	2013	NA	NA	14.6	9.1
Reported rape per 100,000 population	2013	45.4	NA	27.0	25.2
Suicide deaths per 100,000 population	2009-2013	14.0	NA	15.2	12.6
Violence by current or former intimate partners in past 12 months (among females)	2013	NA	NA	0.8%	NA
Violent crime rate per 100,000 population	2013	99.5	NA	125.0	368
<b>Unintentional Injury</b>					
Always wear seatbelt (Adults)	2013	80.1%		85.2%	NA
Always wear seatbelt (High School Students)	2013	56.9%		61.6%	54.7%
Traumatic brain injury related emergency department visits (all intents) per 10,000 population	2011	58.4	NA	81.4	NA
Unintentional and undetermined intent poisoning deaths per 100,000 population	2009-2013	7.5	NA	11.1	13.2
Unintentional fall related deaths per 100,000 population	2009-2013	8.3	NA	6.8	8.5
Unintentional fall related injury emergency department visits per 10,000 population	2011	421.9	NA	361.3	NA
Unintentional motor vehicle traffic crash related deaths per 100,000 population	2009-2013	15.4	NA	10.8	10.5
<b>Occupational Health</b>					
Deaths from work-related injuries (number)	2013	NA	NA	19	4,585
Nonfatal occupational injuries (number)	2013	401	NA	13,205	NA
<b>Mental Health</b>					
Adults who have ever had anxiety	2011-2013	16.7%		19.4%	NA
Adults who have ever had depression	2011-2013	22.3%		23.5%	18.7%
Adults with current symptoms of depression	2011-2013	10.2%		10.0%	NA
Adults currently receiving outpatient mental health treatment	2011-2013	13.8%		17.7%	NA
Co-morbidity for persons with mental illness	2011, 2013	43.4%	NA	35.2%	NA
Mental health emergency department rates per 100,000 population	2011	1,948.9	+	1,972.1	NA
Sad/hopeless for two weeks in a row (High School Students)	2013	27.2%		24.3%	29.9%
Seriously considered suicide (High School Students)	2013	15.9%		14.6%	17.0%
<b>Physical Activity, Nutrition and Weight</b>					
Fewer than two hours combined screen time (High School Students)	2013	NA	NA	33.9%	NA
Fruit and vegetable consumption (High School Students)	2013	13.8%	NA	16.8%	NA
Fruit consumption among Adults 18+ (less than one serving per day)	2013	36.3%	NA	34.0%	39.2%
Met physical activity recommendations (Adults)	2013	49.9%		53.4%	50.8%
Physical activity for at least 60 minutes per day on five of the past seven days (High School Students)	2013	41.4%	NA	43.7%	47.3%
Sedentary lifestyle – no leisure-time physical activity in past month (Adults)	2011-2013	23.9%		22.4%	25.3%
Soda/sports drink consumption (High School Students)	2013	28.4%	NA	26.2%	27.0%
Vegetable consumption among Adults 18+ (less than one serving per day)	2013	15.3%†	NA	17.9%	22.9%
Obesity (Adults)	2013	28.4%		28.9%	29.4%
Obesity (High School Students)	2013	15.7%		12.7%	13.7%
Overweight (Adults)	2013	39.0%		36.0%	35.4%
Overweight (High School Students)	2013	16.7%		16.0%	16.6%
<b>Pregnancy and Birth Outcomes</b>					
Children with special health care needs	2009-2010	NA	NA	23.6%	19.8%

Maine Shared CHNA Health Indicators	Year	Oxford	Trend	Maine	U.S.
Infant deaths per 1,000 live births	2003-2012	6.0	NA	6.0	6.0
Live births for which the mother received early and adequate prenatal care	2010-2012	88.7%	NA	86.4%	84.8%
Live births to 15-19 year olds per 1,000 population	2010-2012	22.8	NA	20.5	26.5
Low birth weight (<2500 grams)	2010-2012	6.8%	NA	6.6%	8.0%
<b>Substance and Alcohol Abuse</b>					
Alcohol-induced mortality per 100,000 population	2009-2013	6.8	NA	8.0	8.2
Binge drinking of alcoholic beverages (High School Students)	2013	16.6%		14.8%	20.8%
Binge drinking of alcoholic beverages (Adults)	2011-2013	16.6%		17.4%	16.8%
Chronic heavy drinking (Adults)	2011-2013	6.8%		7.3%	6.2%
Drug-affected baby referrals received as a percentage of all live births	2014	7.5%	NA	7.8%	NA
Drug-induced mortality per 100,000 population	2009-2013	8.0	NA	12.4	14.6
Emergency medical service overdose response per 100,000 population	2014	326.7	NA	391.5	NA
Opiate poisoning (ED visits) per 100,000 population	2009-2011	16.7		25.1	NA
Opiate poisoning (hospitalizations) per 100,000 population	2009-2011	12.5		13.2	NA
Past-30-day alcohol use (High School Students)	2013	28.5%		26.0%	34.9%
Past-30-day inhalant use (High School Students)	2013	3.2%		3.2%	NA
Past-30-day marijuana use (Adults)	2011-2013	8.0%†	NA	8.2%	NA
Past-30-day marijuana use (High School Students)	2013	26.8%		21.6%	23.4%
Past-30-day nonmedical use of prescription drugs (Adult)	2011-2013	1.7%†	NA	1.1%	NA
Past-30-day nonmedical use of prescription drugs (High School Students)	2013	6.3%		5.6%	NA
Prescription Monitoring Program opioid prescriptions (days supply/pop)	2014-2015	8.0	NA	6.8	NA
Substance-abuse hospital admissions per 100,000 population	2011	279.6	+	328.1	NA
<b>Tobacco Use</b>					
Current smoking (Adults)	2011-2013	26.8%		20.2%	19.0%
Current smoking (High School Students)	2013	14.3%		12.9%	15.7%
Current tobacco use (High School Students)	2013	21.1%	NA	18.2%	22.4%
Secondhand smoke exposure (Youth)	2013	48.1%		38.3%	NA

 Indicates county is significantly better than state average (using a 95% confidence level).

 Indicates county is significantly worse than state average (using a 95% confidence level).

+ Indicates an improvement in the indicator over time at the county level (using a 95% confidence level)

– Indicates a worsening in the indicator over time at the county level (using a 95% confidence level)

† Results may be statistically unreliable due to small numerator, use caution when interpreting.

NA = No data available